
Light EASY TO USE

TRIPLE



1 1971

PLUS

LAWN FOOD

CAUTION Keep Out of Reach of Children

(WITH 2-4-D) Lightweight

Non-burning when used as directed

NET WEIGHT & POUNDS

*. X=	v+.	Tree of the	MA CON
٠,	٠,		
A	••	A > + +	for m
12. Fr 1	6 7		4 -
1 - 1 -			4 '
17.97		,	

1918F+ 110N s

Hestines his car he obtained to applied which the tax on tamp and temperatures are warning spring in some ending. It is apply with the first are to the model to the inwitten temperatures are cold. Was at least three tays after model, between applying the out three applying to make the immediate with at least to tays between applications. Spread evenly and as a Capping.

NOT RECOMMENDED for the concernance of the concerna ticides or fungicides

APPROX SPREADER CHART SETTINGS

Greenheld Lawn Beauty 5½ 6 Cyclone 45 Crisscountry

CAUTION

Keep out of reach of children

As a contact with skin, eyes and clothes

Do not take internally Ave d breathing dust

TRIPLE

ILLER **AWN FOOD**



Light EASY TO USE

TRIPL

PLUS

CALITION

Kung Dining Examination of the second and the second and the second areas are as a second areas areas

(WITH 2-4-

NET WEIGHT 25 POUNDS

*GUARANTEED FERTILIZER ANALYSIS Total Nitrogen (N) 10.00% Available Phosphoric Acid (P.O.) 6.00% Soluble Potash (K.O) 4.00% Iron (Fe) .40% *In Michigan recits Minimum

DIRECTIONS

Best results can be obtained if applied when the lawn is damp and temperatures are warm in spring, early summer or fall. Do not apply when conditions are hot, dry, or when temperatures are cold. Wait at least three days after mowing before applying. Two or three applications are recommended with at least 60 days between applications. Spread evenly and avoid lapping.

Spreader setting may vary with age, model and condition of spreader. Make a trial check on a measured area of 1000 square feet with 4 pounds of this product. Avoid overlap, NOT RECOMMENDED for use on Carpetgrass, Bentgrass, Dichondra, Centipede grass, St. Augustine grass, on lawns where clover is present or desired, or on new lawns. Apply on a calm day, avoid drift to or contact with vegetables, flowers or shrubs. VAPORS from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean all equipment after each use. DO NOT STORE near other fertilizer, seed, insecticides, or fungicides.

APPROX. SPREADER CHART SETTINGS

Lawn Beauty 513		Greenfield	-	6
Scott 6	43/2	Crosscountry		7

CAUTION

Keep out of reach of children.

Avoid contact with skin eyes:

Avoid contact with skin, eyes and clothes.

Do not take internally.


Avoid breathing dust.

To not news, our talkers of a constraint of a management of swall ower.

TRIPLE



WEED
KILLER



WEED KILLER RUS LAWN FOOD

10-6-4

WITH 2-4-D)

Light weight

Mon-burning when used as directed

COVERS 5000 SQ. FT.

Manufactured by

THE STADLEARTH LIZER CO.

Orand Ropids, Othe 41522