

HERO

10-6-4

ACCEPTED
Oct 20, 1969
UNDER THE FEDERAL INSECTicide
FUNCTIONAL ACT OF 1947
FOR EQUINE USE
ED IN EQUINE USE
TO ATTACH TO THE PRODUCT

5815-23

WEED & FEED

COVERS UP TO 5000 SQ. FT.

WITH
SILVEX & IRON

Contains 2, 4-D and Silvex

See additional cautions on back panel.

CAUTION: Keep out of reach of children and pet.

MANUFACTURED BY WEGRO INC., GRAND RAPIDS, OHIO

MR GRO

10-6-4

WEED AND FEED

WITH SILVEX AND IRON

LIGHTWEIGHT

COVERS UP TO 5,000 SQUARE FEET
20 LBS. NET WEIGHT

FEEDS -Supplies nitrogen, phosphorus and potash, the three primary plant food elements necessary for healthier greener lawns.

KILLS -or controls dandelion, buckhorn, clover and many other broadleaf plants.

CONTAINS -Iron, necessary for the formation and functioning of chlorophyll.

DIRECTIONS

Best results can be obtained if applied when the lawn is damp and temperature is warm, in spring, early summer or fall. Do not apply when conditions are hot, dry, or when temperatures are cold. Wait at least three days after mowing before applying. Two or three applications are recommended with at least 60 days between applications.

SUGGESTED SPREADER CHART SETTINGS

Lawn Beauty5	Scott5½	Jackson6½
Cyclone4	Sears4		

Not recommended for use on Carpetgrass, Bent grass, Dichondra, Centipede grass, St. Augustine grass, on lawns where clover is present or desired, or on new lawns. Apply on a calm day, avoid drifts to or contact with vegetables, flowers, or shrubs. Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean all equipment after each use. Do not store near other fertilizer, seed, insecticides, or fungicides. Spread evenly and avoid lapping.

CAUTION: Keep out of reach of children.
Avoid contact with skin, eyes and clothes.
Do not take internally.
Avoid breathing dust.

For contents guarantee see front panel. Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its mis-use as such, or in combination with other materials.

ACCEPTED

OCT 20 1969

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 10339-Q

20219 10

4-73

FREIGHT SHIPPING BAG
Attention: Shippers of

KILLS - or controls nematodes, grubs, etc. and many other insects.
CONTAINS - Iron, necessary for the formation and functioning of chlorophyll.

DIRECTIONS

Best results can be obtained if applied when the lawn is damp and temperature is warm, in spring, early summer or fall. Do not apply when conditions are hot, dry, or when temperatures are cold. Wait at least three days after mowing before applying. Two or three applications are recommended with at least 60 days between applications.

SUGGESTED SPREADER CHART SETTINGS

Lawn Beauty 5 Scott 5½ Jackson 6½
Cyclone 4 Sears 4

Not recommended for use on Carpetgrass, Bent grass, Dichondra, Centipede grass, St. Augustine grass, on lawns where clover is present or desired, or on new lawns. Apply on a calm day, avoid drifts to or contact with vegetables, flowers, or shrubs. Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean all equipment after each use. Do not store near other fertilizer, seed, insecticides, or fungicides. Spread evenly and avoid lapping.

CAUTION: Keep out of reach of children.
Avoid contact with skin, eyes and clothes.
Do not take internally.
Avoid breathing dust.

For contents guarantee see front panel. Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its mis-use as such, or in combination with other materials.

ACCEPTED

OCT 20 1969

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 10339-Q

~~10339-Q~~
5818-23

FREIGHT SHIPPING BAG
Meeting Requirements of
APPLICABLE FREIGHT
CLASSIFICATION
Guaranteed By
Raymond Bag Company
MARLETON, OHIO - RICHMOND, VIRGINIA

MULTIBAG
®

MANUFACTURED UNDER ONE OR MORE
OF THE FOLLOWING PATENTS.
3097618 3291375
OTHER PAT. PENDING.

53 38 -03

FOREST CITY

YOU MUST BE SATISFIED • WE GUARANTEE IT!

GUARANTEED HERBICIDE

ACTIVE INGREDIENTS:

*Dimethyl Amine Salt of
Dichlorophenoxyacetic Acid _____ .80%
**Isooctyl Ester of Silvex (2,2,4,5-
Trichlorophenoxy) propionic acid) _____ .40%
Inert Ingredients (Plant Food) _____ 98.80%

Total 100.00%

*Equivalent to 2,4-Dichlorophenoxyacetic _____ .664%


**Equivalent to (2-2,4,5-Trichlorophenoxy) _____ .28%
propionic Acid)

USDA Reg. No. 10339-8

Weed & feed plus iron

22-7-7 • CONTAINS SILVEX

KILLS WEEDS



Comment
5418
27