# C plus iron 22-7-7 · CONTAINS SILVEX **KILLS WEEDS** FERTILIZES YOUR LAWN COVERS 5000 SQ. FT

CAUTIONS - Real to the rest of the rest


7

# 22-7-7 CONTAINS SILVEX **KILLS WEEDS** FERTILIZES YOUR LAWN COVERS 5000 SQ. FT.

CAUTIONS: Keep out of reach of children and yets. See back panel for additional CAUTIONS



## TO ATTACHED COLLECTSU 20 LBS. NET WEIGHT FOREST CITY WEED & FEED 22 - 7 - 7Reboty during Va.



#### \*GUARANTEED FERTILIZER Total Nitrogen (N) (Water Insolube Nitrogen......2%)

available Phos	pnoric Ac	$(P_2O_5)$	)
Soluble Potash	( <b>K</b> <sub>2</sub> <b>O</b> )		

Iron (Fe) \*In Michigan reads Minimum

FERTILIZES — KILLS WEEDS **PROVIDES IRON** — LIGHT WEIGHT COVERS UP TO 5,000 SQUARE FEET

FEEDS - Supplies nitrogen, phosphorus and potash, the three primary plant food elements necessary for healthier, greener lawn.

KILLS-or controls dandelion, buckhorn, clover and many other broadleaf plants with 2.4-D and SILVEX.

CONTAINS—Iron, necessary for the formation and functioning of chlorophyll.

#### DIRECTIONS

Best results can be obtained if applied when the lawn is damp and temperatures are warm in spring, early summer or fall. Do not apply when conditions are hot, dry, or when temperatures are cold. Wait at least three days after mowing before applying. Two or three applications are recommended with at least 60 days between applications. Spread evenly and avoid lapping.

#### APPROX. SPREADER CHART SETTINGS

(703) 6214 22201

 22.00%
 7.00%
 7.00%
 .40%

#### FERTILIZES - KILLS WEEDS **PROVIDES IRON** — LIGHT WEIGHT COVERS UP TO 5,000 SQUARE FEET

FEEDS — Supplies nitrogen, phosphorus and potash, the three primary plant food elements necessary for healthier, greener lawn.

KILLS-or controls dandelion, buckhorn, clover and many other broadleaf plants with 2.4-D and SILVEX.

CONTAINS—Iron, necessary for the formation and functioning of chlorophyll.

#### DIRECTIONS

Best results can be obtained if applied when the lawn is damp and temperatures are warm in spring, early summer or fall. Do not apply when conditions are hot, dry, or when temperatures are cold. Wait at least three days after mowing before applying. Two or three applications are recommended with at least 60 days between applications. Spread evenly and avoid lapping.

#### APPROX. SPREADER CHART SETTINGS

Lawn Beauty	Jackson	Greenfield
Scott5	Cyclone	Cross Country

Spreader setting may vary with age, model and condition of spreader. Make a trial check on a measured area of 1000 square feet with 4 pounds of this product. Avoid overlap.

NOT RECOMMENDED for use on Carpetgrass, Bentgrass, Dichondra, Centipede grass, St. Augustine grass, on lawns where clover is present or desired, or on new lawns. Apply on a calm day, avoid drift to or contact with vegetables, flowers or shrubs. VAPORS from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean all equipment after each use. DO NOT STORE near other fertilizer, seed, insecticides, or fungicides.

### **CAUTION:**

11

1

Keep out of reach of children. Avoid contact with skin, eyes and clothes. Do not take internally. Avoid breathing dust.

For contents guarantee see front panel. Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its mis-use as such, or in combination with other materials.

> "This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label."

#### MANUFACTURED BY

FREIGHT SHIPPING BAG Meeting Requirements of APPLICABLE PREIGHT CLASSIFICATION Guaranteed By White Bog Company Sportanburg, S. C.

#### OHIO