



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
5839-9

Date of Issuance:
807 27

Term of Issuance:
Conditional

Name of Pesticide Product:
Woodlastic
Preservative Clear
898-079

NOTICE OF PESTICIDE:
 Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

M.A. Bruder & Sons, Inc.
600 Reed Road, P.O. Box 600
Broomall, PA 19008

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes listed below before you release the product for shipment:
 - a. Add the phrase, "EPA Reg. No. 5839-9".
 - b. On the front panel move "Keep Out Of The Reach Of Children" into close proximity to the Signal Word DANGER. The preferred location is above the Signal Word
 - c. Move the heading "First Aid Procedure" immediately before the section beginning with "IF SWALLOWED".

Signature of Approving Official:

131

Date:

807 27

page 2
EPA Reg. No. 5839-9

d. Revise the environmental hazard section to read as follows:

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters.

Refer to PR Notices 93-3 and 93-8.

3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Cynthia Giles-Parker
Product Manager (22)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure



QUALITY SINCE 1899

Wood Lastic

**PRESERVATIVE
WATER REPELLENT**

Exterior Above Ground

Clear 089-079

One Gallon (3.785 Liters)

CAUTION!

COMBUSTIBLE

CHARMFUL OR FATAL IF SWALLOWED

(See other precautionary statements on back panel)

KEEP OUT OF REACH OF CHILDREN

WOOD-LASTIC CLEAR 089-079

Wood-Lastic Clear is for exterior use on above ground wood. It inhibits warping, shrinking, swelling, checking, cracking and water marking of the wood. It also protects and preserves wood against mold, mildew, rot, wood destroying fungi, mildew stain and attack by termites.

RECOMMENDED USES:

Wood-Lastic Clear is for above ground use only. It can be used to protect: shingles, millwork, windows, outdoor furniture, posts, fences, decks, porch steps and house siding. Do not apply over bark, painted/varnished surfaces or pressure treated wood surfaces.

SURFACE PREPARATION:

New wood, millwork and other lumber products should be thoroughly dry, well seasoned and free from bark before applying Wood-Lastic Clear. Do not use on wood intended for food, feed, potable water, livestock or dairy animals contact surfaces. May injure living plants during application. Cover plants to protect against direct contact.

APPLICATION: For millwork and other lumber products, dip three minutes for each inch of thickness or apply two or more saturating coats by brush or roller. Wood should be treated after all cuts are made and before use in the structure

NOTE: Allow treated wood to dry thoroughly before painting, usually 48 hours under normal conditions.

COVERAGE:

100-300 square feet per gallon. Coverage will vary depending on the porosity of the wood and method of application.

USE WITH ADEQUATE VENTILATION: Open windows and doors, or use other means to ensure air entry during application and drying. If dizziness, headaches, or eye watering is experienced, wear respiratory protection (NIOSH/MSHA TC 23C or equivalent) or leave the area.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

FIRST AID PROCEDURE:

Harmful if swallowed or absorbed through skin. Avoid contact with eyes, on skin or on clothing. Wash thoroughly after handling. If SWALLOWED, do not induce vomiting. CALL PHYSICIAN IMMEDIATELY. IF ON SKIN, wash thoroughly with soap and water. IF IN EYES, flush with plenty of water and get immediate medical attention. CONTAMINATED CLOTHING should be removed and washed thoroughly before reusing.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS:

Apply this product only as specified on the label. Use only with adequate ventilation. Close container after each use. Do not use, pour, spill or store near heat or flame.

DIRECTION FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL:

Store at temperatures between 40° F and 100° F. If the product has been spilled or leaking, remove the source of the spill or leak. Recover free liquid. Spread absorbent, then pick up and place in containers. Then, where applicable, wash area with detergent and water. Store product in the original container only. Keep container closed when not in use. Do not use empty container. Wrap container and put into trash collection.

NOTICE: Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Reports have associated repeated and prolonged overexposure to solvents with permanent brain and nervous system damage.

BEST AVAILABLE COPY

4 9 4

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 27 1967

Under the Federal Insecticide
Fungicide, and Rodenticide Act
Registration No. 5839-9
EPA Reg. No.

Active Ingredient:
Zinc Naphthenate
(Equivalent to 2% Zinc Metal
Inert Ingredients
Total
Product Weight per gallon
6.8 lbs.

EPA Reg.