

PRECAUTIONARY STATEMENTS

DANGER

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

FUMITOXIN releases the poisonous gas hydrogen phosphide (phosphine) when moist. Do not breathe dust or fumes. Do not open container except for short term usage. Always open in open air. Keep available a gas mask and canister which has been jointly approved by the Mining Enforcement and Safety Administration and the National Institute of Occupational Safety and Health for phosphine protection. Poisonous if swallowed.

Do not get in eyes or on skin. Wear gloves when handling pellets. FUMITOXIN should be used only by experienced adult personnel. Symptoms of Overexposure: Pressing sensation in chest, nausea and diarrhea.

ENVIRONMENTAL HAZARDS

Hydrogen phosphide decomposes in the atmosphere to form traces of phosphate. Spent FUMITOXIN is of no environmental hazard when disposal instructions are followed. Pure hydrogen phosphide is practically insoluble in water, fats, and oils and is stable at normal fumigation temperatures. It may however react with certain metals such as copper, brass, silver, and gold and cause corrosion, especially at high temperatures and humidity. Precautions should be taken to protect materials made from such compounds including some types of copying paper and undeveloped film.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from liquid or water as this causes immediate release of the gas. Protect from moisture, open flames, and heat.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

FUMITOXIN is a fumigant which is applied according to label instructions is activated by atmospheric humidity. FUMITOXIN has been found effective against listed grain insects and their pre-adult stages - that is eggs, larvae and pupae: grain aph, rice weevils, saw-toothed grain beetle, flat or rusty grain beetle, lesser grain borer, red flour beetle, Cadellid dried fruit moth, Mediterranean flour moth, Indian meal moth, Angoumois grain moth. Fumigated areas must be placarded on all entrances with signs containing at least the signal word DANGER and the skull and crossbones, and the words: Area under fumigation. Do not enter until completely aerated. The date of fumigation, name of the fumigant used, emergency telephone number for contact, and the name and address of the fumigator. Do not remove warning signs until the fumigated area is completely aerated and safe for entry, as indicated by a suitable detector. Do not move the pellets until the area is fully aerated. They must be completely aerated before movement is allowed.

STORAGE AND DISPOSAL

STORAGE Store in a cool, dry, locked ventilated room. CONTAINER DISPOSAL Empty into a container (equivalent) and later for recycling or reconditioning or disposal in a sanitary and if not by other approved State and local procedure. PESTICIDE DISPOSAL This is a restricted use pesticide. It should be disposed of according to the instructions on the label. State or local regulations may apply.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



COATED PELLETS-PREPAC

FOR USE AGAINST LISTED INSECTS WHICH INFEST STORED COMMODITIES, SPECIFIED PROCESSED FOODS, AND ANIMAL FEEDS

ACTIVE INGREDIENT

Aluminum phosphide

55%

INERT INGREDIENTS

45%

100%



Keep out of reach of children

DANGER — POISON



PRACTICAL TREATMENT

If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled, remove victim to open air and remove contaminated clothing. Keep victim warm. Call a physician immediately. If on skin, wash affected area with soap and water. If in eyes, flush thoroughly with water. See side panel for additional precautionary statements.




Manufactured for

PESTCON SYSTEMS, INC.

Box 469, Alhambra, CA 91802 Telephone: (213) 283-2781

Contents: 4 packages of 165 pellets ea. Net Weight: 660 grams (23.30 oz.)

EPA Reg. No. 5857-4-AA EPA Est. No. 4606U-CI-04



WARRANTY Seller warrants that the product conforms to its commercial description and when used according to label directions under normal conditions of use it is reasonably fit for the purposes stated on the label. Seller makes no other warranty, either express or implied, and Buyer assumes all risk should the product be used contrary to label instructions.

When used specifically as directed in the instructions on this container, FUMITOXIN Coated Pellets-Prepac, not combustible itself, but exposure to moist air or water releases flammable and toxic phosphine, ammonia and carbon dioxide gases. Spontaneous ignition may result if contacted by water, acids, or chemicals.

SPECIFIC INSTRUCTIONS

RAW AGRICULTURAL COMMODITIES AND BULK ANIMAL FEEDS For space treatment of stored products, insects in stored barley, corn, millet, oats, peanuts, rice, rye, safflower seed, seed and pod vegetables (except soybeans), sorghum, sunflower seeds, wheat, specified processed foods, and animal feeds.

These commodities may be fumigated under gas proof tarpaulins, in sealed bulk or hopper cars (static or rolling) or other sealed enclosures. The package shall be fastened to a substantial support and it shall not be in contact with the raw commodity, specified processed food or animal feed. After fumigation, the pellet dust remaining shall be disposed of by burying entire package or by immersing it in water in which a small amount of wetting agent has been added. Do not dispose of package in toilet.

See enclosed sheet for those listed processed foods which may be fumigated. Dosage for all listed raw commodities, specified processed food and animal feeds is one package per 1000-1500 cubic feet of storage space. Do not subdivide package.

The times of exposure required are approximated in the following guide: at 54-59°F (12-15°C) - 4 days are required; at 60-65°F (16-20°C) - 3 days are required;

at more than 66°F (20°C) - 2 full days, but no less. Do not fumigate when product is below 40°F (5°C).

Aerate finished food 48 hours before it will be offered to the consumer. Under no condition shall any processed food or animal feed come in contact with FUMITOXIN or with FUMITOXIN residue. FUMITOXIN shall not be placed in or attached to packages intended for consumers or cartons delivered to retailers.

STORED TOBACCO: Tobacco may be fumigated with FUMITOXIN at a dosage rate of one package per 1500 cubic feet. Aeration time on hogsheds will be not less than 3 days, all others, 2 days.

FUMIGATION OF UNBARRERD BARGES For space treatment of listed raw commodities, specified processed foods, and animal feeds, the package of pellets shall be fastened to a substantial support, and it shall not come in contact with the raw commodity, specified processed food or animal feed.

Following application of the fumigant, the barges must be sealed and warning placards attached.

After unloading, the area must be properly aerated and the safety placards removed.

(IMPORTANT) Barge fumigation is subject to Federal regulations, 49 CFR 177.