

TEXCO



corporation
CINCINNATI, OHIO 45212

Corrosive. Causes eye irritation. Do not get on clothing. Protect handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, flush eyes or skin with water for at least 15 minutes. For inhalation, call a physician. Remove and wash clothing before reuse.

SEPTODOR

Disinfectant - Sanitizer - Deodorizer

ACTIVE INGREDIENTS: 10%

n - Alkyl (50% C14, 40% C12, 10% C16) Dimethyl Benzyl Ammonium Chlorides

INERT INGREDIENTS: 90%

Water

For use in Hotels, Motels, Food Processing and Manufacturing plants, and in Manufacturing where a disinfectant, sanitizer, deodorizer is required.

After surfaces have been cleaned thoroughly, they can be treated with Septodor solution as follows:

- (a) For disinfecting walls, floors, and similar hard surfaces apply a solution containing one ounce per gallon of water.
- (b) For sanitizing walls, floors, and similar hard surfaces apply a solution containing ½ ounce per gallon.
- (c) For deodorizing walls, floors, and similar hard surfaces apply a solution containing 1 ¼ ounce per gallon.

These solutions can be sprayed, brushed or wiped on the surfaces to be treated. If the surfaces come in contact with food or food products, they should be thoroughly rinsed with potable water.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

FOR INDUSTRIAL AND COMMERCIAL USE



DANGER:
Keep Out of Reach of Children.

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEPTODOR

Disinfectant - Sanitizer - Deodorizer

For use in Hotels, Motels, Food Processing and Manufacturing plants, and in Manufacturing where a disinfectant, sanitizer, deodorizer is required.

After surfaces have been cleaned thoroughly, they can be treated with Septodor solution as follows:

- (a) For disinfecting walls, floors, and similar hard surfaces apply a solution containing one ounce per gallon of water.
- (b) For sanitizing walls, floors, and similar hard surfaces apply a solution containing ½ ounce per gallon.
- (c) For deodorizing walls, floors, and similar hard surfaces apply a solution containing 1 ¼ ounce per gallon.

These solutions can be sprayed, brushed or wiped on the surfaces to be treated. If the surfaces come in contact with food or food products, they should be thoroughly rinsed with potable water.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.


Phenol Coefficients (AOAC Method)

Salmonella Typhosa, 50

Staphylococcus Aureus 75

EPA Registration Number 5870-5

EPA Establishment Number 058700H01



TRIAL AND COMMERCIAL USE ONLY



DANGER:
Keep Out of Reach of Children.

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosa damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEPTODOR

Disinfectant - Sanitizer - Deodorizer

For use in Hotels, Motels, Food Processing and Manufacturing plants, and in Manufacturing where a disinfectant sanitizer, deodorizer is required.

After surfaces have been cleaned thoroughly, they can be treated with Septodor solution as follows:


- a. For disinfecting walls, floors, and similar hard surfaces apply a solution containing one ounce per gallon of water.
- b. For sanitizing walls, floors, and similar hard surfaces apply a solution containing 1/2 ounce per gallon.
- c. For deodorizing walls, floors, and similar hard surfaces apply a solution containing 1/4 ounce per gallon.

These solutions can be sprayed, brushed or wiped on the surfaces to be treated. If the surfaces come in contact with food or food products, they should be thoroughly rinsed with potable water.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

Phenol Coefficients (AOAC Method),	
Salmonella Typhosa,	50
Staphylococcus Aureus	75

EPA Registration Number	5870-5
EPA Establishment Number	058700H01



INDUSTRIAL AND COMMERCIAL USE ONLY