

[5870-10]



CAUTION

Do not remain
in FOGICIDE XL
spray for more
than 10 minutes
in order to
prevent
irritation of the
eyes, nose and
throat.
Do not remain
in cooking area.

FOGICIDE-XL

SPACE SPRAY INSECTICIDE

A high level, synergized pyrethrin type insecticide concentrate for space application by fogging and spraying machines and similar equipment. FOGICIDE XL can be used around food, food products, utensils and equipment provided that no exposed food is present and provided that food utensils and surfaces that will be in contact with food are covered and provided that fogging and spraying is not performed in food processing plants while plant is in operation.

Properly applied, FOGICIDE XL kills the accessible exposed stages of flies, ants, mosquitos, boxelder bugs, silverfish flying moths, gnats, crickets, roaches, spiders, scorpions, wasps, earwigs, clover mites, cheese mites, cheese skipper, and most common stored-grain pests, including granary weevil, rice weevil, grain beetle, spider beetle, angoumois grain moth, Mediterranean flour moth and grain mites.

| | |
|---|--------|
| Active INGREDIENTS | 100.0% |
| *Piperonyl Butoxide, Technical | 2.0% |
| Pyrethrins | 0.20% |
| Petroleum Oil | 97.80% |
| *Equivalent to 1/6% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.4% related compounds. | |

USDA Registration No. 5870-10

ACCEPTED
Sept 30 1971
THE FEDERAL INSECTICIDE
REGULATION AND REVENUE ACT
ECONOMIC POLICY
SUBS. N. 101
ATTACHED COMMENTS.

FOR INDUSTRIAL AND COMMERCIAL USE



CAUTION: READ BEFORE USING
HARMFUL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN

Do not remain in treated areas and ventilate the area after treatment is completed.
 FORMICIDE XL is an oil base material and should not be sprayed, stored or otherwise
 used in areas where children are present.
 In order to avoid any possible explosion hazard, not more than 1 gallon should be
 used in any one room.
 Do not use on or around food or feedstuffs. Cover all openings and remove the
 food and feedstuffs. Do not spray or fog in food processing plants.
 Do not use in areas where children are present. Return to clean condition or destroy by pulverizing or
 crushing and burying in safe place.

ICIDE-XL

SPRAY INSECTICIDE

ACCEPTED
 Sept 30 1971

Exposed
 house flies
 mosquitoes,
 earwigs,
 and other
 common
 household
 pests.

| | |
|---|--------|
| Active INGREDIENTS | 100.0% |
| *Piperonyl Butoxide, Technical | 2.0% |
| Pyrethrins | 0.20% |
| Petroleum Oil | 97.80% |
| *Equivalent to 1/6% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.4% related compounds. | |

For efficient results, it is important that the insecticides be fogged or sprayed uniformly per unit of space. For crawling insects, use 2 ounces/1,000 cu. ft. and 1 ounce/1,000 cu. ft. for flying insects. If possible, keep area closed for 15-20 minutes after application.

Registration No. 5870-10

ACCEPTED
 Sept 30 1971
 U.S. DEPARTMENT OF AGRICULTURE
 THE FEDERAL INSECTICIDE
 REGULATION AND REVISION ACT
 UNDER THE ECONOMIC POWERS ACT
 ANDERSON, ILLINOIS

IND COMMERCIAL USE ONLY



CAUTION: READ BEFORE USE

HARMFUL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN

Do not remain in treated areas and ventilate the area after treatment. FOGICIDE XL is an oil base material and should not be sprayed, or exposed to an open flame.

In order to avoid any possible explosive hazard, not more than 1 gallon should be sprayed per 40,000 cu. ft. of enclosed space.

Remove or cover all exposed foods or foodstuffs. Cover all utensils which will be in contact with food. Do not spray or fog in food processing areas which are in operation.

Do not reuse empty drum. Return to drum reconditioner or destroy by crushing and burying in safe place.

FOGICIDE-XL

SPACE SPRAY INSECTICIDE

Sept 30 1971

FOGICIDE XL kills the accessible life stages of mosquitoes, boxelder bugs, silverfish, cockroaches, roaches, spiders, scorpions, wasps, crickets, house mites, cheese skipper, and most common household insects including granary weevil, rice weevil, grain beetle, Argentine grain weevil, Mediterranean fruit fly, and others.

INGREDIENTS
 100.0% active ingredient: Technical Pyrethrins
 2.0% Pyrethrins
 0.20% Petrolatum Oil
 97.80% Equivalent to 1.6% of butylcarbityl 6-propylpiperonyl ether and to 0.4% of related compounds.

100.0
2.0
0.20
97.80

For efficient results it is important that the fogger be sprayed uniformly per gallon of insecticide use 2 ounces per 1000 cu. ft. and 1 ounce per 1000 cu. ft. of space. If possible, repeat application after application.

USDA Registration No. 5870-10

Sept 30 1971

5870-10

INDUSTRIAL AND COMMERCIAL USE ONLY