

front panel

**Contains  
WARFARIN**

**Guaranteed Effective  
PELLETIZED**

# Warf

**ACCEPTED**  
JAN 15 1973  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 5887-30-AA  
SUBMIT  
TO ATTACHED COMMENTS.

**KILLS  
RATS  
AND  
MICE**

**WITH  
PROLIN**


**NET  
WEIGHT  
4 POUNDS**

ACTIVE INGREDIENTS:	
Warfarin (3-[ $\alpha$ -acetylbenzyl]	
4-Hydroxycoumarin)	0.025%
N'-[2-quinoxaliny] sulfanilamide	
(Sulfaquinoxaline)	0.025%
INERT INGREDIENTS:	99.950%

EPA REG. NO. 5887-30-AA



**CAUTION:**  
KEEP OUT OF REACH OF CHILDREN  
SEE SIDE PANEL FOR OTHER CAUTIONS



rear panel

FACTS ABOUT

# Warf

WITH  
**PROLIN**

**THE MODERN RODENTICIDE**

WARF is a special mixture of first quality grain and a highly effective rodent killing ingredient. Rats and mice find WARF palatable and eat it until they are destroyed.

WARF must be taken daily over a period of several days. Rats and mice do not associate odorless WARF with its cumulative weakening effect. They return again and again to this fine grain supply until they die.

WARF is guaranteed to kill rats and mice.

#### DIRECTIONS

##### FOR RAT CONTROL


- Four ounces of bait per station should be the minimum amount used.
- Bait should be placed in locations not accessible to children, pets, and domestic animals, or in tamper proof bait boxes.
- An uninterrupted supply of bait should be maintained for at least 15 days.

##### FOR MOUSE CONTROL

- Tablespoon amounts (1/2 to 1/3 ounce) of bait should be placed at 8-12 foot intervals.
- Bait should be placed in locations not accessible to children, pets, and domestic animals, or in tamper proof bait boxes.
- An uninterrupted supply of bait should be maintained for at least 15 days.

**DO NOT RE-USE CONTAINER, DESTROY WHEN EMPTY**

## BAIT STATION



Distributed by  
**BLACK LEAF PRODUCTS COMPANY**

ELGIN, ILLINOIS 60120

ACCEPTED

NEW  
**Warf**  
PELLETIZED

WITH  
**PROLIN**

Guaranteed to  
**KILL RATS**  
and **MICE**

1-15-73

5887-30

Comments

NEW  
**Warf**  
PELLETIZED

WITH  
**PROLIN**

bottom flap

side panel A

**GUARANTEE:**

**WARF is so effective, when used as directed, that we will cheerfully refund the purchase price if you are not completely satisfied with the results. Seller makes no other guarantee, express or implied.**

**CAUTION:** Protect children, pets and domestic animals from bait. If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of vitaminK<sub>1</sub> combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin.

This rodenticide contains Warfarin an anticoagulant chemical that reduces the clotting ability of the blood and, upon repeated feedings, causes fatal hemorrhage in rats. It also contains an antibacterial agent which inhibits bacteria that produce vitaminK<sub>1</sub>, an antidote for Warfarin.

001070

ACCEPTED  
1-15-73  
UNDER THE FEDERAL FOOD, DRUG AND COSMETIC ACT  
FOR THE CONTROL OF PESTS  
(50 U.S.C. 1551)  
EPA REG. NO. 887-30

PELLETIZED

**Warf**  
WITH  
**PROLIN**

**GUARANTEED  
TO KILL RATS  
AND MICE**

side panel B