

Spreader-sticker during growing season

ACTIVE INGREDIENTS: By Wt. Petroleum Oils 97% (Pot: Oilo Min. U.R. 94% Stass Light Med.)
INERT INGREDIENTS 3%

CAUTION
KEEP OUT OF THE
REACH OF CHILDREN
See side panel for other cautions

EPA REG. NO. 5887-37 AA Net Contents 16 fl. oz. (1 pint)



temperatures. Not to be used on maidenhair ferns, cocos palms, or maples.

CAUTION: Do not re-use empty container. Destroy it by burying with waste or burning Stay away from smoke or fumes

Food utensits such as teaspoons and table spoons should not be used for food pur poses after use with pesticides

NOTICE: Buyer assumes all risks of assistorage or handling of this material not in strict accordance with directions given herewith

DISTRIBUTED AY

BUACK LEAF PRODUCTS COMPAN

OR BEINGIS 605 00 220 here to the insects or plant surfaces which are being treated. When using as a spreader-sticker, the insecticides or fungicides may be used at the regular strength. Add four teaspoonsful of BLACK LEAF DORMANT SPRAY to each gallon of spray being mixed.

SPRAY FOR GROWING SEASON: Scale insects, red spiders, mites, mealy-bugs, white fly larvae on citrus, fruit, shade trees, evergreens, camellias, azaleas, hardy shrubs, can be controlled by using five tablespoonsful BLACK LEAF DORMANT SPRAY to each gallon of water. This application may be used with safety during the growing season

WINTER SEASON Mix five ounces of BLACK LEAF DORMANT SPRAY with one gallon of water for control of scale insects and insect eggs that were left on the plants. This will help to control many scale insects. BLACK LEAF DORMANT SPRAY will be effective in destroying larvae of red spider and moths

HOUSE PLANT LEAF SHINE. BLACK LEAF DORMANT SPRAY can be used to brighten the leaves of hardy house plants, by using a mixture of three tablespoonsful of BLACK LEAF DORMANT SPRAY per gallon of water. (Do not use on African Violets.)

IN THE GREEN HOUSE. Use two tablespoonsful of BLACK LEAF DOR-MANT SPRAY per gallon of water to control scale insects, red spiders, mealybugs on hardy shrubs, and white flies. Allow 60 days between sprays,

Spreader-sticker during growing season

For year round use to control garden pests: aphids mealybugs, red spiders, scale insects and white flies

hair ferns, cocos palms, or maples.

CAUTION: Do not re-use empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Food utensils such as teaspoons and tablespoons should not be used for food purposes after use with pesticides.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DISTRIBUTED BY
BLACK LEAF PRODUCTS COMPANY

ELGIN, ILLINOIS 60120 00-220

ACCEPTED WITH COMMENTS

101973