

10 19 500-001 155  
JAN 10 1994

Ms. Joanne C. Striebich  
Wilbur-Ellis Company  
P.O. Box 9518  
Fresno, California 93792

Subject: Revised Labeling  
Black Leaf Dormant Spray  
EPA Registration Number 5687-37  
Your Application Dated November 22, 1993

Dear Ms. Striebich:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable provided that you make the labeling changes indicated below before you release the product for shipment bearing the amended labeling:

1. Add directions for "IF INHALED" to the Statement of Practical Treatment.

2. Revise the Environmental Hazards section to read:

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

3. In the directions for use revise the heading "IN THE HOBBY GREENHOUSE" to "IN THE HOBBY GREENHOUSE (NON-COMMERCIAL.)"

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.  
Product Manager (19)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

Enclosure

RECEIVED

NOV 18 1993

WECO/ASCO

Sizes: 16 oz.-COEX; 32 oz.-COEX

**BLACK LEAF**

Dormant Spray

Spreader-sticker during growing season

For year round use to control garden pests: aphids, mealybugs, red spiders, scale insects and white flies

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JAN 10 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

5887-37

ACTIVE INGREDIENT	BY WEIGHT
Paraffinic Oil	98.8%
INERT INGREDIENTS	1.2%
	TOTAL 100.0%

Unsulfinated Residue 92% min.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See rear panel for statement of practical treatment and other precautionary statements

EPA REG. NO. 5887-37

EPA EST. NO. 70-KY-1

NET CONTENTS 16 fl. oz. (1 pint)

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Avoid breathing of vapors and spray mists. Wash after handling.

**STATEMENTS OF PRACTICAL TREATMENT**

IF SWALLOWED: Do NOT induce vomiting. Give demulcents. If a large quantity has been ingested, have physician induce emesis.

IF IN EYES: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water


**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Please read entire label carefully, being sure to follow all instructions and cautions. SHAKE WELL BEFORE USING. Thoroughly wet all plant pests as well as all portions of plants being sprayed. Shake diluted spray frequently during application.



BLACK LEAF DORMANT SPRAY (BLEAF\DORMANT)

Page 2

**DORMANT SPRAY:** This product will control Mealybugs, Mites, Red Spiders, and Scale insects on dormant evergreens, fruit trees, shade trees, and shrubs, as well as other woody plants, especially during the dormant season. Mix 5 fl oz of this product in 1 gal of water (or use 40mL/L water) when preparing for spraying.

**SPREADER-STICKER:** This product can be combined with other insecticidal and fungicidal sprays, such as 50% Malathion Spray, and will increase the efficiency of the spraying, since it will cause the insecticides or fungicides to adhere to the insects or plant surfaces which are being treated. When using as a spreader-sticker, the insecticides or fungicides may be used at the regular strength. Add 4 teaspoonfuls (2/3 fl oz) of this product to each gallon of spray being mixed (or use 5 mL/L). Observe all cautions and limitations on labeling of all products being used in mixtures.

**SPRAY FOR GROWING SEASON:** Mealybugs, Mites, Red Spiders, Scale Insects, and Whitefly larvae on citrus, fruit, and shade trees, and on azaleas, camellias, evergreens, and hardy shrubs, can be controlled by adding 5 tablespoonfuls (2 1/2 fl oz) of this product for each gal of water (or use 20 mL/L). This application may be used with safety during the growing season.

**WINTER SEASON:** Mix 5 fl oz of this product into each gal of water (or use 40 mL/L) for control of Scale Insects and insect eggs that were left on the plants. This will help to control many Scale Insects. It will be effective in destroying larvae of Red Spiders and Moths.

**NOTE:** On CITRUS, do not apply when trees are in or near wilting. Oil applied during August and September may affect solids content and retard color. Oil applied after October 1 may increase cold damage to trees.

Do not use dormant sprays in combination with (or immediately preceding or following) applications of Captan, Dinitro or Sulfur compounds, Dyrene (R), Folpet, Karathane (R), Morestan (R), or Sevin (R). You must determine final combination to fit local growth and climatic conditions.

**HOUSE PLANT LEAF SHINE:** This product can be used to brighten the leaves of hardy house plants by using a mixture of 3 tablespoonfuls (1 1/2 fl oz) per gal of water (or use

12mL/L). Do not use on African Violets.

**IN THE HOBBY GREENHOUSE:** Use 2 tablespoonfuls (1 fl oz) of this product per gal of water (or use 8mL/L) to control Mealybugs, Red Spiders, Scale Insects, and Whiteflies on hardy shrubs. Allow 60 days between sprays.

**STORAGE AND DISPOSAL**

**GENERAL:** Do not contaminate water, food, feed, or other pesticides by use, storage, or disposal. If damaged, leaking, or spilled, soak up and wrap waste, then dispose of as below.

**STORAGE:** Keep in upright, tightly closed original container in a cool, dry, locked area away from flames, sparks, sunlight, other chemicals, and other sources of ignition, heat, degradation, or contamination. Keep container tightly closed to prevent entry of water.

**DISPOSAL:** Do not reuse empty container. Rinse original container thoroughly, then securely wrap in several layers of newspaper and discard in trash.

DISTRIBUTED BY  
BLACK LEAF PRODUCTS COMPANY  
BUCKNER, KY 40010

B-793                      220                      Made in U.S.A

UPC Code # 76842 00220  
76842 00221

