

5887-37

9/14/2003

1/2


BLACK LEAF DORMANT SPRAY
 For Residential Use Only
 Spreader-Sticker During Growing Season
 For Year Round Use to Control Garden Pests:
 Aphids, Mealybugs, Red Spiders, Scale Insects and Whiteflies

ACTIVE INGREDIENT	BY WEIGHT	
Petroleum Oil.....	98.8%	
INERT INGREDIENTS.....	1.2%	
	TOTAL	100.0%

Unsulfinated Residue 92% min.

EPA Reg. No. 5887-37
 EPA Est. No. 44616-MO-1

Distributed by: Value Garden Supply, LLC.
 P. O. Box 585
 St. Joseph, MO 64502
 (952) 884-6477
 www.valuegardens.com



KEEP OUT OF REACH OF CHILDREN
CAUTION

See back/side panel for First Aid and other precautionary statements

NET CONTENTS: 16 Fl. Oz. (1 Pint), 32 Fl. Oz. (1 Quart)

PRECAUTIONARY STATEMENTS
 Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing of vapors and spray mists. Wash after handling.

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> ·Call poison control center or doctor immediately for treatment advice. ·Do not induce vomiting unless told to do so by the poison control center or doctor. ·Do not give any liquid to the person. ·Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none"> ·Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. ·Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. ·Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> ·Take off contaminated clothing. ·Rinse skin immediately with plenty of water for 15-20 minutes. ·Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> ·Move person to fresh air. ·If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. ·Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>	

Note to Physician: Contains petroleum distillate-Vomiting may cause aspiration pneumonia.

For information of this product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide Information Center at 1-800-858-7378.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Please read entire label carefully, being sure to follow all instructions and cautions. **SHAKE WELL BEFORE USING.** Thoroughly wet all plant pests as well as all portions of plants being sprayed. Shake diluted spray frequently during application.

DORMANT SPRAY: This product will control Mealybugs, Mites, Red Spiders, and Scale insects on dormant evergreens, fruit trees, shade trees, and shrubs, as well as other woody plants, especially during the dormant season. Mix 5 fl. oz. of this product in 1 gal. of water (or use 40mL/L water) when preparing for spraying.

SPREADER-STICKER: This product can be combined with other insecticidal and fungicidal sprays, such as 50% Malathion Spray, and will increase the efficiency of the spraying, since it will cause the insecticides or fungicides to adhere to the insects or plant surfaces which are being treated. When using as a spreader-sticker, the insecticides or fungicides may be used at the regular strength. Add 4 teaspoonfuls (2/3 fl. oz.) of this product to each gallon spray being mixed (or use 5 mL/L). Observe all cautions and limitations on labeling of all products being used in mixtures.

SPRAY FOR GROWING SEASON: Mealybugs, Mites, Red Spiders, Scale Insects, and Whitefly larvae on citrus, fruit, and shade trees, and on azaleas, camellias, evergreens, and hardy shrubs, can be controlled by adding 5 tablespoonfuls (2 ½ fl. oz.) of this product for each gal. of water (or use 20 mL/L). This application may be used with safety during the growing season.

WINTER SEASON: Mix 5 fl. oz. of this product into each gal. of water (or use 40 mL/L) for control of Scale Insects and insect eggs that were left on the plants. This will help control may Scale Insects. It will be effective in destroying larvae of Red Spiders and Moths.

NOTE: On CITRUS, do not apply when trees are in or near wilting. Oil applied during August and September may affect solids content and retard color. Oil applied after October 1 may increase cold damage to trees.

Do not use dormant sprays in combination with (or immediately preceding or following) applications of Captan, Dinitro or Sulfur compounds, Dyrene®, Folpet, Karathane®, Morestan®, or Sevin®. You must determine final combination to fit local growth and climatic conditions.

HOUSE PLANT LEAF SHINE: This product can be used to brighten the leaves of hardy house plants by using a mixture of 3 tablespoonfuls (1 ½ fl. oz.) per gal. of water (or use 12 mL/L). Do not use on African Violets.

IN THE HOBBY GREENHOUSE (NON-COMMERCIAL): Use 2 tablespoonfuls (1 fl. oz.) of this product per gal. of water (or use 8mL/L) to control Mealybugs, Red Spiders, Scale Insects, and Whiteflies on hardy shrubs. Allow 60 days between sprays.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep in upright, tightly closed original container in a cool, dry, locked area away from flames, sparks, sunlight, other chemicals, and other sources of ignition, heat, degradation or contamination in an area inaccessible to children and pets. Keep container tightly closed to prevent entry of water.

Disposal: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Buyer assumes all risk, responsibility, and liability for use of this product not in accordance with labeling instructions.