

5887-43

7/31/2009

1045



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

5887-43

Date of Issuance:

JUL 31 2009

Terms of Issuance:

Unconditional

Name of Pesticide Product:

Black Leaf Sevin Brand
Carbaryl Insecticide

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Value Garden Supply
P.O. Box 585
St. Joseph, MO 64502

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Documents, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product. Within 45 days from the date of this notice, two copies of a final printed label must be submitted with the following change:

Revise "For Home Garden Control..." to read "Intended for Home Garden Control...".
Revise "Avoid excess application when foliage is tender" to read "Do not apply to tender foliage."

Your Confidential Statement of Formula (CSF) dated November 2, 2005 is acceptable. This CSF supercedes all previous CSFs. You may distribute products bearing the old label for 12 months from receipt of this letter or your next printing of the label, whichever comes first.

A copy of the stamped label is enclosed for your records.

Signature of Approving Official:

Meredith Laws, Branch Chief
Registration Division, Insecticide-Rodenticide Branch

Date:

JUL 31 2009

2005

BLACK LEAF SEVIN brand carbaryl insecticide GARDEN DUST INSECTICIDE

For Home Garden Control of Listed Insects on
Vegetables, Small Fruits, and Ornamentals

ACCEPTED
With COMMENTS
In EPA Letter Dated:
JUL 31 2005

ACTIVE INGREDIENT:

Carbaryl: (1-Naphthyl N-methylcarbamate)

OTHER INGREDIENTS:

Total:

Under the Federal Insecticide, Fungicide
and Rodenticide Act, As amended, for the
pesticide Registered under EPA Reg. No:
5.0%
95.0%
100.0% 5887-43

EPA Reg. No. 5887-43
EPA Est. No. 44616-MO-1

Manufactured for:
Value Garden Supply
P.O. Box 585
St. Joseph, MO 64502
(952) 884-6477

Net Contents: 1 pound

See side/back panel for Precautionary Statements and First Aid

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wear long sleeved shirt and long pants, shoes, socks, and chemical resistant gloves such as household latex or rubber gloves when applying this product. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information about this product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide Information Center at 1-800-858-7378.

NOTE TO PHYSICIAN: Carbaryl is an N-methyl carbamate insecticide that is a cholinesterase inhibitor. Specific antidote consists of atropine. Narcotics and other sedatives should not be used. Drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. To protect the environment, do not allow this product to enter or run off into store drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area.

BEE CAUTION: MAY KILL HONEYBEES AND OTHER BEES. This product is highly toxic to honeybees and other bees. Do not apply to plants in bloom.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may only be applied using this ready-to-use shaker can. Non-refillable. Do not cut package to expose product.

Apply when air is calm. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

Dust lightly to cover both the upper and lower leaf surfaces with a thin, even film of dust.

Start by applying at the farthest corner of the treatment area and work backwards so as not to contact dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above chest level, consider using a liquid carbaryl product. Do not repeat application more than once a week.

Apply this product when insects or their damage appear. Make applications in the morning or evening when it is cool.

Do not make more than 4 applications per year for vegetables and fruits; or more than 6 applications per year for the listed ornamentals.

CROP USE	INSECT CONTROLLED	SPECIAL INSTRUCTIONS
Lima beans (dry)	Armyworms, bean leaf beetle, flea beetle, Japanese beetle, leafhoppers, Mexican bean beetle, stink bugs, tarnished plant bugs, velvet bean caterpillars	Do not apply within 21 days of harvest.
Cucumbers, melons, pumpkins, squash	Cucumber beetle, flea beetle, leafhoppers, melon worms, pickleworms, squash bug	Do not apply within 3 days of harvest. Avoid excess application when foliage is tender.
Eggplants, Peas (dry), Potatoes, Tomatoes	Colorado potato beetle, European corn borer, fall armyworms, flea beetle, lace bugs, leafhoppers, stink bugs, tarnished plant bug, tomato fruitworm, tomato hornworm	Do not apply within 21 days of harvest for peas. Do not apply within 3 days of harvest for eggplants and tomatoes and 7 days for potatoes. Do not use on succulent peas.
Broccoli, Cabbage, Cauliflower, Lettuce	Armyworm, cabbage caterpillar, corn earworm, flea beetle, harlequin bugs, small cabbage loopers, spittlebugs, tarnished plant bug	Do not apply within 3 days of harvest for broccoli, cabbage and cauliflower and within 14 days of harvest for lettuce.
Ornamentals: carnations, mums, gladiolus, zinnias	Blister beetle, flea beetle, gypsy moth, Japanese beetle, June beetles, lace bugs, leafhoppers, leaf rollers, mealybugs, plant bugs, rose aphids, tent caterpillars	Do not use on Boston Ivy.
Azaleas, evergreen, lilacs, roses	Bagworms, boxelder bugs, boxwood leafminer, Japanese beetle, Oak leafminer, psyllids, rose aphids, rose slugs, scale insects, thorn bugs, thrips	
Small fruits: blackberries, blueberries, grapes, raspberries, strawberries	Blueberry maggot, cherry fruitworms, grape berry moth, grape leaf skeletonizer, Japanese beetle, June beetle, leaf rollers, leafhoppers, meadow spittlebugs, raspberry aphids, red-banded leaf rollers, strawberry weevils	Do not apply within 7 days of harvest.

STORAGE AND DISPOSAL

Storage: Keep upright, tightly closed in original container in a secure storage area. Protect from penetration of moisture, excessive heat or cold. **Disposal: If Empty:** This is a non-refillable container. Do not reuse. Discard package when empty. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

This container is sold by weight and not volume. If it does not appear full when opened, it is because contents have settled during shipping and handling.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with label directions.

07/27/2009 Rev3