

Can be used to control a large variety of garden and household pests.

Do not store diluted spray. Make new dilution for each use. Do not apply when temperature is in excess of 85°F.

**CAUTION:** Keep out of reach of children. Harmful if swallowed. May be absorbed through the skin. Avoid inhalation of Spray mist and skin contact. In case of contact, wash immediately with soap and water. For eyes flush with water for 15 minutes. Get medical attention.

Do not use on household pets or humans. Avoid contamination of feed or foodstuffs. Keep out of reach of children. To protect fish, do not contaminate ponds. Do not use or store near heat or open flame.

**NOTE:** This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACTIVE INGREDIENTS:	By Weight
Gamma Isomer of Benzene Hexachloride from Lindane	5.0%
Methoxychlor Technical <sup>2</sup>	5.0%
Malathion <sup>2</sup>	12.5%
1,1-bis (Chlorophenyl) 2,2,2-Trichloroethanol	0.9%
Xylene	72.6%
<b>INERT INGREDIENTS</b>	<b>4.0%</b>
<b>TOTAL</b>	<b>100.0%</b>

Equivalent to 1,1,1-trichloroethane and 0.6% of other isomers and reaction products

and dimethyl dithiophosphate of methyl mercaptosuccinate.


U.S.D.A. Reg. No. 5887-44  
Patent No. 1,112,065-2,071,171



**insecticide and miticide**



**CAUTION: Keep out of reach of children.**  
(See side panel for other cautions.)



NET CONTENTS ONE PINT

**DIRECTIONS**  
**BLACK LEAF GARDEN**

Read entire label and use strictly

USE	INSECTS CONTROLLED
Ornamentals	Aphids, Bagworms, Mealy bugs, Japan beetles, Plant bug
Roses	Red spider mite,
Carnations	bugs, Tent caterpillars, Taxus weevil
Evergreens	Leaf-miners, Juniper webworms, certain
Azaleas	Scale Crawlers.
Rhododendrons	
Shade Trees	
Lawns	Ants, Mosquitoes, Flies.
	Wireworms, Chinch Bugs, Cutworm, V Grubs
Patios	Chiggers, Ticks, Mosquitoes, Flies, Ants
Picnic Areas	
Household	Roaches, Ants, Silverfish, Crickets, Spiders
	Wasps
	Clover mite, Boxelder bugs, Earwigs

When used as directed this product is distributed by BLACK LEAF PRODUCTS

598  
W

# Black Leaf Garden & Evergreen spray

ACTIVE INGREDIENTS:	By Weight
Gamma Isomer of Benzene Hexachloride from Lindane	5.0%
Methoxychlor Technical*	5.0%
Malathion**	12.5%
1,1-bis (Chlorophenyl) 2,2,2-Trichloroethanol	0.9%
Xylene	72.6%
INERT INGREDIENTS	4.0%
<b>TOTAL</b>	<b>100.0%</b>

\*Equivalent to 4.4% 2,2 bis (p-methoxyphenyl) 1,1,1-trichlorethane and 0.6% of other isomers and reaction products.  
 \*\*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

U.S.D.A. Reg. No. 5887-44  
 U.S. Patents No. 1412065-2071171

**insecticide and miticide**



**FOR USE** in the Flower Garden, on Evergreens, around Patios. A multi-purpose spray.

**DIRECTI**  
**BLACK LEAF GARD**  
 Read entire label and use strictly

USE	INSECTS CONTRI
Ornamentals	Aphids, Bagworm Mealy bugs, Japa beetles, Plant bu
Roses Carnations Evergreens Azaleas Rhododendrons Shade Trees	Red spider mite, bugs, Tent caterp lars, Taxus weevi Leaf-miners, Juni webworms, certai Scale Crawlers.
Lawns	Ants, Mosquitoes Flies.
	Wireworms, Chin Bugs, Cutworm, Grubs.
Patios Picnic Areas	Chiggers, Ticks, I quitos, Flies, Ants
Household	Roaches, Ants, Sp fish, Crickets, Sp
	Wasps.
	Clover mite, Box bugs, Earwigs.

When used as directed this cor  
 Distributed by BLACK LEAF PR

5987-44  
 WITH COMMENTS

**DIRECTIONS FOR USE OF  
 BLACK LEAF GARDEN AND EVERGREEN SPRAY**

Read entire label and use strictly in accordance with cautions and directions.

USE	INSECTS CONTROLLED	HOW TO USE
<b>Ornamentals</b>  Roses Carnations Evergreens Azaleas Rhododendrons Shade Trees	<b>Aphids, Bagworms, Mealy bugs, Japanese beetles, Plant bugs, Red spider mite, Lace bugs, Tent caterpillars, Taxus weevil, Leaf-miners, Juniper webworms, certain Scale Crawlers.</b>	<b>Mix 1 tablespoonful in 1 gallon of water. Mix carefully and agitate during use. Cover plant surfaces being certain to contact as many insects as possible. Use 4 tablespoonsful per gallon on Japanese Beetles and Bagworms. Apply as soon as growth appears and repeat spray every 2 weeks until mid-summer. Spray once a month after mid-summer.</b>
<b>Lawns</b>	<b>Ants, Mosquitoes, Flies.</b>	<b>Use 1 tablespoonful to each gallon of water. Use 1 gallon of spray per 35 sq. ft. of area.</b>
	<b>Wireworms, Chinch Bugs, Cutworm, White Grubs.</b>	<b>Use 2 tablespoonsful of spray to each gallon of water per 35 sq. ft. Keep children and pets off treated area until chemicals are washed into soil and is dry.</b>
<b>Patios            Picnic Areas</b>	<b>Chiggers, Ticks, Mosquitoes, Flies, Ants.</b>	<b>Spray thoroughly all hiding places in shrubs and lawn surrounding patio using 4 teaspoonsful per gallon of water. Do not spray patio surface. Keep Children and pets out of area until spray is dry.</b>
<b>Household</b>	<b>Roaches, Ants, Silverfish, Crickets, Spiders.</b>	<b>Use 2 ounces in 1 quart of water. Paint or apply heavy spray to infested surfaces frequented by pests. Use on baseboards, cracks and other hiding places.</b>
	<b>Wasps.</b>	<b>Spray nests in evening. Repeat as often as necessary.</b>
	<b>Clover mite, Boxelder bugs, Earwigs.</b>	<b>Mix 2 tablespoonsful per gallon of water. Spray lower foundation of house and grounds within 10 feet of the house. Direct spray on pests. Repeat as necessary.</b>

When used as directed this container will make up to 32 gallons of spray.

Distributed by BLACK LEAF PRODUCTS COMPANY, Chicago, Illinois 60626

ACCEPTED WITH COMMENTS