

5

ATTACHMENT 1

A. ACTIVE INGREDIENTS:

Pyrethrins	0.02%
*Piperonyl Butoxide, technical	0.20%
Inert Ingredients:	99.78%
Total	<u>100.00%</u>

B. Rigo Company
A Division of Wilbur-Ellis Company
Buckner, Kentucky 40010

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Do not apply to food crops. While using, cover exposed foodstuffs and food utensils. Remove or cover fish bowls while spraying.

PHYSICAL/CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F (54°C) may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results be sure to read this label carefully, following directions and cautions. Avoid spraying in extremely hot sun. Do not use this product on nasturtium, maidenhair fern, cyclamen, or lantana.

1. Shake gently before using.
2. Remove cap and point nozzle away from you with can in upright position.
3. Press button and spray at a distance of 18 inches from plant.
4. Spray when insects first appear, using short 1 or 2 second spray bursts. Repeat spraying when necessary.

BLACK LEAF HOUSE PLANT SPRAY is effective for the control of aphids, flea hoppers (flea beetles), mealybugs, spotted mites, and whiteflies. The spray should be painted directly at the pests on the plant, but without wetting plant. Repeat treatments may be necessary for whiteflies and mealybugs.

BLACK LEAF HOUSE PLANT SPRAY can be safely used on African violets, begonias, carnations, carnations, chrysanthemums, cuscuta, geraniums, roses, rubber plants, and snapdragons.

STORAGE AND DISPOSAL

GENERAL: Do not contaminate water, food, or feed by use, storage, or disposal. If damaged or leaking, soak up and wrap waste, then dispose of as below.

STORAGE: Keep in a cool, dry, locked area away from flames, sparks, sunlight, or other sources of heat or ignition. Containers heated above 130°F (54°C) may burst.

DISPOSAL: Retasten protective cap on container, securely wrap in several layers of newspaper, and discard in trash. Do not incinerate or puncture.

MANUFACTURED BY
BLACK LEAF PRODUCTS COMPANY
CHICAGO, ILLINOIS 60609



0987

510

Made in USA

0 76842 00510 7



House Plant Spray

For African Violets

CONTROLS: Aphids, mealybugs, and whiteflies on African violets and house plants.

ACTIVE INGREDIENTS
Pyrethrins
Pine oils
Petroleum distillates
INERT INGREDIENTS
TOTAL

0.056%
0.900%
0.406%
98.638%
100.000%



KEEP OUT OF REACH OF CHILDREN.

CAUTION

See back panel for additional precautionary statements.

EPA Reg. No. 5887-53

EPA Est. No. 5887-IL-2

NET WEIGHT 14 OZ (396 g)

Not Reviewed. Registrant claims to be in accordance with
Registration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

BEST AVAILABLE COPY