

BLACK LEAF (R)
Since 1879

Borer Spray

Contains lindane

Kills borers affecting peach trees and dogwoods; rhododendron and lilac borers; iris borers; and pine bark beetles.
For use on ornamental plants only. Not for use on forest trees, Christmas tree plantations, forest tree nurseries, or felled logs.

ACTIVE INGREDIENT:

Lindane (gamma isomer of
benzene hexachloride)..... 20.0%

INERT INGREDIENTS*..... 80.0%

TOTAL..... 100.0%

*Contains Xylene Range Aromatic Solvent.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautionary and practical treatment statements on right panel.

EPA Reg. No. 5887-54

EPA Est. No. 70-KY-1

NET 8 FL OZ

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. May be absorbed through skin. Avoid breathing spray mist. Avoid contact with skin. Do not store diluted spray. Applicators must wear the following protective clothing during the application process: long-sleeved shirt, long pants, waterproof gloves, full foot covering (such as shoes or boots), and a head covering (such as a hat).

Avoid contamination of feed and foodstuffs. Food utensils such as teaspoons, tablespoons, and measuring cups should not be used for food purposes after use with pesticides.

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

IF ON SKIN: Wash promptly with soap and water, rinse thoroughly.

IF INHALED: Remove victim to fresh air and apply respiration

if indicated.

NOTE TO PHYSICIAN: Solvent presents aspiration hazard.
Gastric lavage is indicated if material was taken internally.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to fish in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

PHYSICAL/CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Avoid exposure to children. Do not allow children to handle or apply this product.

BORERS: Borer damage is done by the larvae of certain clear-winged moths and beetles. Dilute and apply as spray (or with paint brush) to point of run-off on large limbs, and on trunks down to ground level. Proper timing will kill the adult insects in the egg-laying stages. The same solution injected into borer holes with a force feed oil can will kill the larvae contacted.

INSECTS CONTROLLED	PLANTS	AMOUNT TO USE	APPLICATION
Iris Borer	Irises	1 teaspoonful in 1 gallon of water.	Destroy old leaves in early spring. Apply during April and in May.
Peach Tree Borer	Peach trees*	1 tablespoon in 1 gallon of water.	Do not apply directly to fruit or foliage. Apply 2 or 3 sprays to trunk, from ground to scaffold limbs, timed with moth flight.

BL BORER SPRAY (BLEAF\BORERSPR)
Page 3

Pine Bark Beetles	Pines	3 oz in each gallon of spray required.	Spray trunks thoroughly.
------------------------------	--------------	---	-------------------------------------

Dogwood, Lilac, and Rhododendron Borers	Dogwoods, Lilacs, and Rhododen- drons	1 tablespoon in 1 gallon of water	Apply in May and early June, 7 to 10 days apart. Make 2 or 3 applications necessary
--	--	--	--

Fruit Tree Bark Beetles	Apple*, Cherry, and Peach* Trees	1 tablespoon in 1 gallon of water	Apply during springtime to large limbs and bark of tree trunk.
------------------------------------	---	--	---

***NOTE:** Do not apply to trunks or limbs of apple or peach trees within 60 days of harvest. When used as directed, this bottle will make as much as 16 gallons of spray.

STORAGE AND DISPOSAL

GENERAL: Do not contaminate water, food, feed, or other pesticides by use, storage, or disposal. If damaged, leaking, or spilled, soak up and wrap waste, then dispose of as below.

STORAGE: Keep in upright, tightly closed original container in a cool, dry, locked area away from flames, sparks, sunlight, other chemicals, and other sources of ignition, heat, degradation, or contamination. **DISPOSAL:** Do not reuse empty container. Rinse original container thoroughly, then securely wrap in several layers of newspaper and discard in trash.

DISTRIBUTED BY
BLACK LEAF PRODUCTS COMPANY, Division of Wilbur-Ellis Company
BUCKNER, KENTUCKY 40010
B-489 Made in U.S.A.
UPC CODE#76842 00230