

Black
Leaf

Mole and Gopher Killer

POISON PEANUT PELLETS



**POISON
DANGER:**

Keep out of
reach of
children

See rear panel
for antidote and
other cautions.



INGREDIENTS:

Active Ingredients—
Strychnine Alkaloid.....0.3%
Inactive Ingredients.....99.7%

WARRANTEE:

Buyer assumes all risks of use, storage,
or handling of this material not in strict
accordance with directions given herewith.

DIRECTIONS FOR USE:

FOR MOLES ON LAWNS AND TURF

The presence of moles is indicated either by a network of ridges in the turf or (when burrowing deeply) by a series of conical mounds of earth pushed up from below.

SURFACE RIDGES—Runways in which moles are active may be determined by collapsing the ridge at scattered points about the premises. The next day some of the ridged-tunnels will be re-constructed at these points. Carefully punch a hole in the top of active tunnels, drop in 1 teaspoonful of Black Leaf poison pellets, and carefully close the hole. Take care not to again collapse the tunnel or allow loose soil to cover the bait.

DEEP TUNNELS—Remove center plug from the conical mounds with aid of a long-handled spoon and drop (1 teaspoonful of) bait into the underground tunnel. Close opening with rock or sod.

FOR PROTECTION OF BULBS—When Moles and Field mice are a problem, pack about 1/4 inch of soil against each bulb and place 4 or 5 Black Leaf poison pellets against the soil at the side of the bulbs—not underneath the bulb. Moles will eat the pellets and die.

POCKET GOPHERS—With the aid of a long-handled spoon remove the soft earth plug leading underground at a freshly thrownout mound of soil. Using the long-handled spoon, introduce one teaspoonful of the bait as far down into each burrow system as possible. Close the opening to the surface, being careful not to allow loose dirt to cover the bait.

ANTIDOTE—If less than 10 minutes has passed since the poison was taken, give a tablespoon of salt in a glass of warm water. Have victim lie down in a quiet darkened room and keep warm. Call a physician immediately!

WARNING—Convulsive Poison! Do not contaminate food and foodstuffs. Keep away from children and domestic animals. Do not reuse container. Destroy when empty. Do not use or store in and around the home.



DISTRIBUTED BY:

BLACK LEAF PRODUCTS CO.

Chicago, Ill 60624

U.S.D.A. Reg. No. 5887-60

ACCEPTED WITH COMMENTS



Black
Leaf


POISON PEANUT PELLETS



DANGER:

Keep out of
reach of
children

See rear panel
for antidote and
other cautions.



The presence of moles is indicated either by the presence of a hole in the turf or when burrow openings are visible in the form of mounds of earth pushed up from below.

SURFACE RIDGES—Runways in which moles are active are determined by collapsing the ridge at scattered points throughout the premises. The next day some of the ridged tunnels will be re-constructed at these points. Carefully punch a hole in the center of active tunnels, drop in 1 teaspoonful of Black Leaf poison pellets, and carefully close the hole. Take care not to allow collapse the tunnel or allow loose soil to cover the bait.

DEEP TUNNELS—Remove center plug from the conical mounds with aid of a long-handled spoon and drop 1 teaspoonful of bait into the underground tunnel. Close opening with rock or soil.

FOR PROTECTION OF BULBS—When Moles and Field mice are a problem, pack about 1/4 inch of soil against each bulb and place 4 or 5 Black Leaf poison pellets against the soil at the side of the bulbs—not underneath the bulb. Moles will eat the pellets and die.

POCKET GOPHERS—With the aid of a long-handled spoon remove the soft earth plug leading underground at a freshly thrownout mound of soil. Using the long-handled spoon, introduce one teaspoonful of the bait as far down into each burrow system as possible. Close the opening to the surface, being careful not to allow loose dirt to cover the bait.

ANTIDOTE—If less than 10 minutes has passed since the poison was taken, give a tablespoon of salt in a glass of warm water. Have victim lie down in a quiet darkened room and keep warm. Call a physician immediately!

WARNING—Convulsive Poison! Do not contaminate food and foodstuffs. Keep away from children and domestic animals. Do not reuse container. Destroy when empty. Do not use or store in and around the home.



DISTRIBUTED BY:

U.S.D.A. Reg. No. 5887-60