

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

May be fatal if swallowed. May be absorbed through the skin. Do not get on skin, in eyes, or on clothing. Wear rubber gloves. Do not breathe dust. Poisoning may occur as a result of exposure. Do not contaminate feed or food. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides. Do not use around fruit trees or vegetable plants. Keep children and pets away from treated areas until product is worked and watered into the soil and treated areas are completely dry. Do not broadcast application to lawn. Wash hands thoroughly after handling. This product contains an organic phosphate which is cholinesterase inhibitor. If swallowed induce vomiting and call a physician immediately. Note to physician: Antidote - Atropine Sulfate and/or PAM.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to pollinating bees and should not be applied when bees are actively visiting the area.

GENERAL DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Please use this product strictly in accordance with label warnings and cautions. Read carefully before use - Avoid contact of this material with hands; wear rubber gloves. Use the handy 1/2 oz. measure enclosed in this container.

BLACK LEAF SYSTEMIC PLUS FOOD 8 12 4 can be used to produce beautiful Roses and other ornamental plants, since it combines plant food elements (fertilizer) such as Nitrogen, Phosphate and Potash to produce vigorous plants and also a systemic insecticide that kills sucking insects that are damaging pests to Roses as well as other ornamentals. The systemic insecticide will flow through the entire plant protecting leaves, blossoms and new growth against such pests as Aphids, Leafhoppers, Thrips and Spider Mites. This internal systemic action will last for six weeks and will not be washed away by a rain or sprinkling since the insecticide is drawn up and into all parts of the plants internally.

HOW TO USE

Plant	Application	Remarks
Roses	1/2 oz. per bush	Apply in early spring
Hydrangeas	1/2 oz. per bush	Apply in early spring
Camellias	1/2 oz. per bush	Apply in early spring
Japanese Quince	1/2 oz. per bush	Apply in early spring
Spirea	1/2 oz. per bush	Apply in early spring
Deutzia	1/2 oz. per bush	Apply in early spring
Philadelphus	1/2 oz. per bush	Apply in early spring
Abutilon	1/2 oz. per bush	Apply in early spring
Delonix	1/2 oz. per bush	Apply in early spring
Albizia	1/2 oz. per bush	Apply in early spring
Calliandra	1/2 oz. per bush	Apply in early spring
Leucaena	1/2 oz. per bush	Apply in early spring
Albizia	1/2 oz. per bush	Apply in early spring
Calliandra	1/2 oz. per bush	Apply in early spring
Leucaena	1/2 oz. per bush	Apply in early spring
Albizia	1/2 oz. per bush	Apply in early spring
Calliandra	1/2 oz. per bush	Apply in early spring
Leucaena	1/2 oz. per bush	Apply in early spring

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage and disposal of this product. Do not reuse empty container. Wrap container and put in trash collection.

This product is sold by weight and not by volume. If it does not appear full when opened, it is because contents have settled during shipping and handling.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DISTRIBUTED BY
BLACK LEAF PRODUCTS COMPANY
ELGIN, ILLINOIS 60120
Florida Reg. No. 70-020
88-236