



Three (3) way plant protection, for six (6) weeks, regardless of weather.

Systemic action in this product will kill many insect pests, that attack Roses, Flowers and other ornamentals. Gives essential Plant Food Elements and Prevents Weeds as Systemic 3 is absorbed by roots and moves to all parts of plant through its own Sap Stream.

4-21-71

5887-62



- 1. Plant Food
- 2. Systemic Insecticide
- 3. Weed Preventer



Three (3) way plant protection, for six (6) weeks, regardless of weather.

Systemic action in this product will kill many insect pests, that attack Roses, Flowers and other ornamentals. Gives essential Plant Food Elements and Prevents Weeds as Systemic 3 is absorbed by roots and moves to all parts of plant through its own Sap Stream.

PESTS CONTROLLED WEEDS CONTROLLED • Goosearass • Crabarass White Flies • Aphids Pigweed Watergrass • Thistle Foxtail Mimosa Webworm • Johnsonarass . • Plantain • Leaf Miners • Pine Tip Moth (from seed) Leafhoppers INGREDIENT STATEMENT AS AN INSECTICIDE ACTIVE INGREDIENTS By Wt. 1.000% *O,O-diethyl \$ [2-(ethylthia)ethyl] phosphorodithioate..... **trifluralin (a,a,a,-trifluoro—2,6—dinitro—N, N-dipropyl-p-toluidine.... 0.095% **DI-SYSTON—a registered trademark of Farben abricken Bayer A.G., Chemagro Corp., Licensee ***TREFLAN—a registered trademark for Elanco Products trifluralin Guaranteed Plant Food Analysis-6.0% Nitrogen ammonia 0.8% Nitrogen from Urea 1.2% Nitrogren (Water Insoluble from Urea-formaldehyde) Available Phosphoric Acid (P O)......8% Soluble Potash (K O).....8% Total Available Primary Plant Food, not less than......24% WARNING: Keep out of reach of children (see rear panel for other cautions) DISTRIBUTED BY BLACK LEAF PRODUCTS COMPANY Chicago, Illinois U.S.A.

4-21-71 5887-62

GENERAL DIRECTIONS FOR USE:

Piease read the entire label carafully in order to receive the maximum benefits afforded by this effective and easy-te-use garden product.

Black Loaf Systemic-3 is an effective gardener's helper which combines not only a systemic insecticide but includes plant food materials containing: Nitrogen, Phosphate and Potash to provide your plant with the necessary ingredients to maintain strong, vigorous growth.

Also included in this product is a WEED PREVENTER which will enable you to maintain a weed free garden when using this product as directed. The systemic action of Black Loaf Systemic-3 causes the insecticide to be absorbed into the entire plant through the root system controlling severe demage that can be caused by:

Lice Leaf miners Pine tip moth
Spider Mites White files Thrips
Leafkoppers Lace bugs Mimosa Webworm

It is recommended before using this product, that you clear the garden of any existing weed growth and begin to apply the material when the plants have at least one inch of new growth which occurs usually very early in the spring.

CAUTION: Do not use on Ajuga, Myrtle and Pachysandra.

This material should be used on the basis of applying 1-pound of the product to each 50 square feet of area where you are seeking to establish both weed and insect control and also at the same time fertilize your plants. Spread approximately 2 ounces of the material evenly in a circle, 34 inches in diameter around the base of each plant working the material into the soil and watering thoroughly. Scatter the material around all of the soil in the garden bed to make sure all seedlings of undesirable weeds are destroyed. Do not spread this material with your hands, use the 2 ounce measuring cup as provided.



HOW TO USE

FOR USE ON	HOW TO APPLY	LIMITATIONS
ESTABLISHED ROSES	Black Leaf Systemic "3" can be applied uniformly around the base of each plant at the rate of 2 oz. each. Work into soil from 1 to 2 inches deep. Water the treated area.	Apply once every six weeks. Avaid contact with hands.
ORNAMENTAL SHRUBBERY Evergreens Lilacs Axalea Rhododendron	Spread evenly at rate of 3 or 4 oz. per 10 sq. ft. area. Start 4 in. from base of shrub. Cover all soil area between plants. Avoid missing small areas since weeds will grow in spots not covered. Work into soil lightly to give maximum weed control and plant food benefits.	Apply once every six weeks. Avoid contact with hands.
FLOWERS Chrysanthemums Zinnia Carnations Asters Petunias	Use at the rate of 1 pound per 50 square feet of flower bed. (8 measures full.) Work into soil from 1 to 2 inches deep, avoiding contact with hands. Water treated area. Do not use on newly planted flower beds.	Apply once every six weeks. Do not use on newly seeded areas. Avoid Contact with hands.

WARNING:

May be fatal if swallowed. May be absorbed through the skin. Avoid contact with skin, eyes and clothing. Do not breathe dust. Poisoning may

occur as a result of exposure. Do not contaminate feed or food. Do not use around fruit trees or vegetable plants. Keep children and pets away from treated area until product is worked and watered into the soil and treated area is completely dry. Do not broadcast applications to lawn. Do not reuse container for any purpose. Wash hands thoroughly after handling. Do not contaminate fish ponds. Dispose of container promptly when empty This product contains an organic phosphate which is cholinesterase inhibitor. If swallowed, induce vomiting and call a physician immediately. Note to physician: Antidote—Atropine Sulfate and/or 2 PAM

NOTICE: Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

THE NEW TRIPLE ACTION TREATMENT

- Feeds Plants
- Kills Insects
 LONG LASTING
- Weed Preventer

- Easy to use
- Promotes Beautiful Flowers and Foliage.

DISTRIBUTED BY



BLACK LEAF PRODUCTS CO.

Chicago, Illinois 60626

U.S.D.A. Reg No 5887-61

ACCEPTED

1 1 1-01

HOW TO USE

1993	HONE	HOW TO APPLY	LIMITATIONS
ESTABLIS ROSES	HED	Black Leaf Systemic "3" can be applied uniformly around the base of each plant at the rate of 2 oz. each. Work into soil from 1 to 2 inches deep. Water the treated area.	Apply once every six weeks. Avoid contact with hands.
ORNAMI SHRUBBE Evergre Lilacs Azalec Rhodo	RY eens	Spread evenly at rate of 3 or 4 oz. per 10 sq. ft. area. Start 4 in. from base of shrub. Cover all soil area between plants. Avoid missing small areas since weeds will grow in spots not covered. Work into soil lightly to give maximum weed control and plant food benefits.	Apply once every six weeks. Avoid contact with hands.
FLOWER: Chrysc Zinnia Carnal Asters Petuni	inthemums ions	Use at the rate of 1 pound per 50 square feet of flower bed. (8 measures full.) Work into soil from 1 to 2 inches deep, avoiding contact with hands. Water treated area. Do not use on newly planted flower beds.	Apply once every fix weeks. Do not use on newly seeded areas. Avoid Contact with hands.

WARNING:

May be fatal if swallowed.

May be absorbed through the, skin. Avoid contact with skin, eyes and clothing. Do not breathe dust. Poisoning may

occur as a result of exposure. Do not contaminate feed or food. Do not use around fruit trees or vegetable plants. Keep children and pets away from treated area until product is worked and watered into the soil and treated area is completely dry. Do not broadcast applications to lawn. Do not reuse container for any purpose. Wash hands thoroughly after handling. Do not contaminate fish ponds. Dispose of container promptly when empty. This product contains an organic phosphate which is cholinesterase inhibitor. If swallowed, induce vomiting and call a physician immediately. Note to physician: Antidote—Atropine Sulfate and/or 2 PAM.

NOTICE: Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

THE NEW TRIPLE ACTION TREATMENT

- Feeds Plants
- Kills Insects
 LONG LASTING
- Weed Preventer

- Easy to use
- Promotes Beautiful Flowers and Foliage.

DISTRIBUTED BY

Black BLACK LEAF PRODUCTS CO.

Chicago, Illinois 60626

U.S.D.A. Red. No. 5887-623

-11 - 21-21



1. Plant Food
2. Systemic Insecticide
3. Weed Preventer




Three (3) way plant protection, for six (6) weeks, regardless of weather.

Systemic action in this product will kill many insect pests, that attack Roses, Flowers and other ornamentals. Gives essential Plant Food Elements and Prevents Weeds as Systemic 3 is absorbed by roots and moves to all parts of plant through its own Sap Stream.

, - - 171

5887-62.



4-11-71 5887-62 GENERAL DIRECTIONS FOR USE:

43

Places read the entire label carefully in order to receive the <u>manimum benefits affinded</u> for this effective and entir-to-use another markets.

Mosk Lorf Systemic-3 is an affective gardener's helper which combines met only a pyriomic insections but includes plant hand meterials containing Minagen, Phasphoto and Potest to provide your plant with the necessary impedicate to maintain chang, algorous growth.

Also included in this product is a WIID PREVENTER which will equible you to maintain a wood free garden when using this product as directed. The systemic earlies of Black local Systemic-2 courses the insentiable to be absorbed into the earlies plant though the maintain plant though the maintain or controlling severe demagn that can be agreed by:

Spider Miles

Leaf urban

Pine fly meth Thisps

es brugs Mu

It is recommended before using this product, that you clear the gunden of any explains were growth and begin to apply the majorial when the plants have at least age lack of hour growth which occurs vowelly very early in the spring.

CALTURAL To see the on Alexan Monte and Amelicandry.

Thir waterial should be used on the hosts of applying 1-pound of the product to each 30 reques feel of area where you are cooking to establish both weed and insect eached and bloc at the same time fortilize your plants. Spread approximately 2 causes of the material eventy in a circle, 34 inches in diameter around the hane of each plant working the material into the call and watering thereughly. Scatter the material around all of the call in the parties had to make sure all establings of underlands weeds are destroyed. Do had according to the 2 cause measuring are as accorded.

4-21-71

5887-62



HOW TO USE

HOW TO APPLY

A MULTATIONS

ESTABLISHED

Black Leaf Systemic "3" can be applied uniformly around the base of each plant at the rate of 2 cx each. Work into soil from 1 to 2 inches deep. Water the treated area.

Apply once every six weeks. Avoid contact with hands

ORNAMENTAL SHRUBBERY

Evergrooms Lilacs Bhadadandras Spread evenly at rate of 3 at 4 ax. per 10 sq fr area Start 4 in from base of skrub Covc+ all soil area between plants. Avoid missing small areas since weeds will grow in spets not covered. Work into soil lightly to give maximum weed control and plant food benefits.

Apply once every six weeks. Avoid contact with hands.

FLOWERS

Chrysenthemums Zinnie Cornelions Asters Pelunies

Use at the rate of 1 pound per 50 square feet of flower bed (8 measures fulf) Work into soil from 1 to 2 inches deep, availing contact with hands. Water treated area Do not use an newly planted flower

Apply once every fix weeks. Do not use on newly seeded areas hands

May be fatal if, swellowed.

May be sheated through the skin. Avoid contact with skin, eyes and clothing. Do not breathe dust. Poisoning may occur as a result of exposure. Do not contaminate feed or food. Do not use around fruit trees or vegetable plants. Keep children and pets away from treated erea until product is worked and watered into the soil and treated area is completely dry. Do not broadcast applications to lawn. Do not reuse centainer for any purpose. Wash hands thoroughly after handling. Do not container fish ponds. Dispose of centainer promptly when empty. This product contains an organic phosphate which is cholinesterase inhibitor. If swallowed, induce vomiting and call a physician immediately. Note to physician: Antidote—Atropine Sulfate and/or 2 PAM.

NOTICE: Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

THE NEW TRIPLE ACTION TREATMENT

- Feeds Plants
- Kills Insects
 - Weed Preventer

- Ensy to use
- LONG LASTING
- Promotes Beautiful Flowers and Follage.

DISTRIBUTED BY

BLACK LEAF PRODUCTS CO.

-Chicago, Illinois 60626

U.S.D.A. Reg. No. 5887-62

4-21-71