WARNING: May be harmful or fatal if swallowed. Contact with skin can cause loxic symptoms. Avoid breathing vapors or spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children. Food utensils such as teaspoons and tablespoons should not be used for food purposes after use with pesticides.

This product is toxic to fish, birds and other wildlife. Keep out of any body of water.

Do not use in any manner not specified on this label.

WARNING: This is a combustible mixture.

ANTIDOTE

EXTERNAL—In case of spillage on skin wash promptly with soap and water.

INTERNAL—Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

container Disposal: Do not reuse empty container. Rinse equipment and containers and dispose of wastes by burying in non-croplands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. Keep out of smoke.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DISTRIBUTED BY Black Leaf PRODUCTS COMPANY

ELGIN, ILLINOIS 60120

00-923

WARNING: May be harmful or fatal if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing vapors or spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children. Food utensils such as teaspoons and tablespoons should not be used for food purposes after use with pesticides.

This product is toxic to fish, birds and other wildlife. Keep out of any body of water.

Do not use in any manner not specified on this label.

WARNING: This is a combustible mixture.

ANTIDOTE

EXTERNAL—In case of spillage on skin wash promptly with soap and water.

INTERNAL—Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse equipment and containers and dispose of wastes by burying in non-croplands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. Keep out of smoke.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DISTRIBUTED BY Black Leaf PRODUCTS COMPANY ELGIN, ILLINOIS 60120

00-923

DIRECTIONS FOR USE OF BLACK LEAF TERMITE CONTROL

Use Black Leaf Termite Control in a 1.0% water emulsion. This 1.0% emulsion can be made by adding 1 pint of Black Leaf Termite Control to 12 gallons of water; 1 quart to 24 gallons of water, etc. This proportional emulsion should be applied as follows:

Buildings Having Basements or Crawl Spaces

Dig a trench along the outside of the foundation walls. In brick or hollow block or concrete foundations, dig a trench to, but not below, the footing. There as the trench is refilled, treat the soil at a rate of a gallons per 10 linear feet for each foot of depth. A trench 3 feet deep would require 12 gallons per 10 linear feet.

The objective is to establish a treated soil barries which will prevent termite entry. Other critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.

This package will make up to 24 gallons of 1.0% emulsion.