

CITRUS (CALIFORNIA, ARIZONA) GRAPEFRUIT, LEMONS, ORANGES, TANGERINES:

Aphids, Thrips - Foliar Spray: 1 pint per acre. Repeat applications as necessary. May be applied in the year grapefruit, lemon, orange and tangerine trees begin to bear fruit. Do not enter treated groves within 4 days of last application. **Soil Drench (Trees 1 to 3 years old):** 2 quarts per acre applied in the furrow or basin around the base of tree. Apply when insect injury to new growth appears. Do not apply to trees that will bear fruit within one year. Do not apply when trees or substantial numbers of weeds in the orchard (grove) are in bloom.

MAGGOT SPRAYS: For the control of Housefly maggots, mix 4 oz. of DIMETHOATE 4 E.C. in 5 quarts of water and apply as a coarse spray or with a sprinkling can to fly breeding areas, such as poultry droppings in caged-layer houses, garbage dumps and manure piles. Repeat application as additional manure or garbage is added.

DO NOT CONTAMINATE FEED AND FOODSTUFFS, DRINKING FOUNTAINS, LITTER AND FEED TROUGHS. DO NOT USE IN MILK PROCESSING ROOMS, INCLUDING MILK HOUSES AND MILK STORAGE ROOMS. DO NOT USE IN HOMES.

ORNAMENTALS

DIMETHOATE 4 EC is effective in controlling many sucking, piercing and chewing insects that attach valuable ornamental plantings. Apply sprays uniformly and thoroughly to foliage, except as otherwise directed, when insects or their damage is first observed. Repeat applications as needed. Do not overdose or overspray. Use only on the ornamental plants listed below.

IMPORTANT - When making soil injections, use a low pressure soil injection device. Always wear a full face shield, rubber gloves, long-sleeved shirt and rubber apron. **DO NOT** inject into soil areas where children or pets may dig or exhume treated soil. Do not make soil injections within 20 feet of edible crop gardens.

HACKBERRY: Hackberry Nipplegall Psyllid, Hackberry Budgall Psyllid - Soil injection: Use a 1:3 dilution. (1 part DIMETHOATE 4 EC to 3 parts water). Apply using a low-pressure injector. Inject 1 fl. oz. of dilution, 6 inches below ground, for each 1/2 inch of trunk diameter. Make insertions within dripline of tree. Apply prior to bud break. Do not apply to plants that have not been established for at least 3 years.

HONEYSUCKLE: Honeysuckle Aphid - Soil injection: Use a 1:3 dilution. Apply using a low-pressure injector. Inject 1-1/4 fl. oz. of dilution, 6 inches beneath ground surface, for each 1/2 inch of trunk diameter. Do not apply to plants that have not been established for at least 3 years.

PINYON PINE: Pinyon Needle Scale - 25 1/2 oz. in 10 gals. water. Apply spray to egg masses at the base of the trees and to all rough bark and crotches that can be reached from the ground. Make this bark application when crawlers start to emerge from the eggs. Use hydraulic or backpack sprayer. Do not spray leaves or needles since phytotoxicity may result. **Pinyon "Pitch Mass" Borer, Pinyon Spindle Gall Midge, Tip Moth - Soil injection:** Use a 1:3 dilution. Apply using a low-pressure injector. Inject 1 1/2 fl. oz. of dilution, 6 inches below ground surface, for each 1 inch of trunk diameter. Make insertions within dripline of tree. For Spindle Gall Midge and Tip Moth apply in mid to late spring. For Pinyon Borer make application in early summer.

14 9 15

DOUGLAS FIR: Fir Cone Midge - 6 1/2 ozs. in 10 gals. water. Make thorough coverage application when cones are closed and pendant. Use hydraulic or back-pack sprayer.

PINES: Loblolly Pine Sawfly, Nantucket Pine Tip Moth - 6 ozs. in 10 gals. water. Apply when most larvae are in the second and third instars. **Zimmerman Pine Moth** - 3 1/2 ozs. in 10 gals. water. Spray in mid-April and/or in early September for larvae control.

ARBORVITAE: Aphids, Bagworm, Mites - 3 1/2 ozs. in 10 gals. water.

AZALEAS: Lace Bug, Leafminers, Mites, Tea Scale, Whiteflies - 1 3/4 oz. in 10 gals. water.

BIRCH: Aphids, Leafminers - 1 3/4 oz. in 10 gals. water. For leafminers, apply when leaves are expanded, about mid-May, and repeat in early July.

BOXWOOD: Leafminers, Mealy Bug, Mites - 1 3/4 ozs. in 10 gals. water. For leafminers, apply in spring when leafminer flies first appear, or in early summer for control of larvae in the infested leaves.

CARNATIONS: Aphids, Thrips, Mites - Soil drench: 2 ozs. per 500 sq. ft. of bed or bench. Apply in sufficient water for even distribution. Water in thoroughly following application.

CAMELLIAS: Aphids, Camellia Scale, Mites, Tea Scale - Foliar Spray: 1 3/4 ozs. in 10 gals. water. Apply 2 sprays 6 weeks apart the first year, followed by annual applications soon after first growth begins in the spring. **Soil drench:** 2 ozs. in 1 gal. water. For plant up to 6' tall increase rate proportionately for larger plants. Apply as a soil drench around the base of plants in early spring.

CEDAR: Mites - 3 1/2 ozs. in 10 gals. water.

CYPRESS: Bactra Moth Larvae - 1 3/4 ozs. in 10 gals. water. Apply as a drenching spray.

DAYLILLIES: Aphids, Thrips - 3 1/2 ozs. in 10 gals. water.

EUONYMUS: Aphids, Scale - 3 1/2 ozs. in 10 gals. water.

FICUS NITIDA: Thrips - 1 3/4 ozs. in 10 gals. water.

GARDENIAS: Tea Scale, Whitefly - 1 3/4 ozs. in 10 gals. water.

GERBERAS: Thrips - 1 3/4 ozs. in 10 gals. water.

GLADIOLUS: Aphids, Thrips - 1 3/4 ozs. in 10 gals. water.

HEMLOCK: Mites, Scale - 1 3/4 ozs. in 10 gals. water.

HOLLY (ENGLISH & AMERICAN) NOT BURFORD VARIETY: Leafminers, Mites, Soft Scale - 1 3/4 ozs. in 10 gals. water. For leafminers, apply in spring when leafminer flies first appear, or in early summer, for control of larvae in infested leaves.

IRIS: Aphids, Iris Borer, Thrips - 3 1/2 oza. in 10 gals. water. For borer control, spray when new leaves are 5 to 6 inches tall.

JUNIPER: Aphids, Bagworms, Midges, Mites - 3 1/2 ozs. in 10 gals. water.

OAK: Golden Oak Scale - 3 1/2 ozs. in 10 gals. water.

POINSETTIA: Mites, Whitefly, Mealybug, Aphids - 1 3/4 ozs. in 10 gals. water.

ROSES: Aphids, Leafhoppers, Mites, Thrips - 1 3/4 ozs. in 10 gals. water.


TAXUS (upright or spreading yew): Fletcher Scale, Mealybug, Mites - 3 1/2 ozs. in 10 gals. water.

**CONDITIONS OF SALE - LIMITED WARRANTY
AND LIMITATIONS OF LIABILITY AND REMEDIES**

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions, the failure to follow the label directions, or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man, or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product is a claim for damage and in no event shall damages or any other recovery of any kind against the Company exceed the price of the product which causes the alleged loss, damage, injury, or other claim. The Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income.

The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability, and remedies.



ELLIS — SERVICE LABELS (METHYL PARATHION 7.5 SPRAY)
4-4; FILE: service (methyl parathion 7.5-#45327)
121, 425

5327, revised #40525, type and art only, 5/93)
9" x 7-1/2")
size, various changes)

5 GALLONS
F-593
WECO Label

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Poisonous if Swallowed, Inhaled or Absorbed Through Skin. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to Methyl Parathion poisoning.

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed. Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes). Breathing vapors, spray mist or dust may be fatal. Workers entering treated fields within 48 hours must wear protective clothing.

STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that victim has been exposed to methyl parathion and describe his condition.

If inhaled and breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF IN EYES: Flush with plenty of water and get medical attention immediately.

IF ON SKIN: Immediately wash with soap and water and get medical attention.

POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

NOTE TO PHYSICIAN

ANTIDOTE: Administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5- to 10-minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to aquatic invertebrates and wildlife. Birds in treated areas may be killed. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.



METHYL PARATHION 7.5 SPRAY

ACTIVE INGREDIENTS:	By Weight
*O, O-dimethyl O-p-nitrophenyl phosphorothioate	65.9%
Related Compounds	3.7%
INERT INGREDIENTS	30.4%
	100.0%

1 gallon contains 7 1/2 lbs. of *Methyl Parathion.

EPA Reg. No. 2935-421

EPA Est. 39578-TX-1

KEEP OUT OF REACH OF CHILDREN

**DANGER
PELIGRO**



POISON

PRECAUTION ALIUSUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

See Side Panels for Antidote and Precautions

NET CONTENTS: 5 GALLONS

BEST AVAILABLE COPY

Manufactured for:

WILBUR-ELLIS Company
P.O. Box 16458, Fresno, CA 93755



BEST AVAILABLE COPY

CHEMICAL AND PHYSICAL HAZARDS

DO NOT HEAT THIS MATERIAL ABOVE 131°F (55°C). STORE AT TEMPERATURES ABOVE 65°F (18.3°C) TO AVOID CRYSTALLIZATION.

WORK SAFETY RULES

The National Pesticide Telecommunication Network is available for recommendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of methyl parathion. The toll free number for the National Pesticide Telecommunication Network is 1-800-858-7378.

If handled indoors, provide mechanical exhaust ventilation. Keep all unprotected persons, children, livestock and pets away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See First Aid (Practical Treatment) section.

HANDLE THE CONCENTRATE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT: Wear a protective suit of one or two pieces that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, chemical resistant apron and chemical resistant shoes, shoe coverings or boots. Wear goggles or a face shield. Wear a pesticide respirator approved by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR, AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE AND EARLY REENTRY INTO TREATED AREAS: Protective suit of one or two pieces covering all parts of the body except the head, hands and feet; chemical resistant gloves; chemical resistant shoes (or chemical resistant shoe coverings or chemical resistant boots); goggles or face shield; hood or wide brimmed hat; NIOSH approved respirator.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt; long-legged pants; chemical resistant gloves; chemical resistant apron; shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt and long-legged pants; shoes and socks. Chemical resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. **REMEMBER — THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREAS! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.**

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face and arms with soap and water before smoking, eating, drinking or toileting.

AFTER WORK: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job — do not wear contaminated clothing. Personal clothing worn during work must be stored and laundered separately from protective clothing and household articles. Store protective clothing separately

from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Protective clothing and protective equipment heavily contaminated or drenched with methyl parathion must be destroyed according to state and local regulations. **HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED. DURING AERIAL APPLICATION, HUMAN FLAGGERS ARE PROHIBITED.**

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Reentry into treated fields is prohibited for 48 hours after application, unless all protective clothing and equipment required for early reentry as described elsewhere on the label are worn.

Written or oral warnings must be given to workers who are expected to be in an area about to be treated with this product. Oral warnings should specify protective clothing (see left), areas or fields that cannot be entered without this clothing, period of time area is to be vacated, and statement of practical treatment (see left) in case of exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Warnings must include the following information: "Danger. Area treated with Methyl Parathion on (date of application). Do not enter without appropriate protective clothing for 48 hours. (Insert here actions to take in case of accidental exposure — see left.)"

POSTED TREATED AREA — Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

oper and only
for this product is
ing, loading, repair
also ensure that all

SPRAY

By Weight	
.....	65.9%
.....	3.7%
.....	30.4%
.....	100.0%

EPA Est. 39578-TX-1

N

a etiqueta haya sido

STORAGE AND DISPOSAL

- Prohibitions:** Do not contaminate water, food or feed by storage or disposal.
- Pesticide Disposal:** Pesticide wastes are highly hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
- Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
- Storage:** Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.

395

from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Protective clothing and protective equipment heavily contaminated or drenched with methyl parathion must be destroyed according to state and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED. DURING AERIAL APPLICATION, HUMAN FLAGGERS ARE PROHIBITED.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Reentry into treated fields is prohibited for 48 hours after application, unless all protective clothing and equipment required for early reentry as described elsewhere on the label are worn.

Written oral warnings must be given to workers who are expected to be in an area about to be treated with this product. Oral warnings should specify protective clothing (see left), areas or fields that cannot be entered without this clothing, period of time area is to be vacated, and statement of practical treatment (see left) in case of exposure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Warnings must include the following information: "Danger. Area treated with Methyl Parathion on (date of application). Do not enter without appropriate protective clothing for 48 hours. (Insert here actions to take in case of accidental exposure — see left.)"

POSTED TREATED AREA — Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

STORAGE AND DISPOSAL

1. Prohibitions: Do not contaminate water, food or feed by storage or disposal.
2. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
3. Container Disposal: Triple rinse (or equivalent). Then offer recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
4. Storage: Store in original container only and keep closed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.

CROP USE DIRECTIONS

Use only according to attached labeling.

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

Logo TM of WILBUR-ELLIS Company
EAS TO GROW WITH is a registered trademark of WILBUR-ELLIS Company

F-503

IN CASE OF EMERGENCY, CALL CHEMTREC: (800) 424-9300



**ORGANOPHOSPHORUS PESTICIDE, LIQUID,
TOXIC, FLAMMABLE, N.O.S.
(CONTAINS METHYL PARATHION & MIXED
PETROLEUM SOLVENT), UN 3017**

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (H7505C)

ACCEPTED
with COMMENTS
in EPA Letter Dated

BLACK LEAF (R)

Sevin (R)
Brand Carbaryl Insecticide
50% Wettable Powder

SEP 10 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
5887-86

Controls listed insects-including chinch bugs

Can be used on lawns, ornamentals, vegetables, fruits, citrus
fruits.

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate).....	50%
INERT INGREDIENTS.....	50%
TOTAL	100%

*SEVIN is a registered trademark of Rhone-Poulenc for
carbaryl insecticide.

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panels for additional precautionary statements.
EPA REG. NO. 5887-86
EPA EST. NO. 70-KY-1

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be harmful if swallowed. Avoid breathing
vapors (dust or spray mist). Avoid contact with eyes, skin
or clothing. Wash thoroughly after handling.

Note to physician: Carbaryl is a moderate, reversible,
cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS


This pesticide is extremely toxic to aquatic and estuarine
invertebrates. Do not apply directly to water or wetlands.
Do not contaminate water by cleaning of equipment or disposal
of wastes.

This product is highly toxic to bees exposed to direct
treatment or residues on blooming crops or weeds. Do not
apply this product or allow it to drift to blooming crops or
weeds if bees are visiting the treatment area.

NET WT 6 OZ. (170 g)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a
manner inconsistent with its labeling.



Black Leaf 50 $\frac{1}{2}$ Sevin Wettable Powder (bleaf\50sevnwp)

Page 2

BLACK LEAF SEVIN (R) BRAND CARBARYL INSECTICIDE may be used to control insect pests on a wide range of crops and ornamentals.

To open: Pry open with screw driver or similar object. To close: Replace plug thoroughly by pressing around plug. Please follow directions and cautions carefully before each use. The chart is based on tablespoonfuls added to each gallon of water.

USE	INSECTS CONTROLLED	DIRECTIONS
Ornamentals carnations gladiolus zinnia mums lilacs azaleas roses evergreens	Apple aphid, bagworm, birch leaf miner, blister beetle, box elder bug, elm leaf aphid, flea beetle, Japanese beetle, June beetle, lace bug, leafhopper, leaf roller, mealy bug, orange tortrix, periodical cicada (locust), plant bug, rose aphid and slug, scale insects, tent caterpillars.	Mix 2 tablespoons per gallon of water and spray entire plant thoroughly. Repeat applications weekly. Do not use on Boston Ivy.
Vegetables beans cabbage broccoli lettuce carrots cucumbers squash tomatoes	Mexican bean beetle, flea beetle, Japanese beetle, leafhopper, velvet bean caterpillar, armyworm, corn earworm, stink bug, tarnished plant bug, harlequin bug, cabbage caterpillar, six-spotted leafhopper, corn rootworm adults, sap beetle, bean leaf beetles, pickleworm, lace bugs, tomato fruitworms and hornworms.	Spray sufficient gallonage to obtain full coverage of plants using 2 to 4 tablespoons per gallon of water. Keep spray well agitated. Repeat weekly and as damage appears. Do not apply within 3 days of harvest on broccoli and cabbage, and within 14 days of harvest on lettuce.
Fruits apples pears peaches apricots strawberries cherries plums	Apple mealybug, aphids, leafhoppers, apple maggot, bagworm, eastern tent caterpillar, bud moth, redbanded and fruit tree leaf rollers, fruitworms, Japanese beetle, pear psylla, plum curculio, rosy and wooly apple aphids, rust mite, blister mite, tar-	Mix 2 tbls of powder per gallon of water. Keep mixture well agitated. Spray thoroughly on entire tree or plant. Repeat weekly or as soon as pests appear. Do not apply within 3 days of harvest on apricots,

Black Leaf 50% Sevin Wettable Powder (bleaf\50sevnwp)
Page 3

nished plant bug, tenti- within 1 day of har-
form leaf miners, scale, vest on apples,
Oriental fruit moth, peaches, pears,
European earwig, June strawberries,
beetles, lesser peach cherries and plums.
tree and peach twig
borer, tussock moth,
meadow spittlebug,
strawberry weevil, black
cherry aphid, mealy plum
aphid, cherry fruit fly,
leafhopper, cutworm,
fireworm, and leaf
roller.

Citrus Fruit oranges lemons grapefruit lime	Citrus cutworms, Cali- fornia orange dog, fruit tree leaf roller, orange tortrix, western tuss- ock moth, scale pests.	Mix 2 tbls per gal. of water. Spray trees and branches thoroughly. Repeat as soon as pests re- appear. Do not apply within 5 days of har- vest on all citrus.
---------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Lawns ornamental turf patio	Mosquitoes, ants, chinch bugs, fall armyworms, leafhoppers, sod web- worms, fleas.	15 gallons of spray to cover 500 sq. ft. using 1 tbl. of pow- der per gallon. Spray sufficiently to insure pene- tration of turf. Repeat applications every 2 weeks.
--------------------------------------	---------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

STORAGE AND DISPOSAL

STORAGE: To be stored in the original container placed in areas inaccessible to children. **PESTICIDE DISPOSAL:** Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash. **CONTAINER DISPOSAL:** Do not reuse empty container, discard empty container in trash.

NOTICE: Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

This container sold by weight and not volume. If it does not appear full when opened, it is because contents have settled during shipping and handling.

DISTRIBUTED BY
BLACK LEAF PRODUCTS COMPANY, A Division of Wilbur-Ellis Co.

6 8 6

Black Leaf 50% Sevin Wettable Powder (bleaf\50sevnwp)
Page 4

BUCKNER, KENTUCKY 40010
B-692 Made in U.S.A.

UPC CODE #76842 00610

