ACCEPTED

NOV 6 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended, for the pesticide registered under EPA Reg. No. 576-7-4

APPLICATION RATE CHART FOR THE MANY USES ON LAWNS, VEGETABLES, (INCLUDING PREPLANT APPLICATION)
FRUITS & NUTS TREES & SHRUBS ROSES & FLOWERS

DISTRIBUTED BY

BLACK LEAF PRODUCTS CO. ELOM, ILLMON 44120

00-361



## For use on lawns & vegetables

Also kills certain outdoor insects which destroy fruits, roses, flowers, trees and shrubs or annoy pets and people.

ACTIVE (MGREDIENTS 8Y WT 8. 8 dischyl 8-(2 isopropyl-8-methyl-4-pylmiddeyl) phosphorthicsis 12 5'-Ar-methyl-Polyriston Derivative Exhands 72.6'-MERT WIGHTS: 14.9'-TOTAL 100 0"

KEEP OUT OF REACH OF CHILDREN **CAUTION** 

See best pacel for additional processionary statements of CHA-GEIGY, backwart of CHA-GEIGY,

EPA EST. NO. 5887-IL-1 EPA REG. NO. 5887-83 Net Contents 16 fl. oz. (1 pint)

PRELAUTIONARY STATEMENTS

MAZAROS TO HUMAMS AND DOMESTIC ANIMALS

CAUTION

PRED DUTOT tracks of children. Harmful if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin. eyes, and clothing. Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and so not use on household piets or humans. Do not opermit children or pets to go into the treated areas unto the spray has completely druid. Keep out of reach of domestic animals. Do not use in the home.

ENVIRONMENTAL HAZAROS.

This product is fore to have being no other hildren Bilds feeding on treated areas may be writted. Keep out of takes streams ponds, tidal massives, and estuaries. Do not apply to writer that will be used for recreational purposes and human and kvestock consumption. Shrimp and crab may be killed at application rates recommended on this state. Do not apply where fish shrimp trab, and other aquatic life are important resources. This product must not be used in areas where impact on the stender ordinary ending the crop consumption that the product only as specified on this label. This pesticide is highly tokic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively using the crop cover crop, or needs blooming in the treated area. Applications should be livined to produce the maximum possible interval between treatment and the next gerind of bees activity.

Physical HAZARDS.

activity

PHYSICAL HAZARDS

Opiniotiuse pour spill or store near heat or open flame

DISPOSAL

Do not reuse container. Wrap container and put into trash collection.
DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its rabeling.
HOW TO MIX AND APPLY. HOW TO MIX AND APPLY

HOW TO MIX AND APPLY

Step 1 Determine size of spraying rob. For lawns and vegetables measure the area to be sprayed. For all other applications apply as a thorough cover spray. Make applications when insects first appear. Repeat application as needed or as noted in the rate chart. Step 2 Use clean sprayer. Cartifying measure and mix the amount of Diaznon<sup>®</sup> and water as suggested in the chart. Step 3 Spray as directed in rate chart. Use coarse crenching sprays for lawns, so I and other surface applications. Use medium-fine mist sprays for trees and plants. Incrongin coverage is important. Flush sprayer with clean water after each use.

NDTICE. Buyer assumes all risks of use, storage or handling of this material not a strict accordance with directions given herewith.

N Y FO C of A No 2647

BEST DOCUMENT AVAILABLE