
וויש ששמשמיים וכלם

FRONT PANEL

1063 1063 10010 5887-94





Slug and Snail Killer

Also kills earwigs sowbugs-pillbugs

A pellet formulation-effective and easy for use on lawns and gardens to also kill ants, chinch bugs, millipedes, sod webworms.

ACTIVE INGREDIENTS:	BY WT.
Carbaryl (1-naphthyl	
	5.00%
Metaldehyde	2.50%
Metaldebyde	92.50%
TOTAL	100.00%
"Sevin-Registered Trademark (Carbide Corporation,	noinU to

KEEP OUT OF REACH OF CHILDREN

WARNING

THIS PESTICIDE IF EATEN MAY BE FATAL
TO CHILDREN AND DOGS OR OTHER PETS.
KEEP CHILDREN AND PETS OUT OF THE
TREATED AREA. FOLLOW DIRECTIONS AND
USE WITH CARE, PELLETS SHOULD BE
SCATTERED AND NOT PILED.

THE MEAN PRINCE FOR TRACEMENTS OF PRACTICAL STREET STREET



EPA EST. NO. 5887-IL-1 EPA REG. NO. 5887-94 Net Weight 1 lb.

BACK PANEL



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger. Call a physician or poison control center immediately. DO NOT induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove from exposure. Alert victim should be encouraged to cough and clear nasal passages. Assist respiration if necessary.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with water for at least 15 minutes, and get medical attention.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Do not take internally. May be fatal if swallowed. Harmful if inhaled, Avoid breathing of dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not apply to edible portion of any food or feed crop.

ENVIRONMENTAL HAZARDS

This product is toxic to bees and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with this labeling.

Snails and slugs are night feeders that prefer cool, damp places; such as found in gardens, under flower pots, boards, hedges and bushes. Their presence can be detected by their shiny mucous-like trail.

To open. Pry open with screw driver or similar object. To close. Replace plug thoroughly by pressing around plug

FOR USE ON	APPLICATION	TARGET INSECTS	AMOUNT TO USE
Dichondra lawns Turf fawns	Water infested areas thoroughly. Broad- cast directly on lawn or furt. Do not water treated areas for 48 hours.	Slugs (1 Hb. to cover 1,500 sq. ft
Ornamentals Borders Gardens Ground cover	Water intested areas thoroughly Sprinking AND SNAIL KILLER around edges and borders of flower beds and ground cover. Sprinkle along the ground at the base of walfs or fences as well as shaded areas. Do not water for 48 hours.	Shads Anis, chinch bugs earwigs	of intested areas Spread equiva- lent of 1 to of material to
Fruits Apples Avocados Blackbernes Chernes Citrus. Grapes Peaches Pinns Strambernes Vegetables Asparagus Beans Beets Cabbage Carrols Corn Cutumber Egoptant Lettuce Meions Onions Peas Peppers Potatoes Radishes Sprinach Souash Tomatoes, Turnips	Water infested areas thoroughly. Apply to the sof surface around the plants. Do not apply to fokage or other plant parts. Do not contaminate echole puris. Do not water for 48 hours.	(milipedes, sod) webworms sowbugs	namento 250 sq. ti oʻ mlesied area

When used as directed, 1 Ib of BLACK LEAF SLUG and SNAIL KILLER will control the specified insects in areas up to 1,500 sq. ft.

This container is sold by weight and not by volume. If it does not appear full when opened, it is because contents settled during shipping and handling.


DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given berewith

DISTRIBUTED BY BLACK LEAF PRODUCTS COMPANY ELGIN IL 60120





Slug and Snail Killer

Also kills earwigs sowbugs-pillbugs

Granular formulation effective and easy to use to kill ants, chinch bugs, millipedes, sod webworms.

ACTIVE INGREDIENTS: Carbaryl (1-naphthyl N-methylcarbamate)* 5.00% 2.50% 92.50% Metaldehyde INERT INGREDIENTS. TOTAL 100 00%
Sevin-- Registered Trademark of Union Carbide Corporation

KEEP OUT OF REACH OF CHILLREN WARNING

THIS PESTICIDE IF EATEN MAY BE FATAL

TO CHILDREN AND DOGS OR OTHER PETS. KEEP CHILDREN AND PETS OUT OF THE TREATED AREA. FOLLOW DIRECTIONS AND USE WITH CARE, PELLETS SHOULD BE SCATTERED AND NOT PILED. See side panel for other warnings

EPA EST. NO. 5887-IL-1 EPA REG. NO. 5887-94 Net Weight 1 lb.

Slug and Snail Kille

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Do not take internally. May be fatal if swallowed. Harm inhaled. Avoid breathing of dust. Avoid contact with eyes, or clothing. Wash thoroughly after handling. Do not app edible portion of any food or feed crop.

ENVIRONMENTAL HAZARDS

This product is toxic to bees and other wildlife. Birds fee on treated areas may be killed. Keep out of lakes, stream ponds. Do not contaminate water by cleaning of equipme disposal of wastes. This product is highly toxic to bee: posed to direct treatment or residues on crops. Prote information may be obtained from your Cooperative Agr tural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a ma inconsistent with this labeling.

TARGET INSECTS	AMOUNT TO USE	APPLICATION	
Shails stugs	1 lb to cover 1,500 sq. ft, of intested areas	Water infested areas thorouge- Broadcast directly on law	
Ants chinch bugs eanings mill pedes sod wedwerms sewougs	Spread equiva- lent of 1 to of material to 250 sq. fr. of intested area	for 48 hours	
Sharis stugs	1 lb of material for 1 500 sq fr of treated area	Water infested areas thorou Sprinkle with SLUG AND S KILLER Sprinkle around e	
Ants chirch bugs learnings millipedes soot neonorms sonbugs	Spread equiva- lent of 1 b of material to 250 sq. ft. of infested area	and borders of flower bad ground cover Sprink's alor ground at the base of w fences as well as shaded Co not water for 48 hours	
	Ants chinch bugs earnigs mill pedes sod networks studys. Ants crich bugs earnigs mill pedes sod networks. Sha is study. Ants crich bugs earnigs earnigs earnigs earnigs earnigs mill pedes sod networks.	INSECTS Shails stugs 1 1b to cover 1,500 so it. of infested areas Ants chinch bugs earnigs mill pedes and nedworms stawburzs infested area Shails stugs Ants chinch bugs earnigs infested area it of 1 500 sq. fs of infested area it of 1 500 sq. fs of ireated area in the study area is of ireated area in the study area.	

When used as directed if thild! BLACK CEAF SLUG and SNAIL KILLER will connect the field insects in areas up to 1,500 sq. ft.

This container is sold by weight and not by volume. If it not appear full when opened, it is because contents se during shipping and handling.

DISPOSAL

Do not reuse empty container. Wrap container and put in

NOTICE: Buyer assumes all risks of use, storage or han of this material not in strict accordance with directions of herewith.

> DISTRIBUTED BY BLACK LEAF PRODUCTS COMPANY ELGIN, ILLINOIS 40120 00-750