### **BLACK LEAF**

## Slug & Snail Killer

Also kills earwigs, sowbugs-pillbugs.

A pellet formulation-effective and easy for use on lawns and gardens to also kill ants, chinch bugs, millipedes, sod webworms.

ACTIVE INGREDIENTS: (By Wt.)

Carbaryl (1-naphthyl N-methylcarbamate)\* ... 5.00%

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-

tetraoxycyclo-octane) ........... 2.50%

INERT INGREDIENTS ..... 92.50%

TOTAL 100.00%

Sevin is a registered trademark of Rhone-Poulenc Ag Company for carbaryl insecticide.

### KEEP OUT OF REACH OF CHILDREN

### WARNING

See rear panel for statement of practical treatment and additional precautionary statements.

EPA Reg. No. 5887-94 EPA Est. No. 70-KY-1

Net Weight 1 Pound

# BEST AVAILABLE COPY

ACCEPTE!

Under the Federal Insecticide, Fungicide, and Redesticide Act.

as amended, for the posteids

FER 1 4 1700

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Do not take internally. May be fatal if swallowed: EPA Rog. No. 5887-94 if inhaled. Avoid breathing of dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not apply to edible portion of any food or feed crop.

## STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger. Call a physican or poison control center immediately. DO NOT induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove from exposure. Alert victim should be encouraged to cough and clear masal passages. Assist respiration if necessary.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with water for at least 15 minutes, and get medical attention.

# ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment

Black Leaf Slug & Snail Killer (bleaf\slug&sna)

washwaters.

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with this labeling.

Snails and slugs are night feeders that prefer cool, damp places; such as found in gardens, under flower pots, boards, hedges and bushes. Their presence can be detected by their shiny mucous-like trail. Follow directions and use with care. Pellets should be scattered and not piled.

To open: Push down and turn the cap.' To close: Replace cap and close tightly.

FOR USE ON Dichondra lawns urf lawns

APPLICATION Water infested areas thoroughly. Broadcast directly on lawn or turf. Do not water treated areas for 48 hours.

TARGET INSECTS Slugs & Snails

**AMOUNT** TO USE 1 lb. to cover 1,500 sq. ft. of infested areas.

Ornamentals Borders Gardens Ground cover Water infested areas thoroughly. Sprinkle SLUG AND SNAIL KILLER around edges and borders of flower beds and ground sod webworms, cover. Sprinkle along the ground at the base of walls or fences as well as shaded areas. Do not water for 48 hours.

Ants, chinch bugs, earwigs, millipedes, sowbugs

Spread equivalent of 1 lb. of materials to 250 sq. ft. of infested area.

Bruits Blackberries, **Grapes,** Peaches, Plums, Strawberries

Vegetables Beets, Cabbage,

Carrots, Corn, Cucumber, Eggplant, Lettuce, Melons, Onions, Peas, Peppers, Potatoes. Radishes, Spinach, Squash, Tomatoes, Turnips

Apples, Avocados, Water infested areas thoroughly. Apply to Cherries, Citrus, the soil surface around the plants. Do not apply to foliage or other plant parts. Do not contaminate edible Asparagus, Beans, parts. Do not water for 48 hours.

BEST AVAILABLE COPY

When used as directed, 1 lb. of BLACK LEAF SLUG and SNAIL KILLER will control the specified insects in areas up to 1,500 sq. ft.

Black Leaf Slug & Snail Killer (bleaf\slug&sna)
Page 3

## STORAGE & DISPOSAL

Storage: To be stored in the original container placed in areas inaccessible to children.

Pesticide Disposal: Securely wrap container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty container. Wrap container and discard in trash.

This container sold by weight and not by volume. If it does not appear full when opened, it is because contents have settled during shipping and handling.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BLACK LEAF PRODUCTS
A Division of Wilbur-Ellis Company
Buckner, Kentucky 40010
B-1289 Made in U.S.A.

UPC Code No. 76842 00750