



United States
Environmental Protection Agency
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input checked="" type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number
222712

Application for Pesticide - Section I

1. Company/Product Number 5887-94	2. EPA Product Manager D. Edwards	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Black Leaf Slug & Snail Killer	PM# 19	
5. Name and Address of Applicant (Include ZIP Code) Wilbur-Ellis Company P.O. Box 9518 Fresno, CA 93792 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input checked="" type="checkbox"/> Resubmission in response to Agency letter dated <u>2/23/96</u>	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of deleted use: Onions.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV


1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name JOANNE C. STRIEBICH	Title Registration and Labeling Specialist	Telephone No. (Include Area Code) (709) 226-1934
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration and Labeling Specialist	
4. Typed Name JOANNE C. STRIEBICH	5. Date March 13, 1996	

Black Leaf®

BLACK LEAF

SLUG & SNAIL KILLER

ALSO KILLS EARWIGS, SOWBUGS (PILLBUGS)



ACTIVE INGREDIENTS (b.w.)
 Carbaryl (1,3-bis(4-chlorophenyl)carbamate) 5.00%
 Methaldyde (2,4,6-trimethyl-1,3,5-triazine) 2.50%
INERT INGREDIENTS 92.50%
TOTAL 100.00%
 Seal is a registered trademark of Fisons-Poulenc Ag Company
 of Canada, Inc.

KEEP OUT OF REACH OF CHILDREN
WARNING EPA Reg. No. 5387, 07
 EPA Est. No. 70-KY-
 See rear panel for statement of practical treatment and additional precautionary statements.

A pellet formulation-effective and easy for use on lawns and gardens to also kill ants, chinch bugs, millipedes, sod webworms.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Irritant. Harm internally. May be fatal if swallowed. Harmful if inhaled. Avoid breathing of dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not apply to edible portion of any food or feed crop.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Induce vomiting by drinking 1 or 2 glasses of water and forcing back of throat with finger. Call a physician or poison control center immediately. **DO NOT** induce vomiting or give anything by mouth to an unconscious person.
 If inhaled: Remove from exposure. Alert victim should be encouraged to cough and clear nasal passages.

Assist respiration if necessary. If on skin: Wash thoroughly with soap and water. Flush with water to a large quantity of medical attention.

ENVIRONMENTAL

Do not apply directly to water. Do not wash or dispose of equipment directly into water. This residue may be fatal to fish. Keep pellets out of treated area.

DIRECTIONS FOR USE

Use a portion of Federal Law to use in a manner consistent with this label. Slugs and snails are most frequent in places such as found in gardens, on boards, hedges and bushes. They are detected by their slimy mucous trails. Follow directions and use with care. Scattered and not piled.
 To open: Open with coin of 10¢.
 To close: Replace cap for safety.

FOR USE ON:	APPLICATION:	TARGET INSECTS:
Dichroite lawns, Turf lawns.	Water infested areas thoroughly. Broadcast directly on lawn or turf. Do not water treated areas for 48 hours.	{ Slugs & Snails }
Ornamentals, Border plantings, Ground covers.	Water infested areas thoroughly. Sprinkle SLUG AND SNAIL KILLER around edges and borders of flower beds and ground cover. Sprinkle along the ground at the base of walls, fences as well as shaded areas. Do not water for 48 hours.	{ Ants, chinch bugs, millipedes, sod webworms, sowbugs }
Fruit: Apples, Avocado, Blackberries, Cherries, Citrus, Grapes, Peaches, Plums, Strawberries.	Water infested areas thoroughly. Apply to the soil surface around the plants. Do not apply to leaves or other plant parts. Do not contain water for 48 hours.	
Vegetables: Asparagus, Beans, Beets, Cabbage, Carrots, Corn, Cucumbers, Eggplant, Lettuce, Melons, Onions, Peas, Peppers, Potatoes, Radishes, Spinach, Squash, Tomatoes, Turnips.	Water infested areas thoroughly. Apply to the soil surface around the plants. Do not apply to leaves or other plant parts. Do not contain water for 48 hours.	

When used as directed, **BLACK LEAF SLUG & SNAIL KILLER** will control the specified insects in areas up to 1000 sq. ft.

STORAGE & DISPOSAL

Store in a fire safe, non-flammable container, away from children. **Pesticide Disposal:** See label for disposal in several layers of newspaper and discard in trash container. **Disposal:** Do not reuse empty container. Wrap container and discard in trash.

NOTICE: Buyer assumes all risks of handling of this material and is subject to all directions on the label.

This seal is a registered trademark of Fisons-Poulenc Ag Company of Canada, Inc. Seal is a registered trademark of Fisons-Poulenc Ag Company of Canada, Inc.






A pellet formulation effective and easy for use on lawns and gardens to also kill ants, chinch bugs, millipedes, sod webworms.

BLACK LEAF

SLUG & SNAIL KILLER

KILLS EARWIGS, CRICKETS (PILLBUGS)



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING: Do not take internally. May be fatal if swallowed. Harmful if inhaled. Avoid breathing of dust. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water. Do not apply to edible portions of any food or feed crop.

STATEMENT OF PRACTICAL TREATMENT
 If swallowed: Do not vomit. Rinse mouth with water and spit out. Do not swallow. If inhaled: Move to fresh air. If on skin: Wash with soap and water. If in eyes: Flush with water for at least 15 minutes and seek medical attention.

Get fresh air immediately. Wash thoroughly with soap and water. If in eyes: Flush with water for at least 15 minutes and seek medical attention.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water. Do not dispose of equipment in water. This pesticide may be fatal to fish and other aquatic life. Keep away from treated areas.

DIRECTIONS FOR USE

For application of Black Leaf, use this product in a manner consistent with this label. Slugs and snails are night feeders that prefer cool damp places such as found in gardens under flower pots, boards, pedges and bushes. Their presence can be detected by their slimy mucous trails. Follow directions and use with care. Pellets should be scattered and not piled. To open: Open with coin or foot. To close: Replace cap or safety.

FOR USE ON	APPLICATION	TARGET INSECTS	AMOUNT TO USE
Decorative Lawns Turf Lawns	Water infested areas thoroughly. Broadcast directly at rate of 1/2 lb. per 1000 sq. ft. Do not water treated areas for 48 hours.	{ Slugs & Snails }	1 lb. of cover 1500 sq. ft. of infested areas.
Ornamentals Borders Gardens Ground cover	Water infested areas thoroughly. Sprinkle SLUG AND SNAIL KILLER around edges and borders of flower beds and ground cover. Sprinkle along the ground at the base of walls and fences as well as shaded areas. Do not water for 48 hours.	{ Ants, chinch bugs, earwigs, millipedes, sod webworms, cowbugs }	Spread equivalent of 1 lb. of material to 250 sq. ft. of infested area.
Fruits: Apples, Avocados, Blackberries, Cherries, Citrus, Grapes, Peaches, Plums, Strawberries	Water infested areas thoroughly. Apply to the soil surface around the plants. Do not apply to foliage or other plant parts. Do not contaminate edible parts. Do not water for 48 hours.		
Vegetables: Asparagus, Beans, Beets, Cabbage, Carrots, Corn, Cucumber, Eggplant, Lettuce, Melons, Onions, Peas, Peppers, Potatoes, Radishes, Spinach, Squash, Tomatoes, Turnips			

When used as directed, 1 lb. of BLACK LEAF SLUG & SNAIL KILLER will control the specified insects in areas up to 1500 sq. ft.

NOTICE: Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

STORAGE & DISPOSAL

Storage: To be stored in the original container placed in areas inaccessible to children. Pesticide Disposal: Securely wrap container in several layers of newspaper and discard in trash. Container Disposal: Do not reuse empty container. Wrap container in newspaper and trash.

This container sold by weight and not by volume. It does not appear full when opened in its because contents have settled during shipping and handling.



NET WEIGHT ONE POUND
 Distributed by BLACK LEAF PESTICIDES, INC. 1425 N. W. 14th St. BOCA RATON, FL 33433
 MADE IN U.S.A.

1) 50%
 2) 25%
 3) 10%
 4) 5%
 5) 100%

KEEP OUT OF REACH OF CHILDREN
 E.P.A. Reg. No. 5087-14
 E.F. No. D-471
 © 1987 Black Leaf Pesticides, Inc.