

5871 116 P11-17

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Avoid contact with eyes, skin or clothing. In case of contact immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets, birds, and cover fish aquariums before spraying. Do not use on edible crops.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, earthen, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

HOUSEHOLD PESTS—Kills Houseflies, Mosquitoes and Gnats. Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

Kills Crawling Insects: Roaches, earwigs, grain mites, sowbugs, silverfish, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS—TO REDUCE ANNOYANCE FROM FLYING INSECTS: Reduce mosquitoes, gnats (midges), houseflies, deer flies, horse flies and flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space, while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS—TO PROTECT ORNAMENTAL PLANTS: Kills aphids, exposed thrips, leafhoppers, two-spotted mites, plant bugs, Japanese beetles on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, toyon, viburnum, euonymus, oaks, maples, locust, lorysilia and alibea. Kills mimosa webworm larvae on mimosa. Spray directly on insects.

Kills aphids, exposed thrips, adult whiteflies, leafhoppers, two-spotted mites, plant bugs, spittlebugs and Japanese beetles on peonies, iris, zinnia, snapdragons, ageratum, chrysanthemums, nasturtiums, daisies, geraniums, marigolds, daphne, fatshedra, ivy, lobelia, queen sage, broadleaf acacia.

Hold container 18 inches from the infested plants. Spray in short bursts of one to three seconds, or spray at a rate of one linear foot of growth per second. Direct spray to all sides, covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

USE WITH CAUTION on azaleas, junipers, roses, including hybrid tea roses, flowering quince, ash and camellias. These plants may be subject to leaf or flower burn under certain conditions of use. For adult whiteflies and two-spotted mites be sure to direct spray to contact these pests. Thoroughly cover the infested area. Use several repeat applications at two day intervals if necessary.

PROTECT HOUSE PLANTS: Kills aphids, exposed thrips, adult whiteflies, two-spotted mites on African violets, philodendrons, geraniums, begonias, coleus. Spray as directed above. Leave the sprayed area when done indoors, and ventilate area after treatment is completed.

NUISANCE PESTS—ON OR ENTERING BUILDINGS:

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Wasps and hornets. Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps and hornets that enter buildings.

Spiders: Direct short bursts of spray on spiders and repeat as necessary.

Earwigs: Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances.

STORAGE AND DISPOSAL

General: Do not contaminate water, food, or feed by use, storage, or disposal. If damaged or leaking, seal up and wrap waste, then dispose of as below.

Storage: Keep in a cool, dry, locked area away from flames, sparks, sunlight, or other sources of heat or ignition. Containers heated above 130°F (54°C) may burst.

Disposal: Replace protective cap on container, securely wrap in several layers of newspaper and discard in trash. Do not incinerate or puncture.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given hereon.

132
 Registration to be in accordance with
 Section of Federal Insecticide, Fungicide and
 Rodenticide Act, 21 CFR 155.105 (b) Change in Status.



House Plant

Pressurized spray

KILLS: Houseflies, mosquitoes, gnats, wasps, roaches, earwigs, two spotted mites, sowbugs, spiders, centipedes, ants, deer flies, horse flies, aphids (plant lice), leafhoppers, exposed thrips, adult whiteflies, plant bugs, Japanese beetles, spittlebugs.

ACTIVE INGREDIENTS:

• tetramethrin (1S-(phenylmethyl)-3-tetranyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate)	0.200%
Related compounds	0.028%
d-trans Allethrin (allyl homolog of Cisrozin II) ...	0.150%
Related compounds	0.012%
Aromatic petroleum hydrocarbons	0.272%
Petroleum Distillate	0.500%
INERT INGREDIENTS:	92.038%
	100.000%

• Cis/trans isomers ratio: max. 30% (-) cis and min. 70% (-) trans.
 © U.S. Patent No. 3,465,807



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA EST. NO. 36994-IL-2
 EPA REG. NO. 5887-116 NET WEIGHT 14 OZ.

DISTRIBUTED BY
 BLACK LEAF PRODUCTS, A Division of Wilbur-Ellis Co.
 BUCKNER, KENTUCKY 40010
 8-1289 Made in U.S.A.

ATTACHMENT 1

A. ACTIVE INGREDIENTS:

** resmethrin ([5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate)	0.200%
Related compounds	0.028%
d-trans Allethrin(allyl homolog of Cinerin I)	0.150%
Related compounds	0.012%
Inert Ingredients:	99.600%
	<hr/>
Total	100.000%

* Cis/trans isomers ratio: max 30% (*)cis and min. 70% (*)trans.

+ U.S. Patent No. 3,465,007