

Also kills roaches, bedbugs, fleas, ticks & spiders

A ready to use dual action contact and residual spray that kills roaches up to 4 weeks. Can be used in non-food areas of food handling establishments.

ACTIVE INGREDIENTS:

1. Resmethrin (5-(phenylmethyl)-3 (2-methyl-1-propenyl) cyclopropanecarboxylate)

1. (3-1-ans isomers ratio mai 301-cerics and min 701-cell) tans

1. (3-1-ans isomers ratio mai 301-cerics and min 701-cell) tans

1. (3-1-ans isomers ratio mai 301-cerics and min 701-cell) tans

1. (4-ans) septiment septiment and about 16 penicks SBP-1322* brand of resmethers, section KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear canel for statement of crait can maximum. Net Contents 6-4 til oz. (1 2 gallon)

3nd additional recautionary statements. A ready to use dual action contact and residual spray that

1. 3000 100

THE SHAD LAND LONG LONG DOOR OF SHADON OF SHAD

If swall (wed, India, e som ting by sticking finger in back of throat or by administration of symp of the according medical aftention if in eyes. Flush with plenty of water, Get medical aftention distribution develops or persists if on skin. Wash with plenty of snap and water. Get the ficult attention distribution develops.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply this water based product to electrical equipment because of pussible shock hazard. Do not use on surfaces that can be hazard. If starred by water DIRECTIONS FOR USE.

If is a violation of Federal law to use this product in a manner income stent with its labeling

It is a violation of Federul law to use this product in a manner income stent with the fabeling.

INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS FOR INDOOR USE. For use in non-food are as of food handling establishments in and around premises of commercial, industrial, office, reputential public, institutions, and storage tooms produces in moters from the processing plants. Supermarkets, restaurants, botting plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for applic, tion if horses will be used for food CONTACT SPRAY. TO KILL CRAWILING INSECTS. To kill fleas, cockroaches (walterbugs), crickets silvertish fitrebrats) earwigs, booklice, spiders, sowbugs (philbugs) centipedes, millipedes. grain mites and grain insects laduits and accessible stages of conflued flour beetles, and flour beetles, sawtoothed grain beetles, chaper beetles, carper beetles, crain mites. Issesser grain bories. Mediciental flour moths, shink payinder beetles, carper beetles, grain mites, lesser grain bories. Mediciental flour moths, shink payinder beetles, carper beetles, grain mites, lesser grain bories. Mediciental flour moths, shink payinder beetles, carper beetles, grain mites, lesser grain bories. Mediciental flour beetles, sold flour beetles, sawtoothed grain beetles, chaper less expenses and moths. Adjust pressure and nozze to deliver a coarse wet spray with particle size larger than that of this average aerosol. Spray horoughly into hidding piaces such as cracks, crences, motslareas, openings amound prips and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Apply spray until area is mostly, but not to the point of run off. Spray directly on insects where possible. Repeal as a necessary. To Kill, SPIDERS (INCLUDING BLACK WIDOW AND BROWN R

STORAGE. To be stored in original container at temperatures shower 2.5 and claim to rate as the container and present of SPOSAL Product remaining in original container should be disposed of by securely wrapping or ginal container in Levels agents of newspaper and it sharding in trash. CONTAINER DISPOSAL Do not reuse empty container. Rinse thoroughly before discarding in trash.

NOTICE Buildians are all tisas of use strage in harding of this material in the linear area with the more risplant toward

DISTRIBUTED BY BLACK LEAF PRODUCTS COMPANY, FLGIN, ILLINOIS 60120

W. 4 -