... 117 H 5007-118 PH-17

Plat Reviewed. Registron of sims to be in accordance with a second side of the Coldance for Phase 2 and the Coldance in Status.

Size: 7.5 oz.-Aerosol

Black Leaf (R) Since 1879

Fogg-It

1 Shot Automatic Insecticide Fogger

For indoor use Kills fleas, houseflies, and mosquitoes, and aids in control of cockroaches in homes, apartments, and room. To kill additional insects in other areas, see rear panel.

One can treats up to 6,000 cubic feet (except for fleas, which would treat up to 1,500 cubic feet).

ACTIVE INGREDIENTS:

*(1-Cyclohexene-1,2-dicarboximido)methyl 2,2-dimethyl-3-(2-methylpropenyl)-cyclopropanecarboxylate... 0.200% +(3-Phenoxyphenyl)methyl d-cis and trans++ 2,2-dimethyl-3-

TOTAL..... 100.000%

*Tetramethrin

+d-(cis, trans)Phenothrin

++Cis/trans isomers ratio: max. 24% (+-)cis min. 75% (+-)trans

KEEP OUT OF REACH OF CHILDREN
CAUTION
See additional precautionary and practical treatment
statements on back panel
EPA REG. NO. 5887-118
EPA EST. NO. 5887-KY-2

NET WT 7.5 OZ (212 g)

THIS PRODUCT WILL KILL: Black Carpet Beetles, Centipodes, Cricket, Fleas, Houseflies, Mosquitoes, small flying Moths, Pill Bugs, Rice Weevils, Saw-Toothed Grain Beetles, Silverfish, Spiders, Ticks, and Wasps; aids in control of Cockroaches.

FOR USE IN: Apartments, Attics, Basements, Boats, Cabins, Campers, Garages, Homes, Household Storage Areas, Petrol Sleeping Areas, and Rooms.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with eyes, skin, or clothing.

i

Remove pets and birds, and cover fish acquariums before spraying.

Avoid contamination of food and feedstuffs. Do not use in commercial food processing, preparation, serving, or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

STATEMENTS OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash contaminated skin promptly with soap and warm water. Get medical attention if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PREPARATION: Cover exposed food, dishes, and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Use one unit for each 6,000 cubic feet (170 m3) of unobstructed area. Do not remain in the area during treatment. Ventilate thoroughly before re-entry.

TO START FOGGING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks—this will start fogging action. Then place fogger on stand on table in center of room with valve locked open, placing several layers of newspaper or a pad under fogger. Leave building at once. Keep building closed for four hours before airing out. Open all doors and windows, and allow to air for 30 minutes. Repeat spraying in two weeks, or when necessary.

TO KILL TICKS: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with a registered tick control product prior to their re-entry.

TO KILL FLEAS: Follow directions for ticks, but use one can per 1500 cubic feet of room space.

STORAGE AND DISPOSAL

General: Do not contaminate water, food, or feed by use, storage, or disposal. If damaged or leaking, soak up and wrap waste, then dispose of as below.

Storage: Keep in a cool, dry, locked area away from flames, sparks, sunlight, and other sources of heat or ignition.

Containers heated above 130 F (54 C) may burst.

Disposal: Refasten protective cap on container, securely wrap in several layers of newspaper, and discard in trash.....

Do not incinerate or puncture.


DISTRIBUTED BY

Black Leaf Fogg-It (bleaf\fogg-it)
Page 3

BLACK LEAF PRODUCTS COMPANY, A Division of Wilbur-Ellis Co. BUCKNER, KENTUCKY 40010

B-489 Made in U.S.A.

UPC CODE #76842 00490



ATTACHMENT 1

A. ACTIVE INGREDIENTS:* (1-Cyclohexene-1, 2-dicarboximido)methyl 2(2-methylpropenyl)-cyclopropanecarboxylate	2,2-dimethyl-3- 0.200%
+ (3-Phenoxyphenyl)methyl d-cis and trans++	
(2-methylpropenyl)-cyclopropanecarboxylate	0.383%
Other isomers	0.017%
INERT INGREDIENTS**	99.400%
Total	100.000%

