

P.A. 5887-117

P11-17

1 3/2

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. Avoid contamination of feed and food stuffs. Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CONTROL OF WASPS, HORNETS AND YELLOW-JACKETS

At a distance of 10 feet, spray nests late in the evening when the insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

STORAGE AND DISPOSAL

General: Do not contaminate water, food, or feed by use, storage, or disposal. If damaged or leaking, seal up and wrap waste, then dispose of as below.

Storage: Keep in a cool, dry, locked area away from flames, sparks, sunlight, or other sources of heat or ignition. Containers heated above 130°F (54°C) may burst.

Disposal: Refasten protective cap on container, securely wrap in several layers of newspaper and discard in trash. Do not incinerate or puncture.

DISTRIBUTED BY
BLACK LEAF PRODUCTS, A Division of Walbur-Ellis Co.
BUCKNER, KENTUCKY 40010
D-1269 Use in U.S.A.



Wasp & Hornet Pressurized Spray

Shoots up to 12 feet

Also Kills Yellow-Jackets

Dielectric strength-Non-conducting up to 26,500 volts.

ACTIVE INGREDIENTS:


* + Permethrin (5-(phenylmethyl)-3-furanyl) methyl	
2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropane-carboxylate	0.150%
Related compounds	0.020%
Aromatic petroleum hydrocarbons	0.199%
Petroleum Distillate	11.631%
INERT INGREDIENTS:	88.000%

TOTAL..... 100.000%

* Cis,trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

+ U.S. Patent No. 3,465,007 and 3,542,928

A



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**EPA EST. NO. 36994-IL-2
EPA REG. NO. 5887-119 NET WEIGHT 14 OZ.**

Not Reviewed - Registrations to be in accordance with
EPA's Pesticide Product Guidance for Phase 2
Registrations, Part 2.12, Active to Inert Change in Status.

A. ACTIVE INGREDIENTS:

*+ Resmethrin ([5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropane-carboxylate)	0.150%
Related compounds	0.020%
Inert Ingredients:	99.830%
Total	<u>100.000%</u>

*** Cistrans isomers ratio: max. 30% (+)cis and min. 70%
(+)trans.**
+ U.S. Patent No. 3,465,007 and 3,542,928