JAN 3 0 1991

Mr. Jon M. Gehring Wilbur-Ellis Company P.O. Box 9518 Fresno, CA 93792

Dear Mr. Gehring:

Subject: Resmethrin Registration Standard Black Leaf White Fly Pressurised Spray EPA Registration No. 5887-122 Your Submission Dated December 13, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Check your figures concurning the resmethrin source and refer to the Registration Standard on the declaration for resmethrin.

As new labels are prepared, delete "General Classifications." The uses of this pesticide have not been classified.

Sincerely yours,

Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (87505C)

Enclosure

# BEST AVAILABLE COPY.

62450:I:A-4:Johnson:L17-11:KEVRIC:01/24/91:PERM:CL:WO:EK:DD

CONCURRENCES								
SYMBOL							,	
SURNAME			}	1	}			
DATE								
FPA Form	1320-1 (12-70)	<del></del>	<u></u>	<del></del>	<del></del>	<u> </u>	OSSICI	A BU E CORY

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Avoid contact with eyes, skin or clothing. In case of contact immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets, birds, and cover fish aquariums before spraying. Do not use on edible

#### **ENVIRONMENTAL HAZARDS**

This posticide is highly toxic to fish. Bo not apply directly to water or wetlands (swamps, bogs, marstes, and potholes). Drift and runoff from treated mates may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters\_

### **PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F. may cause bursting. Never throw container into the or incinerator.

#### **DIRECTIONS FOR USE** General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Shake well before each use. Remove protective cap. Aim spray opening away from gerson Push button to spray. Spray directly on insects. Hold can 18 Inches from the infested builty Spray in short bursts of one to three seconds, or spray at the rate of one finear foot of provide per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting Repeat as necessary to obtain control.

INDOORS-TO PROTECT HOUSE PLANTS: Kills aphids, exposed thrips, adult whiteflies on African violets, philodendron, geraniums, begonias, coleus. Spray as directed above.

OUTDOORS-TO PROTECT ORNAMENTAL PLANTS: Kills aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetles on smaller mododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, toyan, viburnum, euonymus, oaks, maples, locust, forsythia and althea. Kills mimosa webworm larvae on mimosa. (Spray directly on insects) Spray as directed above.

Kills aphids, exposed thrips, adult whiteflies, leathoppers, plant bugs, spittlebugs and Japanese beetles on peonies, iris, zinia, snapdragons, ageratums, chrysanthemums, nasturfrums, daisy, geraniums, marigolds, daphne, latshedera, ivy, tobira, queen sago and broad leaf acacia. Spray as directed above.

Kills aphids, exposed thrips, adult whiteflies, leathoppers, plant bugs, spittlebugs and Japanese beetles on Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Caeothus. Use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Spray as directed above.

#### STORAGE AND DISPOSAL

General: So not contaminate water, food, or feed by use, storage, or disposal. If damaged or leaking, soak up and wrap waste, them dispuse of as below.

Storages Teep in a cool, dry, locked area away from flames, sparks, swelight, or other sources of heat or ignition. Containers heated above 130°F (54°C) may burst.

Disposals Refastes pratective cap on container, securely wrap in several layers of newspaper and discard in trash. Be not incinerate or puncture.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. . .

DISTRIBUTED W BLACE LEAF PROBLETS, Audivisien of Hilber-Ellis Co. BUCKMER, YENTUCKY 40010

9-1209 Rade in U.S.A.

14120105

**Pressurized** 

For indoor & out

ALSO KILLS: Aphids, expose pers, plant bugs, spittlebug beetles on listed plants and o

**ACTIVE INGREDIENTS** 19 Resmethtin ((5-(phenylmethyl) 3-furanyl | methyl 2.2 -dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate) Related compounds

INERT INGREDIENTS

TOTAL

99

Cis trans isomers ratio max 30% (1) cis and min IUS Patent Nos 3 465 007 and 3 542 928

> KEEP OUT OF REACH OF ( CAUTION

SEE REAR PANEL FOR ADDITIONAL PRECAUTI

EPA EST. NO. 36994 EPA REG. NO. 5887-122 NET