

CHACON

diazinon

SPRAY

LAWN AND GARDEN
fruit and vegetable

CONTROLS ANTS APHIDS CUTWORMS-EARWIGS
MEALYBUGS SOWBUGS WHITE FLIES
LAWN MOTHS LEAF MINERS LEAFHOPPERS

ACTIVE INGREDIENT:
O, O-diethyl O- (2-isopropyl-6-methyl-4-pyrimidinyl)
phosphorothioate* 25.00%
INERT INGREDIENTS 75.00%
*1 pint contains 0.24-lbs. active ingredient. TOTAL 100.00%
DIAZINON, ® trademark of CIRA-GEIGY

WARNING: KEEP OUT OF REACH OF CHILDREN
See back panel for additional warnings.

NET 32 FL. OZ. (1 QUART)

CHACON DIAZINON SPRAY

Read entire label carefully before using. Use only in accordance with label warnings and directions.

DIRECTIONS

Determine size of spraying job. For lawns and vegetables, measure the area to be sprayed. For all other applications, apply as a thorough cover spray. Make applications when insects first appear, or in advance of an expected infestation. Be sure to spray underside of leaves. Repeat applications as needed or as stated in the directions. Use contents within 6 months after opening.

(Note: Do not use on ferns, poinsettia, hibiscus, papaya, pilea, gardenia, and orchids since injury might occur.)

LAWNS: Bent, Bermuda, Dichondra, Fescue, Merion, St. Augustine. Controls: Ants, Armyworms, Bermudagrass Thrips, Crickets, Cutworms, Earwigs, Fleas, Frit Flies, Lawn Billbugs, Lawn Moths (Sod Webworms), Leafhoppers, Mites (Bermuda, Clover), Sowbugs (Pillbugs), Springtails (Collembola), Rhodesgrass Scales; Use 1 fl. oz. in 3 gals. of water per 125 sq. ft. Thoroughly wet down grass a few hours before applying. For Lawn Billbugs, water lawn immediately after treatment. Keep children and pets off area until area has completely dried.

TREES & SHRUBS: Arborvitae, Azalea, Birch, Boxwood, Camellia, Elm, Juniper, Maple, Oak, Pine, Poplar, Rhododendron, Spruce, Willow. Controls: Aphids, Bagworms, Leaf Miners, Mites (Clover, Cyclamen, European Red, Privet, Two-Spotted Spider), Scale Crawlers (Cottony-Cushion, Euonymus, Pine Needle, Pit Scale, San Jose, Soft). Use 1 fl. oz. in 3 gals. of water. Apply as a thorough foliar spray. Wet both sides of leaves and branches to the dripping point, try to penetrate dense foliage.

ROSES & FLOWERS: Azaleas, Camellias, Chrysanthemums, Carnations, Gladioli, Lilac, Rhododendron, Roses. Controls: Aphids, Euonymus Scale Crawlers, Flea Beetles, Dipterous Leaf Miners, Leafhoppers, Mealybugs, Thrips, Whiteflies. Use 1 fl. oz. in 3 gals. of water. Apply as a thorough foliar spray. Wet the plants to the dripping point. Try to hit the underside of leaves and penetrate dense foliage.

FRUITS & NUTS: Apples, Apricots, Nectarines, Cherries, Strawberries, Grapes, Grapefruits, Lemons, Oranges, Peaches, Walnuts. Controls: Aphids, Apricot Mealbug, Spider Mites, Mites (Clover (brown), Two-Spotted), Scale (Cottony-Cushion, San Jose), Codling Moths, Fruit Leaf Roller, Cherry Fruit Fly, Leafhoppers, Maggots (apples), Mealybugs, Mites (European Red, Pacific, Two-Spotted Spider). Use 1 fl. oz. in 3 gals. of water. Apply as a full cover spray. Start spraying after blooming and again in the summer. Applications should be made according to infestation or when aphids, mites and crawler stages of scale insects are first noted. If

MAY 25 1976
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5719-63


30

30A

Front Panel



5%



Diazinon Granulars

Ready To Use

**For use in lawns, gardens,
and around the home**

This product is designed especially for outdoor control of ants and other listed crawling insects. It is effective as a preplant treatment for control of cutworms and wireworms in vegetable gardens. It also controls a wide range of insects in garden plantings and around the home, and offers excellent protection against major lawn insects in both grass and dichondra lawns.

Kills ants, brown dog ticks, crickets, cutworms, earwigs, grubs, millipedes, onion maggots, root maggots, sowbugs, wireworms and others.


See Directions For Use for specific recommendations.

TREATS UP TO 10,000 SQ. FT. (Depending on application).

Active Ingredient:

0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	5%
Inert Ingredients:	95%
Total	100%

Diazinon[®]—Trademark of
Ciba-Geigy



**KEEP OUT OF
REACH OF CHILDREN
CAUTION**
See additional precautionary

EPA EST. NO. 5887-1L-1
EPA REG. NO. 5887-124
Net Weight 5 lbs

33

Right Side Panel

AREA CODE 312
697-4400



Black Leaf Products Company

667 NORTH STATE STREET P.O. BOX 418 ELGIN, ILLINOIS 60120

NOTE: The spreader settings listed below are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to assure correct rate of application.

Spreader Make and Model	SPREADER SETTING NO. (per 1000 sq. ft.)		
	Insects listed below*		White grubs, Billbugs
	Grass or Dichondra Lawn 2 lbs.	St. Augustine Lawn 3 lbs.	2 1/2 lbs.
Central Imperial Mark No. 1662-G	6 1/2	7 1/4	7
Central Suburbia Lawn Spreader—No. 1622-0	6 1/2	7 1/2	7
Cyclone Model B 1 Rotary	4 1/2	5	4 1/4
Greenfield Model 105	6 1/2	7 1/4	6 1/4
Ortho Drop Spreader Model 3000	4 1/2	5 1/2	5
Ortho Broadcast Spreader Model 4000	4 1/2	7	6
J. C. Penney Model 6005	7 1/4	8	7 1/2
J. C. Penney Rotary Spreader	5	7	6
Scott Model 35	4	5	4 1/2
Sears Craftsman Model 671.19198	6	7	6 1/2

*Ants	Crickets	Lawn Moths (Sod Webworms)
Armyworms	Cutworms	Leafhoppers
Bermudagrass mites	Earwigs	Millipedes
Brown Dog Ticks	Fleas	Sowbugs
Chiggers	Hyperodes Weevil (New York only)	Springtails (Collembola)
Chinch Bugs		
Clover Mites		



SINCE 1879