Reg # 5887-126 PM-17 123 1 1:5 Black Leaf Whitefly & Mealybug Spray (bleaf\whitefly) PAGE 1 Sizes: 8 oz.-Cylinder-Label Dimen. 6 3/8 x 4 13/16 Image Dimen. same Black Leaf (R) Since 1879 White Fly & Mealy Bug Spray Ready to use For indoor & outdoor use Also kills aphids, thrips and spider mites on the many plants listed. ACTIVE INGREDIENTS: #3-Phenoxybenzyl d→cis and trans##2,2~ dimethy1-3-(2-methlpropeny1) .065% cyclopropanecarboxylate..... .003% #Other isomers..... .152% Petroleum distillate..... #d-(cis, trans) phenothrin. ##Cis/trans ratio: max. 25%(+-)cis, min 75% (+-)trans. KEEP OUT OF REACH OF CHILDREN CAUTION See right panel for additional precautionary statements EPA REG. NO. 5887-126 EPA EST. ND. 55179-IN-1 Net contents 8 fl. oz. PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with water and get medical attention if irritation persists.

Avoid contamination of food and feed stuffs. Do not use in commercial food processing, preparations, storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Do not spray plants used for food or feed.

Remove pets, birds and cover fish aquarium before spraying.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For infestations of whiteflies, mealybugs, aphids, spider mites, thrips, soft brown scale and fungus gnats on African Violet, geranium, azalea, fuchsia, coleus, petunia, Constructions to be in accordance with

Sectored. Registrant chims to be in accordance with contration of Peoble in Product Guidance for Phase 2 and mise, Page 2.12, Active to Inert Change in Status. Black Leaf Whitefly & Mealybug Spray (bleaf\whitefly)
PAGE 2

:

 x, y, ξ

chrymanthemum, begonia, ivy, philodendron, wandering Jew, schefflera, dracaena, jade, gloxinia, dieffenbachia, amoena, aluminum plant, palm (dwarf & areca), purple heart, yew pine, piggyback, nerve, false aralia, Japanese fatsia, golden pathos, box leaf euonymus, orchids, cymbidiums, dendrobiums, phalaenopsis, and ferns.

Ì

Shake well before using. Direct mist sprayer toward plant at a distance of approximately 12 inches, spray both upper and lower surfaces of plant foliage to point of runoff. Spray in late afternoon and at night only. Repeat as necessary.

STORAGE AND DISPOSAL

Storage: To be stored in original container and placed in areas inaccessible to children. Pesticide Disposal: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspapers and discarding in trash. Container Disposal: Do not reuse empty container; discard empty container in trash.

NOTICE: Buyer assumes all risks of use, sto age or handling of this product not in strict accordance with directions given herewith.

DISTRIBUTED BY BLACK LEAF PRODUCTS COMPANY, A Division of Wilbur-Ellis Co. BUCKNER, KENTUCKY 40010 B-589 Made in U.S.A. UPC CODE #76842 00508

ATTACHMENT I

3 5

3

A. ACTIVE INGREDIENTS

: :

.

.

* 3-Phenoxybenzyl d-cis and trans**2,2- dimethyl 1-3-(2-methlpropenyl) cyclopro		
carboxylate * Other isomers Inert Ingredients	--	.065 % .003 % 99.932 %
	Total	100.00%

* d-(cis, trans) phenothrin. ** Cis/trans ratio: max. 25%(+-)cis, min 75% (+-)trans.