**PRECAUTIONARY STATEMENTS** HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid breathing of vapor and skin contact. Avoid contact with eyes. In case of contact, Rush with water.

Foods should be removed or covered during treatment. All lood processing surfaces should be covered during treatment or thoroughly cleaned before reuse. When using the product in these areas, apply only when the facility is not in

Remove pets, birds and cover fish aquariums helere spraying. Do not smoke while spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure, Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° may cause hursting.

DIRECTIONS FOR USF

cause hursting.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with

SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS. For control of aphids, two-spetted spider mites. meetybugs and adult white files on ornamental house and greenhouse plants (Airican violets, arailas, Christmas cherries, chrysanthemuma, cinerarias, diffenbachias, fuschias, gloxinias, ivy, lantanas, Neathe bella pelms, petunias, roses and anapdragons); and on outdoor plants (azaleas, chrysanthemums, euonymus, ivy, marigolds, petunias, roses, snapdragons and original actions and plants of the plan zinnias). Spray plants with a slow aweeping motion so that mist drifts into plant. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

FOR CONTROL OF RESIDENTIAL AND INDUSTRIAL INSECTS FILES, Mosquitoes, Gnets, and Flying Moths: Direct spray at insects using short bursts (1 to 2 seconds) or treat unoccupied area as follows: Close doors and windows. With a sweeping motion direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes. Do no remain in treated area. Ventilate area after treatment is completed.

WASPS and HORNETS: Direct spray at these insects using short bursts. Spray thoroughly inte nests, hiding and breeding places when insects have settled at

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.


Rosches, Sowbugs, Boxelder Bugs, Centipedes, Earwigs, Crickets, Grain Mites and Spiders: Spray thoroughly into hiding places such as cracks, crevices, inoist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

## STORAGE AND DISPOSAL

Wrap container and put in trash collection.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance w.ti. Jirections given herewith.

DISTRIBUTED BY BLACK LEAF PRODUCTS CO. ELGIN, ILLIHOIS 80130



## Mealy Bug Killer

## For indoor & outdoor use

ALSO KILLS: Aphids and spider mites on the many listed plants. Contains a combination of two new highly active synthetic pyrethroid compounds. For control of residential, industrial and garden insect pests.

**ACTIVE INGREDIENTS:** 

*Tetramethrin	0.250%
Related compounds	0.034%
* * Resmethrin	0.250%
Related compounds	0.034%
Petroleum Distillate	8.800%
INERT INGREDIENTS	90.632%
	100 000%

\*1-cyclohexene-1, 2-dicarboximidomethyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate
\*\*(S-Benzyl-3-furyl) reethyl 2,2-dimethyl-

3-(2-methylpropenyl) cyclopropanecarboxylate, Clafrans Isomer content; Max. 30% (±) cis and min. 70% (±) trans. U.S. Patent No. 3,465,007



## KEEP OUT OF REACH OF CHILDREN CAUTION

See rear panel for additional precautionary statements.

EPA EST. NO. 334-IL-2

EPA REG. NO. 5887-131

**NET WEIGHT 14 OZ.**