

JUN 16 1980

5887-137



# Flea & Tick Killer

## Ready to use spray

### Deodorant-Repellent

**KILLS: Ticks, Fleas & Lice.**  
**DEODORIZES: Gives off a pleasant odor.**  
**REPELS: Flies, Gnats & Mosquitoes.**

**ACTIVE INGREDIENTS:**  
Carbaryl (l-Naphthyl  
N-Methylcarbamate ... 2.50%  
Butoxypolypropylene  
glycol ..... 5.00%  
**INERT INGREDIENTS: 92.50%**  
100.00%



**KEEP OUT OF REACH  
OF CHILDREN  
CAUTION**

See back panel for  
Statement of Practical  
Treatment and additional  
precautionary statements.

EPA EST. NO. 5887-IL-1  
EPA REG. NO. 5887-137  
Net Contents 16 fl. oz. (1 pint)

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed: induce vomiting by sticking a finger in back of throat or by administration of syrup of ipecac; get medical attention. If in eyes: flush with water for 15 minutes and see a physician. If on skin: wash with plenty of soap and water. If irritation develops, get medical attention.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or inhaled. Avoid skin contact. Wash hands after using. Avoid contamination of food.

Some cats may be sensitive to this product. Do not exceed recommended dose. Do not spray kittens or puppies under 4 weeks of age; over 4 weeks of age, wrap the animal in a towel which has been lightly sprayed. To allow for normal breathing do not cover nose or mouth. Keep pets wrapped for 5-10 minutes. Fleas may then be picked or combed out. Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days prior or after treatment with, or exposure to, cholinesterase inhibiting chemicals, drugs or pesticides. Atropine is antidotal. Consult a veterinarian at first sign of adverse reaction.

#### PHYSICAL HAZARDS

Flammable. Do not use, store, pour, or spill near heat or open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

From a distance of 6 to 12 inches, direct the spray over the animal until the entire coat is slightly damp. On animals with heavy coats, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick. Thoroughly spray the interior of the kennel or other sleeping quarters. Repeat treatment as necessary but not more often than once a week. This spray may discolor the coat of white haired animals in the presence of such oxidizing agents as whitener shampoos and bleaching agents.

Do not treat rugs, carpets, drapes and other fabrics. Avoid application to structural surfaces where visible spray residue is objectionable.

#### STORAGE AND DISPOSAL

Keep container closed when not in use. Do not reuse empty container. Wrap empty container and put in trash collection.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DISTRIBUTED BY  
**BLACK LEAF PRODUCTS COMPANY**  
ELGIN, ILLINOIS 60120