(Trap)

## Front Center Panel)

(Black Leaf Logo)

> GYPSY MOTH MONITOR TRAP

> > 5887-140

Complete with Attractant Bait & Insecticidal Strip

A multi directional trap to monitor the location and population of Gypsy Moths

This package contains:

(Illustration)

One Gypsy Moth Trap w/Canopy
One Sex Pheromone Lure (Net contents 1 dispenser)
One Insecticidal Strip (Net wt. 0.1 oz.)
Two Twist Ties

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA EST. 5887-IL-1

See front left panel for additional precautionary statements

## (Front Left Panel)

Gypsy Moth Sex Pheromone Lure: EPA REG. NO. 5887- 1 1

**ACTIVE INGREDIENTS:** 

Gypsy Moth Insecticidal Strip: EPA REG. NO. 5887-

ACTIVE INGREDIENTS:

 2,2-Dichlorovinyl dimethyl phosphate
 8.37%

 Related compounds
 0.63%

 INERT INGREDIENTS:
 91.00%

 TOTAL
 100.00%

\* · Contains 0.01 oz. of insecticide per strip

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed. Avoid contact with skin. A liquid will form on the insect strip during storage. Do not get liquid in mouth or eyes. Wash hands thoroughly with soap and water after inserting Lure and Insecticidal Strip into trap. If liquid is in eyes, rinse eyes with plenty of water. Get medical attention if irritation persists or if swallowed in any large amount.

The insecticide in the Insecticidal Strip is a cholinesterase inhibitor.

Note to Physicians: Atropine is antidotal.

#### (Front Right Panel)

The imported gypsy moth is probably the most important leaf eating insect of Northeastern hardwoods. Gypsy moth egg masses were brought to the Boston area from Europe in 1869 for experimental work for the silk industry. Unfortunately some larvae escaped and became established on the local vegetation.

The insect has now spread throughout New England, the Mid-Atlantic States, southeastern Quebec and Central Michigan, with scattered infestations along the east coast to Florida and as far west as California.

## (Front Right Panel) cont'd.

The female attracts the male with a powerful sex pheromone and after mating deposits one egg mass of 75 to 1000 eggs on trunks and limbs of trees:

The larvae hatch in the spring, growing to as much as  $2\frac{1}{2}$  inches long, chewing large numbers of leaves to the point of defoliating the tree.

Trapping of male gypsy moths in Monitor Traps will help determine the location of populations and can contribute to the reduction of the number of fertile eggs and reduce the population size.

Use of the sex pheromone (disparlure) makes the traps very effective. Research has resulted in the synthesis of the pheromone and in the development of trapping programs.

This trap has been constructed of superior paperboard. Although it is designed for a single season, use conditions such as weather and chemical compatibility may be such that it might have additional season benefits. For that reason, refill packages containing 1 sex pheromone lure and 1 insecticidal strip are available.

UPC Symbol Distributed By
Black Leaf Products Co.
Elgin, Illinois 60120
782

(Rear Left Panel)

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- 1. Open up trap to form six sided shape.
- Fold roof sections so that Section A tucks into Section B, Locking in Slot C

(Illustration of roof)

- 3. Open Gypsy Moth Sex Pheromone Lure Pouch. Peel off adhesive backing of enclosed lure and stick into underside of trap roof. Lure lasts up to 10 weeks.
- 4. Using a pointed article such as a sharpened pencil or ballpoint pen, punch 20 holes along the lower edge of the Insecticidal Strip. Also punch I hole at the top of the strip for hanging. Insert one of the twist ties through the top of the strip. Reaching through the bottom of the trap, hang the strip inside the trap by threading ends of the twist tie through the two holes in the roof. Twist ends together. The Insecticidal Strip will be effective for the entire season.

6/8/82

## (Rear Left Panel) Cont'd

5. Close bottom off by inserting "Tab D" into "Section E".

## (Rear Center Panel)

- 6. Assemble the canopy by interlocking "Tab F" with "Tab G" and "Tab H" with "Tab I" so that the tabs are not showing on the outside.
- 7. Lining up backs of both pieces, attach assembled canopy to the top of the trap by fitting one side of the opening in the canopy under one round corner of the hanger and then pushing the other side of the canopy down to lock on the other side of the hanger.
- 8. Use the remaining twist tie to hang your trap on a trap stand or a tree branch. The trap should be about 5 feet above the ground. Use one trap per 10,000 square feet (4 per acre). Place near trees on the sunny side.

#### STORAGE AND DISPOSAL

Storage: Store both unopened Lure and Insecticidal Strip in a cool dry place until ready for use.

Disposal: Pemove Lure and Insecticidal Strip from trap. Wrap them and/or empty pouch and put in trash collection. To dispose of gypsy moths, open bottom and shake into plastic or paper bag. Dis-

pose of bag in the trash collection.

Notice: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

(Rear Right Panel)

GYPSY MOTH MONITOR GAUGE MOTH LEVEL

(Window gauge)

· · · · · · · · · · · · · · · · · · ·	EPA REGITERT ON NO	DATE OF ISSUANCE
U.S. ENVIRONMENTAL PROTECTION AGENCY	E - 4 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	GATE OF ISSUANCE
OFFICE OF THE TOTAL SERVICE SHAME REGITARY UNDER VIOLEN BH WATER AA TOTAL SERVICE AF	T. (W OF 1880 A. T.	
NOTICE OF PESTICIDE: 100 HOLD TO THE	RANG APPEARANCE	u . *
Under the first $I(R) = I(R) R + I(R) $		
NAME AND ADDRESS OF HE OF THANKS IN THE STATE OF	<u> </u>	
r	16	1/88301
L	1	
NOTE: Change and labeling formula difference resolutions from that accepted in connection with this registration must be salmatted to and accepted by the Registration Division prior to a coat the label in connected in any correspondence on this product always refer to the stove U.S. FPA registration muster.		
On the has a statistic relation furnished by the registrant, the above named posticide is hereby Registered/Reregistered under the hoderal fire extrade, I unguide, and Redenticide Act.		
A copy of the Saleding accepted in connection with this Registration (Receptionalist returned herewith,		
Registration is in no case to be construct as an indersement or approval of this product by the Agency. In order to protect health and the envir nment, the Administrator, on his motion, haved any time suspend or cancel the registration of a pesticide in according court the Ast. The acceptancy of any name in connection with the registration of a product under this Asta and to be a firm in a priving the resistant a right to exclusive use of the name or to its use if it has been covered by others.		
1		
Ì		
}		
ATTAL HMENT IS APPLICABLE		
SIGNATURE OF APPROX NG OFFICIAL	<del></del>	DATE

FRENIO E TO NIMA CHE USET INTO SUPPLY OF EXMAUSTED.

EPA Form 8570 6 (Rev. 5.76)

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIERA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George 2: Linkhoos Product Manager (15) Insecticide-Rodenticide Branch Registration Division (PS-767)

Enclosure