(FOLDING CARTON)

(REAR PANEL)

F. Use the other tie to make a hanger by tying the ends (Illustration) through the small holes in the top of the fins.

This trap can be disassembled, cleaned and stored away as a flat package for future use giving years of effective service.

The Japanese Beetle Lures (Bait) have
b a developed and tested by U.S.D.A.
scientists. The special fragrances
attract the beetles to the trap where
they strike the fins and fall down
the funnel into the attached bag.

After your trap has been set up, open the sex lure pouch. Remove the plug and insert it into small hole in the fin. Next open the floral lure pouch. Remove the foam rubber piece, bend it into a "U" shape and place it in the large hole be 'een the two fins. Replace with new floral lure when aroma is gone.

Suggested No. Traps	Area to be protected
2	Less than 1/8 acre
4	1/8 to 1/4 acre
6	1/4 to 1/2 acre
8	1/2 acre
10	1 acre

For large gardens, orchards, and crop fields, place traps on (Illus.) the windward side of the plantings. Do not place traps completely around the perimeter.

(arrow)

(Illustration)

STORAGE & DISPOSAL

Storage: Store lures in moderate temperature out of direct sunlight. Disposal: Remove lures from trap. Wrap lures and/or empty pouch and put in trash collection. To dispose of beetles, remove catch bag from the trap, twist tie the top, and expose the bag to the sun for two days. This will kill all the beetles. Dispose of bag in the trash collection.

Bait Refills: Refill boxes containing 1 sex pheromone lure, 1 floral lure. 1 catch bag and 2 twist ties are available.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

UPC Symbol Distributed By Black Leaf Products Co. Elgin, IL 60120 772

Revised 11/16/82

(REFILL BOX)

(FRONT PANEL)

(Black Leaf Logo)

Japanese

Beetle

Bait

5887-141

Attracts both sexes of Japanese Beetles

Designed for use with Japanese Beetle Traps.

This box contains:

One Sex Pheromone Lure (Net Wt. .03 oz.)
One Floral Lure (Net Wt. .4 oz.)
One Catch-bag

One Catch-bag Two Twist Ties (Illustration)

Sex Pheromone Lure: EPA REG. NO. 5887-141

Floral Lure: EPA REG. NO. 5887-142

ACTIVE INGREDIENT:

(.,Z)-5-(1-Deceny1) dihydro-2(3H)-furanone 0.13%

TOTAL ... 100.00%

ACTIVE INGREDIENTS:

TOTAL ...100.0%

Contains 1 mg of attractant per lure

Contains 6.8 grams of attractant per lure

KEEP OUT OF REACH OF CHILDREN

CAUTION
See rear panel for additional precautionary statements

EPA EST. NO. 5887-IL-1

Revised 11/16/82

(REFILL BOX)

(REAR PANEL)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes with plenty of water. Wash hands thoroughly with soap and water after inserting lures into trap. Get medical attention if irritation persists or if swallowed in any large amount.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

The Japanese Beetle Lures (Bait) have been developed and tested by U.S.D.A. scientists. The special fragrances attract the beetles to the trap where they strike the fins and fall down the funnel into the attached bag.

After your trap has been set up, open the sex lure pouch. Remove the plug and insert it into small hole in the fin. Next open the floral lure pouch. Remove the foam ubber piece, bend it into a "U" shape and place it in the large hole between the two fins. Replace with new floral lure when aroma is gone.

(Illustration)

STORAGE & DISPOSAL

Storage: Store lures in moderate temperature out of direct sunlight. Disposal: Remove lures from trap. Wrap lures and/or empty pouch and put in trash collection. To dispose of beetles, remove catch bag from the trap, twist tie the top, and expose the bag to the sun for two days. This will all the beetles. Dispose of bag in the trash collection.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

UPC Symbol Distributed By Black Leaf Products Co. Elgin, IL 60120 775

(SEX LURE POUCH)

Japanese Beetle Sex Pheromone Lure Designed for use with Japanese Beetle Trap

ACTIVE INGREDIENT:

EPA REG. NO. 5887-141

EPA EST. NO. 5887-IL-1

Net Weight .03 oz.

KEEP OUT OF REACH OF CHILDREN CAUTION

See box for additional precautionary statements, directions for use, storage and disposal instructions.

Distribute 'By Black Leaf Products Co. Elgin, IL 60120 772

5887-141

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC STOCK

DANGER

Harmful if swallowed. Wash thoroughly after handling. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist.

ENVIRONMENTAL HAZARDS

DO NOT APPLY directly to water. DO NOT apply when weather conditions favor drift from target area. Toxic to fish.

DO NOT contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE:

 $(\frac{1}{2},\frac{1}{2})_{i=1}$

DO NOT contaminate water, food or feed by storage or disposal, or cleaning of equipment. Open dumping is prohibited. DO NOT reuse empty container. DO NOT store near fertilizer, other pesticides or seeds. Store at a temperature above 0 F. If allowed to freeze, remix before use.

PESTICIDE DISPOSAL:

Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed, should be disposed of in a landfill approved for pesticides.

CONTAINER DISPOSAL:

Triple rinse (or equivalent) or dispose in approved landfill. DO NOT BURN. Consult Federal, State, or Local Disposal Authorities for approved alternate procedures.

DIRECTIONS FOR USE

WHEAT, OATS, BARLEY: Use 1 pint per acre in 5 gallons of water by ground application or in 3-5 gallons of water by airplane application. Apply anytime from emergence to boot stage of grain. DO NOT spray from boot to dough stage. DO NOT use on small grains interplanted with sweet clover unless injury to the legume can be tolerated. Use on grain underseeded with Alfalfa only where specifically recommended by local agricultural experiment station and extension service weed specialists. For Canada Thistle, use 1-1/3 pint per acre rate, but at this high rate do not use on small grains underseeded with legumes.

DO NOT forage or graze meat animals on treated areas within seven days of slaughter.

FLAX: Use ½ pint per acre in 5 gallons of water by ground application or in 3-5 gallons of water by airplane application. Apply when weeds are up and when Flax is 2 to 6 inches high and before it comes into bud. Treatment after early bud stage may result in severe damage. If Canada Thistle is present it may be necessary to go as high as 3/4 pint per acre. Some injury to Flax may result. DO NOT forage or graze meat animals on treated areas within seven days of slaughter.

Avoid use of small diameter spray nozzles to avoid spray drifts onto susceptible plants such as, vegetables, flowers, tomatoes, beans, sugar beets, sunflowers and other legumes. Coarse sprays are less likely to drift. DO NOT spray at all in the vicinity near susceptible plants to prevent any drift.

Susceptible weeds controlled are; Lambsquarters, Marsh Elder, Annual Mustards, Ragweed, Field Pennycress, Yellow Rocket, Cocklebur, Kochia, Shepherdspurse and many others. Less susceptible weeds controlled (may have more eratic results) are; Canada Thistle, Dandelions, Plantains, Sunflowers, Pigweed, Purslane, Wild Buckwheat, Hempnettle, Stinging Nettle and many others.

WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.