	U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA Rog. Number:	Date of Issuance:
	Office of Penticide Programs Registration Division (7505C) 401 "M" SL, S.W.	5887-164	SEP 0 6 1995
	Washington, D.C. 20460	Term of Issuence:	Intil
Wal MOTECHE NO	TICE OF PESTICIDE:	Reregistra	
10	<u>_x_</u> Registration		
	Reregistration	Name of Pesticide Pro	^{duct:} Black
mder FIFRA, as amended)		Leaf Durs	
		Microenca Insectici	
ame and Address of Registrant	(ashuh 71B (ade).		
Vilbur-Ellis (•		•
2.0. Box 16458			
resno, Califo			
	ng in substance from that accepted in connection with this registr		
	is commerce. Is any correspondence on this product always rel	<u> per de la presidante de</u>	a <u>ala serang</u> i a di <u>asta 1</u> 2.99
a the basis of information furni odenticide Act.	shed by the registrant, the above named peaticide is hereby regist	tered/reregistered under the Feder	al Insecticide, Pungicide and
an internetions in the and more the	and the second secon	u the Agence . In mal	health and the milian
	onstrued as an endormement or recommendation of this product by , may at any time asspend or cancel the registration of a pesticid		+
annection with the registration of as been covered by others.	f a product under this Act is not to be construed as giving the re-	gistmat a right to exclusive use a	f the same or to its use if it
voreite by UBCIA.			
This pro:	luct is conditionally regis	tered in accor	dance with
-	c)(7)(A) provided that you:		
	t and/or cite all data req		•
	n of your product under FIF as all registrants of simila		
	nit acceptable responses re	~	
	ct under FIFRA section 4.	•	3
0 Ohana			
	ge the label by revising the Reg. No. 5887-164."	e EPA Registra	tion Number
LO IEdu, "EPK	Reg. NO. 5887-104."		
3. Subm	t two copies of the revise	d final printe	d label for
the record.	_	-	
T.C. 4.1		J	
	conditions are not complient of to cancellation in accord		
	elease for shipment of the		
	these conditions.	Lating a straight	
_			
A stamped	l copy of the label is encl	osed for your	records.
ignature of Approving Official:	- <u></u>	Date:	- <u></u>
- · · · ·	•		
DHE			
		I SE	P 0 6 1995
· · · · · · ·			
ennis H. Edwa			
roduct Manage nsecticide-Re	odenticide Branch		
	Division (7505C)	1	

BLACK LEAF DURSBAN[®] ME02

Microencapsulated Insecticide

Controls numerous pests in and around households and other structures

[DURSBAN logo]

Active Ingredient: Chlorpyrifos: 0,0-diethyl 0-(3,5,6-trichloro-2-pyridinyl) phosphorothioate 0.2% Inert Ingredients: 99.8%

*DURSBAN and the DURSBAN logo are trademarks of DowElanco.

EPA Reg. No. 5887- *RAU* EPA Est. No. 70-KY-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements.

DIRECTIONS FOR USE


It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


GENERAL INFORMATION

Black Leaf Dursban ME02 Insecticide is a flowable microencapsulated product designed for use as a residual spray to control various pests in and around residential and non-residential structures. Dursban ME02 may be sprayed on any surface which will not be damaged or stained by water. A visible deposit may appear on some hard surfaces. This deposit can be easily removed with a cloth or damp sponge.

Do not apply this product to conduits, motor housings, junction and switch boxes, or other electrical equipment because of possible shock hazard.

ATTENTION: Do not allow spray to contact food or food- contacting surfaces, feedstuffs, or water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Remove pets and cover fish bowls (tanks) before spraying. Do not use in fogging equipment to apply the product indoors. Do not allow adults, children or





5887-16

pets on treated areas until spray has dried. Keep out of fish pools or other bodies or water. Do not treat vegetable gardens, Do not use in poultry houses.

GENERAL PEST CONTROL INDOORS

SHAKE PRODUCT BEFORE USE. Dursban ME02 may be applied within residential and non-residential buildings or structures and within nonfood areas of industrial, institutional, and commercial buildings, including hospitals, stores, manufacturing plants, and warehouses. Apply as a localized spray to areas where insects are found or normally occur. Such areas include but are not limited to dark corners of rooms and closets; floor drains; cracks and crevices in walls; along and behind sinks, stoves, refrigerators, and cabinets, and around plumbing and other utility installations. A period of 4 to 7 days is normally required to observe maximum effectiveness on insect populations; therefore, limit retreatment to not more often that once per every 7 days. Apply spray solution in such a manner as to minimize spray contact with non-target surfaces.

Indoor Pests Controlled with Dursban ME02

Ants (1) Brown dog tick (2) Carpet beetles (3) Centipedes **Clover mites** Cockroaches (Such as: American, Brownbanded, German, Oriental, Smokey brown, Asian) (4) Crickets Earwigs Firebrats Fleas (5) Flour Beetles (Confused, Red, Saw-toothed)) Indian meal moths Mediterranean flour moths Millipedes Ice weevils Silverfish Sowbugs Spiders +Numbers in parentheses refer to Specific Directions

Specific Indoor Directions

1) Ants may be controlled by treating ant trails and wherever else these pests may find entrance. For example, around doors and windows.

2) Brown dog ticks may be controlled by applying spray to infested areas, nearby cracks and crevices and along baseboards, windows and door frames where these pests may be present. For best results, old bedding should be cleaned or replaced. Do not treat pets or their bedding with this product.

3) Carpet beetles may be controlled by thoroughly applying the spray as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture; in closets and on shelving. Spots are defined as areas not to exceed two square feet. Two spots cannot be connected.

4) Cockroaches are best controlled by making crack and crevice or spot treatment. Treat where insects are found or normally occur including, but not limited to dark corners of rooms and behind sinks, stoves, refrigerators, refrigerator units, and around plumbing and other utility installations. Crack and crevice treatments are applied by delivering a pin stream or small amounts of solution directly into cracks or voids. Spot treatments are defined as areas not to exceed two square feet. Two spots cannot be connected. Limit spot application to less than 20% of the lower wall and floor surface.

5) Fleas are best controlled by a total management program. It is suggested that infested areas be thoroughly vacuumed prior to treatment. These areas include all carpet, upholstered furniture, baseboards and other indoor areas frequented by pets. The vacuum cleaner bag should be discarded in an outdoor trash container. Pet bedding should be cleaned or replaced Other than the applicator, premises should be vacated during application. Cover aquaria and fish bowls and remove other pets. Do not permit humans or pets to contact treated areas until spray has thoroughly dried.

Treatments are limited to spot applications. Individual spots are not to exceed 2 square feet. Two spots may not be connected. 1 gallon of spray will cover 1,600 square feet. Adjust the application rate to provide uniform coverage without soaking the treated areas. If fleas reappear in about 1-2 weeks after treatment it is probably because they have hatched from their pupal (cocoon) state. If this occurs, either repeat treatment or allow the product's time-release microcapsules another week to kill newly emerged fleas. Do not treat pets with this product.

Effective flea control includes controlling the source of flea infestations. This can require treatment of pets with a product registered for flea control and treating outside areas frequented by pets. **Dursban ME02** can also be applied out-of-doors for flea control.

GENERAL PEST CONTROL OUTDOORS

Use Dursban ME02 to control outdoor pests listed in accompanying table by application as either a perimeter treatment or as a localized spray.

Perimeter treatments help prevent infestation of building. When making perimeter treatments, apply **Dursban ME02** where pests are active or may find entrance. For example, treat a band of soil 6 to 10 feet wide around and adjacent to buildings and treat the building foundation to a height of 2 to 3 feet. Apply as a coarse spray at the rate of about 1 gallon of spray per 100 sq. ft. Thoroughly and uniformly wet the band area.

Localized sprays provide control of insect pests on outside surfaces of buildings and other outdoor areas where pests congregate. Treat by applying the dilution directly to target areas such as cracks and crevices; along sidewalks or patios; windows and door frames; or other areas where pests may be present.

Outdoor Pests Controlled by Dursban ME02:

Ants Bees Beetles Carpenter ants Carpenter bees Clover mites Cockroaches Crickets Earwigs Fleas Flies Hornets Millipedes Mosquitoes Scorpions (1) Silverfish Sowbugs Spiders Ticks Wasps Yellowjackets

)

(1) For Scorpions, remove accumulations of lumber, firewood, and other materials which serve as harborage sites. Before stacking firewood or lumber, apply **Dursban ME02** to surfaces immediately below such materials. Perimeter treatments may also be helpful in reducing pests immigrating from surrounding areas.

STORAGE AND DISPOSAL

Storage: Store only in original container in secured, dry storage area away from children and pets. Do not store above 122°F for extended periods of time.

Preferred storage is above 32°F. Storage below 32°F may result in solidification. If warmed to above 32°F, product will return to original form. Freezing does not adversely affect this product.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty container. Wrap container and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Harmful if absorbed through the skin. Do not get in eyes, on skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Keep away from food, feedstuffs and water supplies.

Statement of Practical Treatment

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person.

If On Skin: Wash with plenty of soap and water. Get medical attention if irritation develops.

If In Eyes: Flush with plenty of water for 5 minutes. Get medical attention if irritation persists.

If Inhaled: Remove to fresh air, if symptoms of cholinesterase inhibition appear and get medical attention immediately.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection is the preferable antidote. Oximes,

such as 2-PAM may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and wildlife. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in adccordance with directions.

79

7

Distributed by Black Leaf Products A Division of Wilbur-Ellis Co. Buckner, KY 40010 B-695

)