

SANI GUARD is a hard surface cleaner for use on floors, walls and processing equipment.

Use Directions -

Light duty cleaning, sanitizing and deodorizing use two ounces **SANI GUARD** per gallon water.

Heavy duty cleaning and disinfecting use 4.5 ounces **SANI GUARD** per gallon of water. Where heavy soils are encountered, use a second application.

When used in meat and poultry establishments for sanitizing purposes, use **SANI GUARD** at 8 ounces per 5 gallons of water to obtain 200 ppm of quaternary ammonium chlorides. Food contact surfaces require a potable water rinse.

Rinse empty container thoroughly with water and discard it.

SANI GUARD sanitizes *Staphylococcus aureus* and is bactericidal at 4.5 ounces per gallon of water against the following:

- Staphylococcus aureus* ATCC 10562
- Staphylococcus aureus* ATCC 10561

Micrococcus luteus ATCC 4621

A solution of **SANI GUARD** at 4.5 ounces per 5 gallons of water will kill *Salmonella typhimurium* ATCC 14028 in 10 minutes at 4.5 ounces per 5 gallons of water.

SANI GUARD

INDUSTRIAL CLEANER - DISINFECTANT
DEODORANT

Active Ingredients:

Sodium metasilicate	2.4%
Tetra sodium salt of ethylenediamine tetraacetic acid	1.0
n-alkyl (60%C ₁₄ , 30%C ₁₆ , 5%C ₁₂ , 5%C ₁₈) dimethyl benzyl ammonium chlorides	0.8
n-alkyl (68%C ₁₂ , 32%C ₁₄) dimethyl ethylbenzyl ammonium chlorides	0.8

Inert Ingredients:


95.0
100.0%

DANGER! KEEP OUT OF REACH OF CHILDREN

See right side panel for first aid and precautionary statements.

METHOD CHEMICAL CORPORATION

PORTLAND, OREGON 97210



DANGER!

Keep out of the reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling product. Harmful if swallowed. Avoid contamination of food.

FIRST AID!

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.


If swallowed, drink PROMPTLY a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may occur if ingested in concentrated water usage. Measure and record the amount of product ingested and the time of ingestion.

ACCEPTED

OCT 26 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 5891-8



ACCEPTED

10/2/73

UNITED STATES ENVIRONMENTAL AGENCY
Pesticide Registration Division
WASHINGTON, D.C. 20460

REGISTRATION NO. 2811-0

RECEIVED
OCT 2 1973
Pesticide Regulation
Division, EPA