

ACCEPTED

SEP 6 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 5891-16

5891-16

SURE SANITIZER is recommended for use on non-porous surfaces, on dishes, glasses or food processing equipment or utensils, and on brewery equipment and materials.

Directions for Use:

For use on non-porous surfaces, on dishes, glasses or food processing equipment or utensils, and on brewery equipment and materials. Apply SURE SANITIZER to the surface to be sanitized. Allow to remain on the surface for 10 to 15 minutes. Rinse thoroughly with water. For use on brewery equipment and materials, apply SURE SANITIZER to the surface to be sanitized. Allow to remain on the surface for 10 to 15 minutes. Rinse thoroughly with water.

SURE SANITIZER

ACTIVE INGREDIENT: Sodium Dichloro-s-triazinetrione dihydrate 25%
(provides 14% available chlorine)

INERT INGREDIENTS: 75%

WARNING! KEEP OUT OF THE REACH OF CHILDREN.
See right side panel for precautionary and first aid statements.

MT. HOOD CHEMICAL CORPORATION
PORTLAND, OREGON 97210



WARNING!

FIRST AID!

5891-16

SURE SANITIZER

ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetrione dihydrate
(provides 14% available chlorine)

25%

INERT INGREDIENTS:

75%

WARNING! KEEP OUT OF THE REACH OF CHILDREN.
See right side panel for precautionary and first aid statements.

MT. HOOD CHEMICAL CORPORATION
PORTLAND, OREGON 97210

WARNING!

Caution: This product is a strong oxidizing agent. It may cause severe skin irritation and damage to clothing. Avoid contact with eyes, skin, and clothing. If contact occurs, flush with water for at least 15 minutes. Do not inhale dust or fumes. Store in a cool, dry place. Keep out of the reach of children. For more information, see the product label.

FIRST AID!

Eye Contact: Flush with water for at least 15 minutes. **Skin Contact:** Wash with soap and water. **Inhalation:** Move to fresh air. **Accidental Ingestion:** Do not induce vomiting. Seek medical attention immediately.