

ACCEPTED

OCT 9 1965

U.S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE
 FEDERAL BUREAU OF INVESTIGATION
 DIVISION OF CHEMISTRY
 WASHINGTON, D.C. 20535

SANI-CLEANER SANITIZER

ACTIVE INGREDIENTS:

Butoxy polypropoxy polyethoxy ethanol-iodine complex 12.47%
 Polyethoxy polypropoxy polyethoxy ethanol-iodine complex
 (providing 1.6% titratable iodine) 0.37%

INERT INGREDIENTS: 87.16%
 100.00%

Manufactured under the following U.S. Patents 3,650,965 - 3,028,299

CAUTION! KEEP OUT OF THE REACH OF CHILDREN.
 (See right side panel for additional cautions)

MT. HOOD CHEMICAL CORPORATION
 PORTLAND, OREGON 97210



ACCEPTED
 5891-21
 OCT 9 1975

UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO.

SANI-CLEANER/SANITIZER is a low-foaming iodophor for sanitizing glasses and dishes in restaurants, bars, hotels and institutions.

Use Directions for Glasses and Dishes Three-Sink System:

Wash glasses and pre-scraped dishes in Sink No. 1, which should contain one ounce of **SANI-CLEANER/SANITIZER** per five gallons of cold or lukewarm (not hot) water.

Rinse in clear water in Sink No. 2.

Place cleaned glasses and dishes in Sink No. 3, which should contain one ounce of **SANI-CLEANER/SANITIZER** per five gallons of cold or lukewarm (not hot) water. This solution will provide 25 ppm of titratable iodine. Allow to soak for one minute. Remove glasses and dishes, allow to drain and air-dry.

Two-Sink System: (where permitted)

Wash glasses and pre-scraped dishes in Sink No. 1 which should contain one ounce of **SANI-CLEANER/SANITIZER** per five gallons of cold or lukewarm (not hot) water.

Place cleaned glasses and dishes in Sink No. 2, which should contain one ounce of **SANI-CLEANER/SANITIZER** per five gallons of cold or lukewarm (not hot) water. This solution will provide 25 ppm of titratable iodine. Allow to soak for one minute. Remove glasses and dishes, allow to drain and air-dry.

SANI-CLEANER SANITIZER

ACTIVE INGREDIENTS:

Butoxy polypropoxy polyethoxy ethanol iodine complex 12.47%
 Polyethoxy polypropoxy polyethoxy ethanol iodine complex
 (providing 1.6% titratable iodine) 0.37%

INERT INGREDIENTS 87.16%
 100.00%

Manufactured under the following U.S. Patents 3,650,965 3,028,299

CAUTION! KEEP OUT OF THE REACH OF CHILDREN.

(See right side panel for additional cautions)

MT. HOOD CHEMICAL CORPORATION

PORTLAND, OREGON 97210



SANI-C
 Amendr
 food-pr
 without

CAU

In case
 Attentio

RINSE
 DISCAR

EPA Est
 EPA Re

Net weig
 Net con

SANI-CLEANER SANITIZER

ACTIVE INGREDIENTS:

Butoxy polypropoxy polyethoxy ethanol iodine complex 12.47%
Polyethoxy polypropoxy polyethoxy ethanol iodine complex
(providing 1.6% titratable iodine) 0.37%

INERT INGREDIENTS: 87.16%
100.00%

Manufactured under the following U.S. Patents 3,650,965 - 3,028,299

CAUTION! KEEP OUT OF THE REACH OF CHILDREN.

(See right side panel for additional cautions)

MT. HOOD CHEMICAL CORPORATION
PORTLAND, OREGON 97210



SANI-CLEANER/SANITIZER is regulated under the Food Additives Amendment of the Federal Food, Drug and Cosmetic Act for use on food-processing equipment and utensils, up to 25 ppm titratable iodine without requiring a rinse with potable water.

CAUTION! AVOID CONTACT WITH FOOD.
AVOID CONTACT WITH SKIN OR EYES.

In case of contact with eyes, flush immediately with water; get Medical Attention.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

EPA Est. No. OR-5891-1
EPA Reg. No. 5891-21

Net weight per gallon 8.59 lbs.
Net contents one gallon U.S.

Manufactured by
MT. HOOD CHEMICAL CORPORATION

Code 875