

READ ENTIRE LABEL BEFORE USING

CAUTION

Harmful if swallowed. Avoid breathing of spray mist. Avoid repeated contact with skin. Wash thoroughly with soap and water after using. Keep out of reach of children. Do not use on animals. Do not contaminate feed or foodstuff. This product should not be used for any purpose than that suggested on label.

Keep out of lakes, ponds, and streams. Do not apply when weather conditions favor drift from areas treated. This product is toxic to fish.

Apply this product only as specified on this label.

NOTE TO PHYSICIAN


Cythion[®], upon repeated, prolonged careless use may cause cholinesterase inhibition. Atropine is antidotal. 2-Pam is also antidotal.

WARRANTY

WARRANTY AND LIMITATION OF DAMAGES. Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein. Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Helena Chemical Company is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or value, etc.

HELENA

BRAND



5 lb. Emulsion

CAUTION KEEP OUT OF REACH OF CHILDREN SEE ANTIDOTE AND OTHER WARNINGS ON SIDE PANEL

ACTIVE INGREDIENTS:

1 gallon of Cythion[®]
5 lb. EMULSION
contains 5 lbs. Cythion[®]

- *Malathion 57.47%
- Xylene 35.53%
- INERT INGREDIENTS 7.00%
- TOTAL 100.00%
- *O,O-Dimethyl Dithiophosphate
of Diethyl Mercaptosuccinate.

MANUFACTURED BY HELENA CHEMICAL COMPANY

5905-17
2-2-72

1093

SUGGESTIONS FOR USE ON COTTON

HELENA FIVE POUND CYTHION® EMULSION will control the following insects attacking cotton: Boll Weevil, aphids, leafworms, and some species of spider mites.

HELENA FIVE POUND CYTHION® EMULSION contains 5 pounds Cythion® per gallon. Water dilution of various strengths to be used is conventional and low volume sprayers (both ground and airplane applicators) can be prepared. HELENA FIVE POUND CYTHION® EMULSION is mixed with water by agitation or recirculating through spray pumps. If mixture is allowed to stand, re-mix before using.

Cythion® sprays are recommended to be at the rate of 1 gal. to 5 acres minimum—1 gal. to 3 acres maximum depending upon local conditions. For timing of applications, consult your State Agricultural Extension Service or Experiment Station.

Always use sufficient water for proper coverage.

Do not apply this product where there may be grazing by dairy animals or animals being finished for slaughter.

Do not contaminate feed or foodstuffs. When using this product suitable caution should be followed.

Do not apply this product within seven days of hand picking.
Mix with 3-10 gallons water per acre for Aerial Application.
Mix with 10-25 gallon water per acre for Ground Application.

COMBUSTIBLE MIXTURE

KEEP AWAY FROM OPEN FLAME

DO NOT USE THIS CONTAINER FOR ANY PURPOSE

U.S.D.A. REG. NO. 5905-7

® Trademark Agricultural Division American Cyanamid

2108

SECRET

ACCEPTED

FEB 2 1972

(IN THE EVENT OF AN EMERGENCY)

FUNGICIDE AND FERTILIZER ACT

FOR THE PURPOSES OF THE FERTILIZER

AND FERTILIZER ACT, SUBJECT

TO ATTACHED COMMENTS.

5905-7