DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts spray mist or dust may be fatal if swallowed

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin in eyes or on clothing liquid goes through clothes

POISONOUS IF BREATHED

Breathing vapors spray mist or dust may be fatal

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not graze dairy animals or cut grass being cultivated for slaughter or treated crops.

This product is highly toxic to bees exposed to direct treatment or residues on crops. For bee information you may be able to obtain from your County Agricultural Extension Service.

DANGER

DANGER: Poisonous if swallowed inhaled or absorbed through skin. Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache dizziness loss of weakness nausea cramps diarrhea [illegible] fever.

ANTIDOTE: Atropine is the specific antidote. Keep emergency supply of Atropine sulfate tablets on hand physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if person is working with Parathion developing symptoms.

DO NOT USE POUR SPILL OR STORE NEAR HEAT OR OPEN FLAME

[illegible]

[illegible]

[illegible]

IEATED AREA

cultural Extension Service
ng pesticide treated crops

ITY CONTAINERS

r- Completely empty this container by pouring contents into application equipment or mix tank. Hold container above or within spray tank and rinse three times. Pour rinsings into application equipment or mix tank. Add rinsings to spray mixture. Then dispose of container in sanitary landfill or by other procedures approved by state and local authorities.

ACCEPTED
5905-32
SEP 18 1973
THE FEDERAL INSECTICIDE
IDE, AND RODENTICIDE ACT
with the
ated locati
ench holes in top and bottom
eeply in an isolated location.

nd 55-GALLON DRUMS-Pour the
ly contained

water
ons detergent

for
erger

for
erger

water

METHOD CANNOT BE USED

MORPHINE
VERY CLOSE
ENTS INDICATES FOR AT LEAST

STOP-READ LABEL BEFORE USING!

POISON
See Side Panels for Antidote & Precautions

DANGER
Keep Out of Reach of Children

HELENA
BRAND
Atem 32

ACTIVE INGREDIENTS (by weight)

*[illegible]	[illegible]
**[illegible]	[illegible]
Xylene	58.6%
[illegible]	6.0%
	100.0%

*[illegible]
**[illegible]

1 gallon of
ATEM 32
contains 1.6 pounds
Methyl Parathion
and 1.6 pounds Endrin

MANUFACTURED BY
HELENA CHEMICAL COMPANY
West Helena, Ark. — Tampa, Fla. — Lubbock, Texas
Des Moines, Iowa — West Columbia, South Carolina

GENERAL DIRECTIONS

[illegible] the spray pump and rinse out the tank. A proper mixture will have the appearance of a milk emulsion with no tree oil on the surface. Agitate before use until a uniform emulsion is formed. For best [illegible] with [illegible] recommended amounts. Use [illegible] EMULSIFIER when used as [illegible] with [illegible] pressure air and equipment with hand sprayers or [illegible] airplane.

DIRECTIONS FOR USE

[illegible]	Early season [illegible]
[illegible]	[illegible]

Do not apply within 7 days of [illegible] harvest.
Workers entering treated fields within 7 days after treatment should be protected.

[illegible]

[illegible]

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1. Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. 2. Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for Parathion [illegible]. 4. Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated areas or where there is danger of drift.

Do not touch eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor [illegible]. Get to hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment. Further, if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before [illegible], eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower [illegible] with soap and water. Wear only clean clothes when leaving [illegible]. Do not wash contaminated clothing. Wash protective [illegible] equipment with soap and water after [illegible]. Gloves should be cleaned and filter repaired [illegible] when provided with respirator.

POISON SIGNS (Symptoms)

[illegible] is poisonous. It rapidly enters the [illegible] skin surfaces and eyes. Clothing wet [illegible] should be removed immediately. Exposed [illegible] get medical treatment or they may [illegible].

[illegible] symptoms of poisoning are [illegible] weakness, blurred [illegible], difficult or labored breathing, [illegible] of saliva, drooling or [illegible] pinpoint pupils.

NOTICE: WARRANTY

[illegible] warrants that this material [illegible] as stated on the label and is [illegible] the Directions [illegible] to the inherent risks [illegible].

[illegible] makes no other express or [illegible] warranties, express or implied [illegible] MERCHANTABILITY [illegible].

[illegible]

55 GALLONS