

POST TREATED AREA

For State Agricultural Extension Service or Station regarding posting treated areas

FOR ALL EMPTY CONTAINERS

use the container. Completely empty the contents. Pused chemical at least 18 inches deep in an ation away from water supplies. **AINERS** Break the container and bury the pieces inches deep in a isolated location away from lies.

AINERS:

I CANS- Pour 1 pt. of water into empty can and spoonful household detergent. Rotate can wet all inner surfaces with the solution. Bury in at least 18 inches deep in an isolated location water supplies. Punch holes in top and bottom of can, and bury deeply in an isolated location.

I, 30-GALLON and 55-GALLON DRUMS- Pour the mixture into empty containers.

I DRUMS- 2 qts. water, 1/2 cup caustic soda (ye), 2 tablespoons of detergent.

N DRUMS- 3 gallons water, 1 lb. caustic soda (ye), 1/2 cup detergent.

N DRUMS- 5 gallons water, 2 lb. caustic soda (ye), 1 cup detergent.

ntainer until all inner surfaces are thoroughly the rinse solution at least 18 inches deep in an rea away from water supplies.

andle caustic soda (household lye) with extreme get on skin or eyes or on clothing. Read and low the precautions on package. Punch holes in am of container, crush container. Bury deeply in area.

E ABOVE RINSE METHOD CANNOT BE USED

I in TOP of container and burn in hot fire until al- been completely burned off container. Extreme d be exercised to insure that containers are empty and that persons stay well away from fumes. Do not attempt to burn more than 5 at one time.

NOTE TO PHYSICIAN

administer atropine sulfate in large doses. **TWO** g. intravenously or intramuscularly as soon as overcome. Repeat at 5 to 10 minute intervals of atropinization appear. **2-PAM** chloride is also nd may be administered in conjunction with **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** s a strong cholinesterase inhibitor affecting the d peripheral nervous systems and producing d respiratory depression. At first sign of edema the patient should be given supplemental treated symptomatically. Continued absorption son may occur and fatal relapses have been after initial improvement. **VERY CLOSE IN OF THE PATIENT IS INDICATED FOR AT LEAST**

I poisoning with Endrin, barbiturates as for ant therapy are administered. Observe patient ce repeated treatment may be necessary. Treat cally.

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

HELENA BRAND

Super Atem

Emulsifiable Insecticide Concentrate

1 gallon of
SUPER ATEM
contains 2 pounds
Methyl Parathion
and 1.6 pounds Endrin

ACTIVE INGREDIENTS (by weight)

*Endrin	17.7%
**O, O dimethyl O p-nitrophenyl thiophosphate	22.1%
Xylene	54.2%

INERT INGREDIENTS (by weight)	6.0%
TOTAL	100.0%

*Hexachlorocyclopentadiene endo,endo-dimethanonaphthalene
**Methyl Parathion

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

MANUFACTURED BY
HELENA CHEMICAL COMPANY
West Helena, Ark. — Tampa, Fla. — Lubbock, Texas
Des Moines, Iowa — West Columbia, South Carolina

GENERAL DIRECTIONS

Mix this concentrate with water by agitating or by circulating the mixture through the spray pump or other application device. A proper mixture will have the appearance of a milk emulsion with no free oil on the surface. Apply before use until the desired coverage is obtained. For control of insects, use proper equipment and technique. For control of weeds, use proper equipment and technique. For control of insects, use proper equipment and technique. For control of weeds, use proper equipment and technique.

DIRECTIONS FOR USE

Ground Application	Aerial Application
Mix with 8 to 10 gallons water.	Mix with 1 to 3 gallons of water.
For aerial application, mix with 1 to 3 gallons of water. Consult your local agricultural extension service for specific recommendations in your area.	
Do not hand pick or harvest within 7 days of last application.	
Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.	
Consult your local Agricultural Extension Service for specific recommendations in your area.	

ACCEPTED

AUG 29 1973

UNDER FEDERAL INSECTICIDE
FUND ACT, REG. NO. 5915-60
FOR ECONOMIC POISON REGISTER
BY U.S. DEPT. OF AGR.

Comments

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots, or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for Parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way **STOP** work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or fothing at mouth and nose, muscle spasms and coma.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty including any other express or implied warranty of **FITNESS** or of **MERCHANTABILITY** and no agent of Helena Chemical Company is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and not include consequential commercial damages such as loss of profit or value, etc.

EPA REG. NO. 5915-60

NET CONTENTS

U.S. GALLONS