

READ ENTIRE LABEL BEFORE USING

CAUTION

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE

(Southern United States)

RICE—PROPANIL is a selective insecticide for the control of hairy-grasshoppers, white-bellied grasshoppers, and other grasshoppers. It is also effective against the rice water bug, brown hopper, and other insects. For complete information, see the label on the container.

PROPANIL is a selective insecticide for the control of hairy-grasshoppers, white-bellied grasshoppers, and other grasshoppers. It is also effective against the rice water bug, brown hopper, and other insects. For complete information, see the label on the container.

TIMING AND DOSAGE—Apply PROPANIL to the rice plants when the grasshoppers are first observed. The dosage is 1/2 to 1 quart per acre, depending on the severity of the infestation. For complete information, see the label on the container.

Apply PROPANIL to the rice plants when the grasshoppers are first observed. The dosage is 1/2 to 1 quart per acre, depending on the severity of the infestation. For complete information, see the label on the container.

Apply PROPANIL to the rice plants when the grasshoppers are first observed. The dosage is 1/2 to 1 quart per acre, depending on the severity of the infestation. For complete information, see the label on the container.

Apply PROPANIL to the rice plants when the grasshoppers are first observed. The dosage is 1/2 to 1 quart per acre, depending on the severity of the infestation. For complete information, see the label on the container.

Apply PROPANIL to the rice plants when the grasshoppers are first observed. The dosage is 1/2 to 1 quart per acre, depending on the severity of the infestation. For complete information, see the label on the container.

Apply PROPANIL to the rice plants when the grasshoppers are first observed. The dosage is 1/2 to 1 quart per acre, depending on the severity of the infestation. For complete information, see the label on the container.

Apply PROPANIL to the rice plants when the grasshoppers are first observed. The dosage is 1/2 to 1 quart per acre, depending on the severity of the infestation. For complete information, see the label on the container.

Apply PROPANIL to the rice plants when the grasshoppers are first observed. The dosage is 1/2 to 1 quart per acre, depending on the severity of the infestation. For complete information, see the label on the container.

NET CONTENTS



COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

COMPATIBILITY WITH INSECTICIDES
PROPANIL is compatible with most insecticides. For complete information, see the label on the container.

U.S. GALLONS BY WEIGHT

HELENA

BRAND

PROPANIL-3

CAUTION KEEP OUT OF REACH OF CHILDREN.
SEE OTHER CAUTION STATEMENTS ON SIDE PANEL.

June 11 1977
5905-67

ACTIVE INGREDIENTS
INERT INGREDIENTS
TOTAL

MANUFACTURED BY
HELENA CHEMICAL COMPANY
West Helena, Ark. — Tampa, Fla. — Lubbock, Texas
Des Moines, Iowa — West Columbia, South Carolina

Rice M
Class &
Vari
Early Belle
Midseason
Late Blue
Usually one
of applicati
Do not spr
ceed the te
EFFECT OF
FIELD AND
WATER MA
WATER MA
TEMPERATUR

[Illegible text]

[Illegible text]

[Illegible text]

[Illegible text]

HELENA

BRAND

PROPANIL-3

CAUTION KEEP OUT OF REACH OF CHILDREN.
SEE OTHER CAUTION STATEMENTS ON SIDE PANEL.

A
 JUNE 11 1977
 592513

ACTIVE INGREDIENTS
 21.4% Disopropylamine
 INERT INGREDIENTS
 78.6%
 TOTAL
 100.0%

MANUFACTURED BY
HELENA CHEMICAL COMPANY
 West Helena, Ark. — Tampa, Fla. — Lubbock, Texas
 Des Moines, Iowa — West Columbia, South Carolina

Use Method: ...
 Class & Typical Variety: ...
 Rate: ...
 Application: ...
 Precautions: ...
 Usually one application is sufficient. Do not apply if rain is expected within 24 hours of application or if rain is expected within 48 hours of application. Do not spray later than the time specified on the label. Do not exceed the total active PROPANIL-3.

EFFECT OF CULTURAL PRACTICES AND CLIMATIC CONDITIONS
FIELD AND SEEDBED PREPARATION
 ...

WATER MANAGEMENT - POND TREATMENT
 ...

WATER MANAGEMENT - WET TREATMENT
 ...

... OTHER ...
 ...

WATER AND WEEDS CONTROLLED WITH PROPANIL-3
 ...

... WEEDS ...
 ...

... WEEDS ...
 ...

WARRANTY NOTICE

OPERATING INSTRUCTIONS ...