

ATLAS

BRAND


PROPANIL 4

SENSITIVE HERBICIDE (4 LBS ACTIVE PER GALLON)

For post-emergence control of Barnyard Grass and
and other weeds in Rice

CAUTION HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN.
AVOID EYE IRRITATION.
AVOID MUSE AND IRRITATION.

NEVER REBROADCAST
NEVER REBROADCAST
NEVER REBROADCAST



GENERAL INFORMATION

Directions for Use: Use only on rice which has been planted in the...

Directions for Use: Use only on rice which has been planted in the...

HARVESTING

DO NOT APPLY TOGETHER WITH...

PRECAUTIONS

Keep out of reach of children.
Do not use in areas where children or livestock are present.
Do not use in areas where water is used for drinking or irrigation.

ATLAS PROPANIL 4
E.I. du Pont de Nemours and Company
Wilmington, Delaware

ATLAS

BRAND

PROPANIL 4

SELECTIVE HERBICIDE (4 LBS ACTIVE PER GALLON)

For post-emergence control of Barnyard Grass and other weeds in Rice.

Use only according to label instruction

READ WARNING NOTICE BEFORE BUYING OR USING

IF NOTICE TERMS ARE NOT ACCEPTABLE RETURN AT ONCE UNOPENED

CAUTION: HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

Avoid contact with eyes, skin or clothing

Avoid prolonged breathing of vapor

Keep away from heat, sparks and open flame

In case of contact flush skin or eyes with plenty of water or at least 15 minutes for eyes get medical attention

Do not store near food, fertilizer, seeds, insecticides or fungicides

Keep out of reach of children

ACTIVE INGREDIENT:

3,4-Dichloropropionanilide 45.0%

INERT INGREDIENTS:

55.0%

Contains 4 pounds of 3,4-dichloropropionanilide per gallon

NET CONTENTS 30 U.S. GALLONS

MFG. BY HELENA CHEMICAL CO.

WEST HELENA, ARKANSAS

McGEEHEE, ELAINE & JONESBORO

DIRECTIONS FOR USE - RICE ONLY

Directions for Use - Rice Only
 Rice is a sensitive crop and should be treated with care. A uniform flood should be maintained throughout the treatment. Do not allow the water to drain off the rice. The rice should be flushed prior to treatment with clean water. The rice should be drained and the water should be replaced with clean water. The rice should be fully exposed to the sun after treatment. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted.

In cases where the rice is not fully exposed to the sun, the rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted.

The number of applications should be determined by the rice grower. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted.

DIRECTIONS FOR USE - (Continued)

Directions for Use - (Continued)
 The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted.

NOTICE - When the rice is not fully exposed to the sun, the rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted.

USE IN CALIFORNIA ONLY - When the rice is not fully exposed to the sun, the rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted.

Warning - When the rice is not fully exposed to the sun, the rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted. The rice should be treated as soon as possible after the rice is planted.



* Proprietary

ACCEPTED WITH COMMENTS