# BEST AVAILABLE COPY

#### PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Vacated areas shoul i not be re-entered until dufting insecticide and volitle residues have disspated. Do not apply within 7 days of harvest. Workers entering fields within 24 hours after application should wear protective clothing. Do not graze dairy animals or animals being finished for slaughter in treated fields.

Highly toxic to wildlife. Birds feeding on treated areas may be killed.

Do not apply when weather conditions favor drift from areas treated


Do not contaminate any body of water nor apply to any areas not specified on the label.

Do not contaminate food or food products. To prevent re-use, empty containers to be decontaminated and destroy. Keep container closed.

Broken containers should be removed to a safe place. Do not dispose of any unused material in such a manner that contact with humans or beneficial animals may occur.

#### DIRECTIONS

Cotton Insects: Apply 10-15 lbs. per acre per application weekly at first sign of infestation. For the control of bollweevil, cotton aphids, cotton leafworms, spider mites. Do not apply to cotton within seven days of hand picking.



NOT FOR HOME USE

DO NOT REUSE EMPTY CONTAINER. DESTROY BY BURYING IN A SAFE PLACE

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, bat, tubber boots for rubber oversborn (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

#### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is discours of drift.

Do not rub eyes or month with hands. If you feel sick in any way, \$TOP work and get help right away. Call a doctor (physician), clinic or hospital-immediately. Explain that the victim has been exposed to parathion and describe his condition. After first and is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or bospital.

IMPORTANT! Before removing gloves, wash them with map, and water. Always wash hands, face and arms with way and water before smoking, eating or drinking.

AFTER WORK, take off all work clother and above. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

# POSON SIGHS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body by contact with ill skin surfaces and eyes. Clothing wer with this material must be removed imediately. Exposed persons must receive prompt medical treatment or they may

Some of the signs and symptoms of possoning are. Headache, names, vomiting, cramps, weakness, blurred vision, pen-point pupils, tightness in chest, labored breathing nervousness, sweating, matering of eyes, droeling or frothing of month and nose, muscle spaint and coma.

# NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the salverent risks referred to therein

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANDISIBILITY and ma agent of Helean Chemical Company is authorized to do so except in writting, with a specific reference to this warra . Any damages arrang from a breach of this warranty shall. It mited to direct darungen, and not include contequential commercial daranges auch at loss of profit r value, etc

METHYL PARATHION MIXTURE EXCEND

E.P.A. REG. 1 ), 5905-78

LET WEIGHT 50 LBS