

DIRECTIONS FOR USE

For early-season thrips, flea beetles and cotton fleahopper. Also for cotton leaf worm and striped blister beetle. Apply 1 to 2 pounds of Helena Brand 50% Dust per acre on appearance of insects.

For mid- and late-season boll weevil, bollworm, fall armyworm, cotton leaf perforator, leaf rollers, leafhoppers and tarnished plant bug. Also for light to moderate infestations of Lygus bugs in Western irrigated cotton. Apply 2 to 4 pounds of Helena Brand 50% Dust per acre depending on the size of the cotton and insect population level. Applications should be made every 5 to 7 days as long as control is necessary.

For pink bollworm: Apply 3 to 5 pounds of Helena Brand 50% Dust per acre on a 5 to 7-day schedule depending on the size of the cotton and degree of infestation.

For stink bugs and salt-marsh caterpillar: Apply 4 pounds of Helena Brand 50% Dust per acre as needed.

For grasshoppers: Apply 1 to 3 pounds of Helena Brand 50% Dust per acre on appearance of insects and their feeding damage. The highest dosage should be used when grasshoppers are mature or material is applied on partly defoliated plants.

CAUTION

HARMFUL IF INHALED OR SWALLOWED

Avoid Breathing of Dust.

Do Not Take Internally.

Skin Contact May Be Harmful.

Avoid Contact. Wash Hands and Face Before Eating. Take Shower or Bath After Work.

Wear Regular Long Sleeved Work Clothing. Change to Clean Clothing Daily.

Note to Physician: Carbaryl is a moderate, reversible, cholinesterase inhibitor.

Atropine is antidotal.

AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES.

KEEP OUT OF REACH OF CHILDREN AND ANIMALS.


Do Not Reuse Empty Container. Destroy it by Burying with Waste or Burning.

Stay Away from Smoke or Fumes.



HELS - MATE

5905-80



(This product contains 8 lbs. TOXAPHENE and 2 lbs. METHYL PARATHION per gallon.)

STOP - READ LABEL BEFORE USING!

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

ACTIVE INGREDIENTS:

	<u>By Wt.</u>
*Toxaphene	66.6%
**0,0-dimethyl 0-p-nitrophenyl thiophosphate	16.6%
Xylene	11.1%

INERT INGREDIENTS:

.....	5.7%
TOTAL	100.0%

*Technical chlorinated Camphene (Chlorine Content 67% to 69%)
**Methyl Parathion

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

NOT FOR HOME USE