

BEST AVAILABLE COPY

## Precautionary Statements Hazards to Humans and Domestic Animals

### DANGER—POISON

Poisonous if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Do not get on eyes, on skin, or on clothing. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to EPN poisoning.

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED** — Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

**EYE CONTACT** — Flush immediately with clean water for 15 minutes. Get medical attention.

**SKIN CONTACT** — In case of contact, remove contaminated clothing and immediately wash skin with soap and water. Get medical attention.

**IF BREATHED** — Remove victim to fresh air. Get medical attention.

**POISONING SYMPTOMS:** Weakness, headache, blurred vision, nausea, vomiting, diarrhea, cramps, non-reactive pinpoint pupils, salivation, sweating and discomfort in chest.

**NOTE TO PHYSICIAN (Treatment):** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation atropine sulfate should be injected at 10-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until the time for cholinesterase regeneration has been determined by blood tests. 2-Pam is also antidotal and may be administered in conjunction with atropine.

### Storage and Disposal

Do not store near feed or food stuffs.

Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

### FOR ALL EMPTY CONTAINERS

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

### Environmental Hazards

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

### Physical and Chemical Hazards

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

## RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFICATION

ACCEPTED

NOV 10 1981

U.S. Dept. of Insecticide,  
Fungicide and Rodenticide Act,  
Registration of the pesticide  
under  
EPA Reg. No.

# HELENA

# 2 LB. EPN

## EMULSIFIABLE INSECTICIDE CONCENTRATE

Contains 5 lbs. of EPN per gallon

### ACTIVE INGREDIENTS:

O-Ethyl O-p-nitrophenyl Phenylphosphonothioate .....  
Aromatic Petroleum Solvent .....  
INERT INGREDIENTS .....  
TOTAL .....  
\*EPN

1 gallon of Helena 2 lb. EPN contains 2 lbs. EPN

**POISON**  
See Side Panels  
for Antidote &  
Precautions



Do Not  
Keep  
Refrigerated  
Chill

E.P.A. REG. NO. 5901-101

E.P.A. EST. NO. \_\_\_\_\_

NET CONTENTS \_\_\_\_\_

DO NOT RE-USE THIS CONTAINER FOR ANY OTHER PURPOSE

# HELENA

Manufactured by  
**HELENA CHEMICAL COMPANY**  
Memphis, TN 38137