

BEST AVAILABLE COPY

1 of 12
pml
5905-107

HELENA CHEMICAL COMPANY



CORPORATE OFFICE

Suite 3200 - Clark Tower
5100 Poplar Avenue
Memphis Tennessee 38137
Telephone 901/761-0050
Telex 8105911595

RESTRICTED USE PESTICIDE
For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification

HELENA

METHYL - EPN 42

EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENTS

*O-Ethyl O-(p-nitrophenyl) phenylphosphonothioate.....	21.10%
**O,O-Dimethyl O-p- nitropheny phosphorothioate.....	40.03%
Related compounds.....	2.11%
Xylene.....	27.50%
INERT INGREDIENTS..	9.26%
TOTAL.....	100.00%

*EPN **Met yl Parathion

This product contains 4 lbs Methyl Parathion and 2 lbs EPN per gallon

DANGER - POISON - PELIGRO

SEE SIDE PANELS FOR ANTIDOTES AND PRECAUTIONS		KEEP OUT OF REACH OF CHILDREN
---	--	-------------------------------------

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente. (TRANSLATION: TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA Reg. No. 5905-1Q7
EPA Est. No. *

Net Contents

Manufactured by
Helena Chemical Company
Memphis, TN 38137

ACCEPTED
NOV 04 1983
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 5905-107

REPRODUCTION COPY

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER - POISON

Poisonous if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Repeated inhalation or skin contact may, without symptoms progressively increase susceptibility to EPN poisoning.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

EYE CONTACT - Flush immediately with clean water for 15 minutes. Get medical attention.

IF BREATHED - Remove victim to fresh air. Get medical attention.

SKIN CONTACT - Remove contaminated clothing and immediately wash skin with soap and water. Get medical attention.

POISONING SYMPTOMS: Weakness, headache, blurred vision, nausea, vomiting, diarrhea, cramps, non-reactive pinpoint pupils, salivation, sweating and discomfort in chest.

NOTE TO PHYSICIAN (Treatment): Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until the time for cholinesterase regeneration has been determined by blood tests. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT AND WORK SAFETY RULES

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn.

Do not enter treated areas without protective clothing until sprays have dried.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

PROTECTIVE CLOTHING REQUIRED: Wear clean protective clothing, goggles, and respirator approved by NIOSH or the American National Standards Institute when applying or handling, or when reentering fields within 48 hours of treatment.

The following protective clothing must be worn: lightweight, unlined, natural rubber gloves at least midforearm in length; a wide brimmed waterproof hat or waterproof hood; a protective suit or coveralls of a nonpermeable, non-cloth material covering the body from ankles to wrists; lightweight, unlined, natural rubber boots at least midcalf in length; full-face respirators and goggles are required. Aerial applicators in positive pressure cockpits and other applicators in comparable ground equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. (Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure.) When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: '(Appropriate signal word DANGER or WARNING). Area treated with (name of pesticide) on (date of application). Do not enter without appropriate protective clothing for 48 hours. (Insert here actions to take in case of accidental exposure.)'

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

USE DIRECTIONS

Do not apply this product when weather conditions favor drift from treated area. Do not apply to blooming cotton if bees are visiting the treated area.

Apply recommended amounts of Helena Methyl-EPN 42 in 1 - 3 gallons of water per acre for airplane applications. For aerial applications, flagging must be by fully automated mechanical means or by humans working in totally enclosed vehicles. For ground application, apply in a minimum of 8.0 gallons of water per acre.

COTTON: For control of thrips, certain spider mites, cotton fleahoppers, boll weevils, bollworms, yellow striped armyworms and garden webworm, apply when insects appear and repeat at 5 day intervals as necessary.

INSECT	COTTON SIZE	RATE/ACRE
Thrips	Seedling	4 oz
Certain Species Spider Mites		8 oz
Lygus Bugs & Other Mirids		4 oz
Cotton Fleahopper	Squaring	4 oz
Yellow Striped Armyworm		32 oz
Garden Webworm		8 oz
Overwintered Boll Weevil		6 1/2 oz
Certain Species Spider Mites		8 oz
Cotton Aphid		8 oz
Boll Weevil	Late Season	16 oz
Bollworm		32 oz
Cotton Leafworm		10 1/2 oz
Fall Armyworm		8 oz

Do not hand pick or harvest within 7 days of application. Do not graze or feed dairy animals and animals being finished for slaughter on treated fields or treated cotton trash.

Consult your County Agent or State Agricultural Extension Service for Specific recommendations in your area. TIME ALL APPLICATIONS in accordance with State and Federal recommendations.

SOYBEANS: Cutworms, Climbing - apply 1/2 pint per acre. Three-cornered Alfalfa Treehopper and Webworms (including Garden Webworms) - apply 1/2 to 1 pint per acre. Stink Bug - apply 1/4 - 2 pints per acre. Velvetbean Caterpillar - apply 4/5 - 1 pint per acre. Aphids, Green Cloverworms, Cabbage Loopers, and Mexican Bean Beetles - apply 1 pint per acre. Armyworms, Fall Armyworms (to 3rd instar), Bean Leaf Beetles and Corn Earworms - apply 2 pints per acre.

Do not graze livestock or feed forage from fields treated with up through 2 pints per acre within 21 days after last application. Do not harvest within 21 days after last application. Do not apply more than once per growing season.

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS
OF LIABILITY AND REMEDIES

THE DIRECTIONS FOR USE OF THIS PRODUCT REFLECT THE OPINION OF EXPERTS BASED ON FIELD USE AND TESTS. THE DIRECTIONS ARE BELIEVED TO BE RELIABLE AND SHOULD BE FOLLOWED CAREFULLY. HOWEVER, IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF HELENA OR THE SELLER. ALL SUCH RISKS SHALL BE ASSUMED BY THE PURCHASER AND USER.

HELENA WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSE REFERRED TO IN THE DIRECTIONS FOR USE SUBJECT TO THE INHERENT RISKS REFERRED TO ABOVE. HELENA MAKES NO OTHER WARRANTY OR REPRESENTATION OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT, INCLUDING NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, AND NO SUCH WARRANTIES SHALL BE IMPLIED BY LAW.

THE EXCLUSIVE REMEDY AGAINST HELENA FOR ANY CAUSE OF ACTION RELATING TO THE HANDLING OR USE OF THIS PRODUCT IS A CLAIM FOR DAMAGE AND IN NO EVENT SHALL DAMAGES OR ANY OTHER RECOVERY OF ANY KIND AGAINST HELENA EXCEED THE PRICE OF THE PRODUCT WHICH CAUSES THE ALLEGED LOSS, DAMAGE, INJURY, OR OTHER CLAIM. HELENA SHALL NOT BE LIABLE AND ANY AND ALL CLAIMS AGAINST HELENA ARE WAIVED, FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OR EXPENSES, OF ANY NATURE,, INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS OR INCOME, AND CROP OR PROPERTY LOSS OR DAMAGE, WHETHER OR NOT BASED ON HELENA'S NEGLIGENCE, BREACH OF WARRANTY, STRICT LIABILITY IN TORT OR ANY OTHER CAUSE OF ACTION.

HELENA AND THE SELLER OFFER THIS PRODUCT AND THE BUYER AND USER ACCEPT IT, SUBJECT TO THE FOREGOING CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY, LIABILITY AND REMEDIES WHICH MAY ONLY BE VARIED BY AGREEMENT IN WRITING SIGNED BY A DULY AUTHORIZED REPRESENTATIVE OF HELENA.



ESTABLISHMENT NUMBER STATEMENT

* First letters of product batch code indicate producing establishment.

5905-FL-1=TF • 5905-GA-1=CG • 5905-AR-1=WA

5905-OK-1=AO • 5905-TX-2=AT • 5905-CA-1=KC

5905-LA-3=DL

Li. 11/11/11

70812

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

STOP — READ LABEL BEFORE USING!

POISON



DANGER

See Side Panels
for Antidote &
Precautions

Keep Out of
Reach of
Children



METHYL - EPN 42

Emulsifiable Concentrate

Contains 4 lbs Methyl Parathion and 2 lbs EPN per Gallon

ACTIVE INGREDIENTS:

O-Ethyl O-p-Nitrophenyl Phenyl-phosphonothioate*	21.1%
O,O-Dimethyl O-p-nitrophenyl phosphorothioate	40.03%
Related compounds	2.11%
Xylene	27.5%

INERT INGREDIENTS:

(EPN)		9.3%
Methyl Parathion	TOTAL	100.0%

See Antidote Statement And
Warning Statement on Side Panel

DO NOT REUSE THIS CONTAINER FOR ANY PURPOSE

BEST AVAILABLE COPY

DANGER — POISON PRECAUTIONS



Consult y
Station re



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. To protect bees, do not apply when crops are in bloom. Remove or cover hives if application is necessary during bloom.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DO NOT
bury unu
away from
GLASS C
least 18 in

METAL C

1-GALL
1 tablesp
inner surf
deep in a
top and b
location

5-GALL
following

5-GALL
lye) 2 tal

30-GAL
hold lye)

55-GAL
hold lye)

Rotate co
rinse sol
water sup

CAUTIO
care. Do
follow th
of contain

DANGER

DANGER Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin.

POISONING SYMPTOMS. Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE. Atropine is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep d.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

IF TH

Punch ho
has been
exercised
persons
burn mor

◆ FIRST AID TREATMENT ◆

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly, induce vomiting by sticking finger down throat or by giving soapy or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

ANTIDOO
FOUR m
overcom
pinizatio
administ
MORPHI
ase inhib
and proo
pulmona
and trea
may occ
improver
INDICAT



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.



POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. To protect bees, do not apply when crops are in bloom. Remove or cover hives if application is necessary during bloom.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective Information may be obtained from your Cooperative Agricultural Extension Service.

DANGER

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

◆ FIRST AID TREATMENT ◆

1. Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

2. If breathing has stopped start artificial respiration immediately and maintain until doctor sees victim.

3. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soap or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

4. In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

DO NOT re-use the container. Completely empty the contents and bury unused chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS: Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS:

1-GALLON CANS: Pour 1 pt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury rinse solution at least 18 inches deep in an isolated location away from water supplies. Punch holes in top and bottom of cans, crush can, and bury deeply in an isolated location.

5-GALLON, 30-GALLON and 55-GALLON DRUMS: Pour the following mixture into empty containers.

5-GALLON DRUMS: 2 qts water, 1/4 cup caustic soda (household lye), 2 tablespoons of detergent.

30-GALLON DRUMS: 3 gallons water, 1 lb caustic soda (household lye), 1/4 cup detergent.

55-GALLON DRUMS: 5 gallons water, 2 lb. caustic soda (household lye), 1 cup detergent.

Rotate container until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on package. Punch holes in top and bottom of container, crush container. Bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Punch holes in TOP of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.

NOTE TO PHYSICIAN

ANTIDOTE: administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

GENERAL DIRECTIONS

METHYL EPN 42 is an emulsifiable concentrate which contains 4 lbs Methyl Parathion and 2 lbs EPN for use on cotton insects. It is suitable for use in conventional hydraulic sprayers and airplane sprayers. For aerial application, dilute in 1 to 3 gallons of water per acre.

COTTON: For control of thrips, certain spider mites, cotton fleahoppers, boll weevils, bollworms, yellow striped armyworm, and garden webworm apply when insects appear and repeat at 3 day intervals as necessary.

Insect	Cotton Size	Product /Acre	Acres Gal
Thrips	Seedling	4 oz /A	32
Certain Species Spider Mites		8 oz /A	16
Lygus Bugs & Other Mirids		4 oz /A	32
Cotton Fleahopper	Squaring	4 oz /A	32
Yellow Striped Armyworm		32 oz /A	4
Garden Webworm		8 oz /A	16
Overwintered Boll Weevil		6 1/2 oz /A	20
Certain Species Spider Mites		8 oz /A	16
Cotton Aphid		8 oz /A	16
Boll Weevil	Late Season	16 oz /A	8
Bollworm		32 oz /A	4
Cotton Leafworm		10 1/2 oz /A	12
Fall Armyworm		8 oz /A	16

DANGER

DANGER: BEFORE USING READ THIS LABEL CAREFULLY.

Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated.

Do not contaminate feed and foodstuffs.

Keep away from heat and open flame. Use only for recommended purposes and at recommended dosages. Do not hand pick or harvest within 7 days of application.

Do not graze or feed dairy animals and animals being finished for slaughter on treated fields or treated cotton trash.

Workers entering fields within 24 hours after application should wear protective clothing.

Consult your County Agent or State Agriculture Extension Service for specific recommendations in your area. **TIME ALL APPLICATIONS** in accordance with State and Federal recommendations.

SOYBEANS: Cutworms, Climbing - apply 1/2 pint per acre; Three-cornered Alfalfa Treehopper and Webworms (including Garden Webworms) - apply 1/2 to 1 pint per acre; Stink Bug - apply 1/2 - 2 pints per acre; Velvetbean Caterpillar - apply 4/5 to 1 pint per acre; Aphids, Green Cloverworms, Cabbage Loopers, and Mexican Bean Beetles - apply 1 pint per acre; Armyworms, Fall Armyworms (to 3rd Instar), Bean Leaf Beetles and Corn Earworms - apply 2 pints per acre.

Do not graze livestock or feed forage from fields treated with up through 2 pints per acre within 21 days after last application. Do not harvest within 21 days after last application. Do not apply more than once per growing season.

EPA Reg. No. 5905-107

NOT FOR HOME USE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

NOTICE OF WARRANTY

Helena Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the inherent risks referred to therein.

Helena Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Helena Chemical Company is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and not include consequential commercial damages such as loss of profit or value, etc.

E.P.A. Reg. No. 5905-107

METHYL PARATHION MIXTURE LIQUID

NET CONTENTS

U.S. GALLONS