



DANGER - POISON - PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.




POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.



POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, shrimp, crabs, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where there are important resources. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to be exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DANGER

DANGER Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, vomiting, diarrhea, dizziness in chest.

ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of Atropine 1-100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

+ FIRST AID TREATMENT +

Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious), make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salt water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

FOR ALL EMPTY CONTAINERS

DO NOT RE-USE the container. Completely empty the contents and bury unused chemical at least 18 inches deep in an isolated location away from water supplies. **GLASS CONTAINERS:** Break the container and bury the pieces at least 18 inches deep in a isolated location away from water supplies.

METAL CONTAINERS:

1-GALLON CANS: Pour 1 pt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury, rinse, and flush with water. Bury the pieces at least 18 inches deep in an isolated location away from water supplies. Punch holes in top and bottom of cans. Crush can. Bury deeply in an isolated location.

5 GALLON, 30 GALLON and 55 GALLON DRUMS: Pour the following mixture into empty containers:

5 GALLON DRUMS: 2 qts. water, 1/2 cup caustic soda, household lye, 1 tablespoon of detergent.

30 GALLON DRUMS: 3 gallons water, 1 lb. caustic soda, household lye, 1 cup detergent.

55 GALLON DRUMS: 5 gallons water, 2 lb. caustic soda, household lye, 1 cup detergent.

Rotate container until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on package. Punch holes in top and bottom of container. Crush container. Bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED

Punch holes in TOP of container and burn in hot fire until all paint has been completely burned off. Container (extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.

NOTE TO PHYSICIAN

ANTIDOTE: administer atropine sulfate in large doses TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. PAM (chloride) is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

STOP - READ LABEL BEFORE USING!

POISON
See Side Labels for Antidote & Precautions



DANGER
Keep Out of Reach of Children



1 lb. Ethyl Parathion FOR MOSQUITO CONTROL

ACTIVE INGREDIENTS

Parathion (O,O Diethyl O-p-nitrophenyl thiophosphate) 25.18%
Xylene 70.40%

INERT INGREDIENTS 4.42%
TOTAL 100.00%

1 gallon of HELENA 1 LB ETHYL PARATHION contains 1 lb. ETHYL PARATHION


MANUFACTURED BY HELENA CHEMICAL COMPANY

MEMPHIS, TENNESSEE

DIRECTIONS FOR USE

| USE | TEREBINYL PESTICIDE | EXSALG | LIMITATIONS |
|--------------------------------------|------------------------------|------------------------------|---|
| General Mosquito Control (including) | | | |
| Long-term Mosquito Control | 1 to 2 gal. per 1000 sq. ft. | 1 to 2 gal. per 1000 sq. ft. | 1. To be applied by public health or other appropriate authorities. 2. Not in structures. |
| Long-term Mosquito Control | 1 to 2 gal. per 1000 sq. ft. | 1 to 2 gal. per 1000 sq. ft. | 1. Do not apply within 7 days of spraying or grazing. |
| For Mosquito Control | 1 to 2 gal. per 1000 sq. ft. | 1 to 2 gal. per 1000 sq. ft. | 1. Do not. |

ALWAYS WEAR PROTECTIVE CLOTHING - Mix with approximately 1 to 10 gallons of water. Do not mix with soap, grease, oil, or other detergents.



NOT FOR HOME USE

DO NOT RE-USE THIS CONTAINER FOR ANY PURPOSE

US-71
(1) Wear rubber overalls or respirator. Parathion is natural rub...

Keep all treated areas...

Do not rub way STOP (physician) victim has condition (section) an hospital.

IMPORTANT! water before...

AFTER WORK using soap job. Do not clothing and each use according to...

Parathion is body by contact with this persons must die.

Some of the Headache, vision, pain, nervousness, frothing of...

Helena Chemical conforms to reasonably for Use and referred to...

Helena Chemical implied warranty of Helena Chemical writing with damages or limited to commercial...

EPA REG...

NET CONTENTS...