

RESTRICTED USE PESTICIDE

**Due to very high acute toxicity to
Humans and Birds**

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

**HELENA
2 LB. ETHYL PARATHION
FOR MOSQUITO CONTROL**

ACTIVE INGREDIENTS

(By Weight)

Parathion (0,0-diethyl 0-p-nitrophenyl phosphorothioate)..... 24.29 %
Related Compounds..... 0.77 %

INERT INGREDIENTS..... 74.94 %

TOTAL.....100.00%

One gallon of Helena 2 lb. Ethyl Parathion contains 2 lbs. Ethyl Parathion.

BEST AVAILABLE COPY

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

PELIGRO: AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta la haya sido explicada ampliamente.

E.P.A. REG. NO. 5905-109

First letter of Product batch code indicates producing establishment.

5905-FL-1=TF • 5905-GA-1=CG • 5905-AP-1=WA • 5905-OK-1=AO • 5905-TX-2=AT
5905-CA-1=KC • 5905-LA-3=DL

Manufactured by HELENA CHEMICAL COMPANY
Memphis, Tn. 38137

ACCEPTED
NOV 9 1987
Under the Federal Insecticide,
Fungicide and Rodenticide Act,
as amended by the pesticide
regulatory reform act of 1972,
EPA REG. NO. 5905-109


Net Content:

BEST AVAILABLE COPY

Precautionary Statements

Hazards to Humans And Domestic Animals

DANGER—POISON



DO NOT SWALLOW



DO NOT TOUCH



DO NOT BREATHE

POISONOUS IF SWALLOWED

IF SWALLOWED - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

STATEMENT OF PRACTICAL TREATMENT

POISONING SYMPTOMS

Parathion is a very dangerous poison. It rapidly enters the body by contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

✚ FIRST AID TREATMENT ✚

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to _____ parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Since any symptoms from absorption of this combination product are likely to be those of _____ parathion intoxication, treatment should be directed towards the relief of cholinesterase inhibition.

Antidote — administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.**

Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given

supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and wildlife. Fish and other aquatic organisms in treated areas may be killed. When treating lakes or other open bodies of water apply only to shallow edges. Consult with state fish and game departments before applying to public waters.

This product is extremely toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops or weeds if bees are visiting the treatment area.

ENDANGERED SPECIES RESTRICTIONS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal laws. The use of this product is controlled to prevent death or harm to endangered or threatened species that occur in the following counties or elsewhere in their range.

Before using this pesticide in these counties you must first contact and obtain permission from the Endangered Species Specialist in your State Wildlife Agency Headquarters or the appropriate Regional Office of the U.S. Fish and Wildlife Service (FWS).

STATE (Regional Office FWS) Species	County (unless specified otherwise)
ALABAMA (Atlanta, GA.) Alabama cavefish	Lauderdale
Slackwater darter	Lauderdale, Limestone, Madison
Snail darter	Jackson, Madison
Watercress darter	Jefferson
Freshwater mussels	Colbert, Jackson, Marshall, Morgan
ARIZONA (Albuquerque, N.M.) Woundfin	Mohave
Arizona (con't) Gila and Yaqui topminnows	Cochise, Graham, Pima, Pinal, Santa Cruz
Yuma clapper rail	Mohave, Yuma
ARKANSAS (Atlanta, GA.) Freshwater mussels	Clark, Clay, Cross, Lawrence, Randolph, Sharp, St. Francis

BEST AVAILABLE COPY

STATE (Regional Office FWS) Species	County (unless specified otherwise)
CALIFORNIA (Portland, OR.) Owens River pupfish	Inyo, Mono
Unarmored threespine stickleback	Los Angeles, Santa Barbara
Aleutian Canada goose	Colusa, Merced, Stanislaus Sutter
Mohave tui chub	San Bernardino
Salt marsh harvest mouse	Alameda, Contra Costa, Marin
Clapper rail	Alameda, Contra Costa, Humboldt, Marin, Monterey, Napa, Solano, San Luis Obispo, San Mateo, Santa Clara, Sonoma
Yuma clapper rail	Imperial, Riverside, San Bernardino
Light-footed clapper rail	Orange, Los Angeles, San Diego, Santa Barbara and Ventura
California least tern	Alameda, Los Angeles, Orange, San Diego, San Mateo, Santa Barbara and Ventura
DISTRICT OF COLUMBIA (Newton Corners, MA.) Hay's Spring amphipod	Rock Creek Park
FLORIDA (Atlanta, GA.) Okaloosa darter	Okaloosa and Walton
GEORGIA (Atlanta, GA.) Snail darter	Catoosa
HAWAII (Portland, OR.) Hawaiian gallinule	Island of Oahu
Hawaiian coot	Islands of Kauai, Maui, Molokai, Niihau and Oahu
Hawaiian stilt	Islands of Kauai, Maui, Niihau and Oahu
IDAHO (Portland, OR.) Whooping crane	Caribou, Bear Lake and Bonneville

BEST AVAILABLE COPY

STATE (Regional Office FWS) Species	County (unless specified otherwise)
KENTUCKY (Atlanta, GA.) Freshwater mussels	Ballard, Edmundson, Jackson, Laurel, Marshall, McCracken, Pulaski, Rockcastle, Warren and Wayne
Kentucky cave shrimp	Edmundson and Hart
MARYLAND (Newton Corners, MA.) Maryland darter	Harford
MISSISSIPPI (Atlanta, GA.) Bayou darter	Claiborne and Copiah
Mississippi sandhill crane	Jackson
EVADA (Portland, OR.) Pahrump killifish	Clark and White Pine
Devils Hole pupfish	Nye
Warm Springs pupfish	Nye
Maopa dace	Lincoln
ish Meadows speckled dace	Nye
ish Meadows amargosa pupfish	Nye
NEW MEXICO (Albuquerque, N.M.) Socorro isopod	Socorro
Pecos gambusia	Chaves, Eddy
NORTH CAROLINA (Atlanta, GA.) Spotfin chub	Macon, Swain
OHIO (Twin Cities, MN.) Scioto Madtom	Champagne, Franklin, Logan, Madison, Pickaway and Union
OKLAHOMA (Albuquerque, N.M.) Leopard darter	LeFlore and McCurtain

BEST AVAILABLE COPY

STATE (Regional Office FWS) Species	County (unless specified otherwise)
TENNESSEE (Atlanta, GA.) Slender chub	Claiborne and Hancock
Spotfin chub	Cumberland, Fentress and Morgan
Slackwater darter	Lawrence, Wayne
Snail darter	Bradley, Hamilton, Knox, Loudon, Marion, Meigs and Polk
Yellowfin madtom	Claiborne, Hancock and Monroe
Freshwater mussels	Blount, Claiborne, Decatur, Franklin, Hancock, Hardin, Hawkins, Lincoln, Loudon, Marshall, Maury, Rhea, Roane, Scott, Sequatchie, Smith and Sullivan
TEXAS (Albuquerque, N.M.) Fountain darter	Comal and Hays
Pecos gambusia	Jeff Davis, Pecos and Reeves
San Marcos gambusia	Hays
Comanche Springs pupfish	Jeff Davis and Reeves
Leon Springs pupfish	Pecos
Clear Creek gambusia	Menard
Big Bend gambusia	Brewster
UTAH (Denver, CO.) Woundfin	Washington
VIRGINIA (Newton Corners, MA.) Slender chub	Lee and Scott
Spotfin chub	Scott and Washington
Yellowfin madtom	Lee, Russell and Scott
Madison Cave isopod	Augusta
WYOMING (Denver, CO.) Kendall Warm Springs dace	Sublette
Whooping crane	Lincoln and Sublette

BEST AVAILABLE COPY

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn.

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

DANGER

Area treated with Ethyl Parathion on (insert date). Do not enter without appropriate protective clothing for 48 hours (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

BEST AVAILABLE COPY

WORK SAFETY RULES

THIS PRODUCT MAY BE FATAL IF SWALLOWED, INHALED, OR IF ALLOWED TO CONTACT SKIN. FAILURE TO PROPERLY FOLLOW ALL INSTRUCTIONS FOR PROTECTIVE CLOTHING AND EQUIPMENT WILL INCREASE YOUR RISK.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE, AND EARLY REENTRY INTO TREATED FIELDS:

Waterproof pants and coat; heavy-duty chemical-resistant gloves; rubber boots or rubber overshoes; hood or wide-brimmed hat; safety goggles or face shield; NIOSH approved respirator. In addition, mixer/loaders must wear a chemical resistant apron when using the concentrated product. During aerial application in nonenclosed cockpits, a helmet with a visor may be substituted for the hood or wide-brimmed hat and safety goggles or face shield requirements.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Heavy-duty chemical resistant gloves; chemical resistant apron, long-sleeved shirt (or gauntlets and short sleeve shirt) and long-legged pants; shoes and socks.

Safety goggles or a faceshield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Clean long-sleeved shirt and long-legged pants. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated areas. If used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag.

REMEMBER- THIS CLOTHING IS NOT INTENDED TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT OR DURING EARLY REENTRY! REFER TO THE INSTRUCTIONS ABOVE.

HUMAN FLAGGERS ARE STRICTLY PROHIBITED DURING AERIAL APPLICATION.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water, and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

BEST AVAILABLE COPY

AFTER WORK: Wash gloves with soap and water before removing. Take off all work clothes and shoes. Store protective clothing separately from personal clothing. Launder protective clothing after each use. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Personal clothing worn during mixing/loading, application, repair and cleaning of application equipment, disposal of pesticide, and early reentry into treated fields must be stored and laundered separately from household articles. Clothing and equipment heavily contaminated or drenched with parathion must be destroyed according to state and local regulations.

HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

Respirators should be cleaned and cartridges replaced according to instructions included with respirators. Replace gloves frequently.

BEST AVAILABLE COPY

Storage and Disposal

Pesticide Storage

Do not store below 20°F, (-7°C).

Do not use or store near heat, open flame or hot surfaces.

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call 901-761-0050.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Metal containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic containers—Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

USE	TOLERANCE (ppm)	DOSAGE	LIMITATIONS
General Mosquito Larvicide including			
Irrigation ditches		1 oz/A	To be applied by public health or mosquito abatement authorities Repeat as necessary
Irrigated pastures	1 (on grass forage)	1 1/2 oz/A	Do not apply within 7 days of cutting or grazing.
Rice fields	1 (on rice)	1 1/2 oz/A	1 day.

AERIAL APPLICATION - Mix with approximately 1 to 10 gallons of water per acre consistent with crop growth and good coverage.

BEST AVAILABLE COPY

CONDITIONS OF SALE - LIMITED WARRANTY
AND LIMITATIONS OF LIABILITY AND REMEDIES

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions, the failure to follow the label directions, or good application practices, all of which are beyond the control of Helena or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. Helena warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of Helena. Helena makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warrant shall be implied by law.

The exclusive remedy against Helena for any cause of action relating to the handling or use of this product is a claim for damage and in no event shall damages or any other recovery of any kind against Helena exceed the price of the product which causes the alleged loss, damage, injury, or other claim. Helena shall not be liable and any and all claims against Helena are waived, for special, indirect, incidental, or consequential damages or expense, of any nature, including, but not limited to, loss of profits or income, whether or not based on Helena's negligence, breach of warranty, strict liability in tort or any other cause of action.

Helena and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.